

MROUSKELLES .

## By the Council of the ROYAL SOCI-ETY of London for Improving of Natural Knowledge.

Rdered, That the Book written by John Evelyn Esq; Fellow of this Society, Entituled

STLVA; Or a Discourse of Forest-Trees, and the Propagation of Timber in His Majesties Dominions: To which is annexed POMONA; Or an Appendix concerning Fruit-Trees in relation to Cider, the Making and several ways of Ordering it, be printed by John Martyn and James Allestry, Printers to the said Society.

Dat' die 3° Menf. Febr. Anno 1 6 6 <sup>3</sup>/<sub>4</sub>. BROUNCKER, P.R.S.

## OF A DISCOURSE OF FOREST-TREES, AND THE

# Propagation of Timber

In His MAJESTIES Dominions.

By J. E. Elq;

As it was Deliver'd in the ROYAL SOCIETY the xv<sup>th</sup> of October, CIDIDCLXII. upon Occasion of certain Quaries Propounded to that Illustrious Affembly, by the Honorable the Principal Officers, and Commifficients of the Navy.

To which is annexed **POMONA** Or, An Appendix concerning Fruit-Trees in relation to CIDER; The Making and feveral ways of Ordering it.

Published by express Order of the ROYAL SOCIETY.


ALSO

KALENDARIOM HORTENSE; Or; Gard'ners Almanac ; Directing what he is to do Monethly throughout the Year.

Ingredior, tantos aufiu recludere fonteis. Virg.



LONDON, Printed by Jo. Martyn, and Ja. Allestry, Printers to the Royal Society, and are to be fold at their Shop at the Bell in S. Paul's Church-yard, MDCLXIV.



#### TO THE

## KINGS Most Sacred MAJESTY Charles the Second.



OR To whom, Sir, with equal right ought I to Prefent this Publique Fruit of your ROYAL SOCIBTY, then to its Royal FOUNDER? and this Discourse of Trees, then to

your Sacred Majesty, tanquam NEMORUM Cato de RR. VINDICI? As of old they pay'd their Devoti- aurel. Viet. ons HERCULI & SYLVANO; fince Gloff. Phil. You are our ous vands, Nemorensis Rex, as has quill. And so Nemestinus ving once your Temple, and Court too under that Deus Neme-rum, Arnob. Holy-Oak which you Confecrated with your Pre-lib.4. sence, and We celebrate with just Acknowledgment to God' for your Preservation.

But your Majesty has yet another Title to this Work, and to all it pretends to; as having (like another Cyrus) by your own Royal Example, exceeded all your Predecessions in the Plantations which you have already made, and now defign, beyond (I dare affirm it) all the Monarchs of this Nation since the Conquest of it. And indeed, what is there more August, more worthy of your. Majesty, or more becoming our Imitation? then whilf you are thus folicitous for our Instruction, we pursue your Majesties great Example with that Veneration which is due to it? and by culti-Az varing

np

## The Epistle Dedicatory.

vating our decaying Woods, contribute to your Power, as to our greatest Wealth and Safety ; fince, whiles your Majesty is furnish'd to send forth Argon, 1.1. those Argos, and Trojan Horses, about this your That famous Ship built of Island, we are to fear nothing from without it; and the Dodonewhilest We remain obedient to your Commands and great Example, nothing from within it : For, as no Jewel in your Majesties resplendent Crown can render you fo much Luftre and Glory as your regards to Navigation; So, nor can any thing impeach your Navigation, and the Reputation of That, whiles you continue thus careful of your Woods and Forests. I shall add no more Sir to This, then to supplicate your Majesties gracious Acceptance of my Obedience to the Commands of your SOCIETY, who impos'd this Province on,

# SIR,

late present pay body co. 2 a. c.

Prefervation.

an endy which and have at 1215, de-

-May 29. 1663.

an Oak.

Your Majesties ever Loyal, Says-Court, most Obedient, and Faithful Subject, and Servant

 $f. EV \in LY \mathcal{N}.$ 

anone show a solution of a said and and to reaction of one of the source of the second second 31.90 which as more decommend on provident that and you are shall parenteen for one 1050 wettern. when row Maphin great Pressed in south time Verrance whet is dee to set and be when SU ULES -

#### TO THE

# READER.

Fter what the Frontiffece and Porch of this Wooden Edifice prefents you, I shall need no farther to repeat the Occafion of this following Discourse : I am only to acquaint you, That as it was deliver'd to the

ROYAL SOCIETY by an unworthy Member thereof, in obedience to their Commands, by the fame it is now publish'd without any further Prospect. And the Reader is to know, That if thele dry sticks afford him any Sap, it is one of the least and meanest of those Pieces which are every day produc'd by that Illustrious Affembly, and which enrich their Collections, as fo many Monuments of their accurate Experiments, and Publique Endeavours, in order to the production of real and useful Theories, the Propagation of Natural Science, and the honour of their Institution. If to this there be any thing fubjoyn'd here, which may a while befpeak the patience of the Reader, it is only for the Encouragement of an Industry, and worthy Labour, too much in our days neglected, as haply efteem'd a confideration of too fordid and vulgar a nature' for Noble Persons and Gentlemen to busic themselves withal, and who oftner find ways to fell down and deftroy their Trees and Plantations, then either to repair or improve them.

But what shall I then say of our late prodigious Spoilers, whose furious devastation of so many goodly Woods and Forests have left an Infamy on their Names and Memories not quickly to be forgotten! I mean our unhappy Usurpers, and injurious Sequestrators; Not here to mention the deplorable necessities of a Gallant and Loyal Gentry, who for their Compositions were (many of them) compell'd to add yet to this Waste, by an inhumane and unparallel'd Tyranny over them, to preferve the poor remainder of their Fortunes; and to find them Bread. Nor

Nor was it here they defifted, when, after the fate of that beautiful Grove under Green-wich Caftle, the Royal Walk of Elms in S<sup>t</sup> James's Park,

Mr. Waller's Poem of St. James's Park.

### That living Gallery of aged Trees,

(as our excellent *Poet* calls it) was once proposing to the late *Council of State* to be cut down and fold, that with the reft of His *Majesties* Houses already demolish'd, and mark'd out for destruction, His *Trees* might likewise undergo the same <u>destine</u>, and no footsteps of *Monarchy* remain unviolated. This is a *Trutb*; which coming by chance to hear of, I so conjur'd a powerful *Member* of it (and one who was to strike a principal *stroake* in this barbarous *Execution*) that if my *Authority* did not rescue those *Trees* from the *Ax*, fure I am, my *Arguments* did abate the *Edge* of it; nor do I ever pass under that Majestical *stroake* but methinks I bear it falute me as once the *Hamadryad* did the good *Rinaldo*,

Taffo, Cant. 18.

13,

Ben caro ginngi in queste chiostre amene. Questa selva, che dianzi era si negra, Vedi che tutto al tuo venir s' allegre, E'n più leggiadre forme è revestita.

It is from hence you may calculate what were the Defigns of thole excellent Reformers, and the care thele great States-men took for the prefervation of their Countrey, when being Parties in the Booty themfelves, they gave way to fo difhonourable and impolitic a master of that Material, which being left intire, or husbanded with difcretion, had prov'd the best support and defence of it. But this (fay they) was the effect of War, and in the heighth of our Contentions. No, it was a late and cold deliberation, and long after all had been subdu'd to them; nor could the most implacable of Enemies have express'd a more barbarous Resolution.

We read of the great Xerxes, that paffing Conquerour through Achaia, he would not fuffer his Army to violate fo much as a Tree of his Adversaries; it being observed by

by the Ancients, that the Gods did never permit him to escape unpunish'd who was injurious to Groves, tanquam facros ex vetustate: What became of Agamemnons Host after his spoil of the Woods at Aulis? Histories tell us Cleomenes died mad; the Tamassan Genius became pro- Temessan verbial; and the Mighty Cassar himself carried ('tis Genius adethought) the malediction of the incensed Gauls to his Funeral Pile, for the havock he committed at Massifilia, when he fell'd down those goodly Oaks before the face of the suppliant Priests, and the cursing People:

## Esse Deos ?

Lucan, lib. 3.

But left this be charg'd with Superstition, because the Instances are heathen; It was a more noble and remarkable, as well as recent Example, when at the Siege of Breda, the late famous General Spinola commanded his Army not to violate a Tree of a Wood belonging to the Prince of Orange there, though a reputed Traytor, and in open defiance with his Master. To be short, we read, That when Mithridates but deliberated about the cutting down of fome stately Trees which grew neer Patara, a City of Lycia, though necessitated to it for the building of Warlike Engines with them, being terrified in a Vision, he defifted from his purpose. It were to be wished These, or the like Examples, might have wrought fome Effects upon the facrilegious Purchasers, and disloyal Invaders, in this Iron-age amongft us, who have lately made fo prodigious a Spiol of those goodly Forests, Woods, and Trees (to fatisfie an impious and unworthy Avarice) which being once the Treasure and Ornament of this Nation, were doubtless referv'd by our more prudent Ancestors for the repairs of our floating Castles, the safeguard and boast of this renouned Island, when Necessity, or some imminent Peril (hould threaten it, or call for their Affiftance; and not to be devour'd by these Improvident Wretches, who, to their eternal Reproach, did (with the Royal Patrimony) fwallow likewife Gods own Inheritance; but whofe Sons and Nephews we have liv'd to fee as haftily difgorge

n

them

B

Que tibi fa- them again; and with it all the rest of their Purchases, Gorum Panas which otherwife they might fecurely have enjoy'd : But instare tuothis in terrorem only, and for caution to Posterity ; whiles rum Vaticinor : -- I leave the Guilty to their proper Scorpions, and to their Vide Met.1.8. Erifichthonian fate, or that of the inexorable Parabins, Apollon: 1.2.

> Prosternit Quercum funestam quam sibi Nympha Pignoribusque suis fecit------

the vengeance of the Dryads, and to their Tutelar better Genius, if any yet remain, who love the folid Honour and Ornament of their Country: For what could I fay lefs, Troyluds, and \* Wood-born as I am, in behalf of those facred Shades, which both grace our Dwellings, and protect our Nation?.

But to turn this just Indignation into Prayers, and address my felf to our better-natur'd Country-men: May fuch Woods as do yet remain intire be carefully Preserv'd, and such as are deftroy'd, feduloufly Repair'd. It is what every Perfon who is Owner of Land may contribute to, and with infinite delight, who are touch'd with that laudable Ambition of imitating their most illustrious Ancestors, whose Names we find mingl'd amongst Kings and Philosophers, Patriots and

de Remed. uriusque dial. 57.

Vi. Petrarch. good Commonwealths-Men: For fuch were of old Solomon, Cyrus, and Numa; Licinius fir-named Stolo, Cato, and forune, li.1. Cincinnatus; the Pifoes, Fabii, Cicero, Plinies, and a thoufand more whom I could ennumerate, that difdain'd not

to exercise themselves in these Rusticities, as esteeming it the greatest accession of Honour to dignifie their lasting Names with fuch Rural marks as have confecrated their Memories, and transmitted them to us through fo many Ages and Vicifitudes of the World.

Let none therefore repute this Industry beneath him, or as the least indignity to the rest of his Qualities, which so great Persons have honour'd and cultivated with that af-Multe etiam fection and ingenuity.

The famous Answer which Cyrus gave to Lysander will fufficiently justifie that which I have faid, and what I farfate: Cyrus ther recommend to fuch Gentlemen as refolve to be Planters, viz. That they do not eafily commit themselves to the

\* At Wotton in Surrey.

Argonaut.

istarum Arborum meâ manu sunt ad Lyland. Cicer, ex Xenoph.

fole Distates of their ignorant Hinds and Servants, who Vide & Curare (generally speaking) more fit to Learn then to In- tium, 1.7.0% Male agitur cum Domino quem Villicus docet, was ftruct. was an Observation of old Cato's ; and 'twas Ischomachus who told Socrates (difcourfing one day upon a like fubject) That it was far easier to Make then to Find a good Husband-man : I have often prov'd it so in Gard'ners ; and I believe it will hold in most of our Country Employments: We are to exact Labour, not Conduct and Reason, from the greatest part of them ; and the business of Planting is an Art or Science (for fo Varro has folemnly DeR. R. defin'd it) and That exceedingly wide of Truth, which (it seems) many in his time accounted of it; facillimam. esse, nec ullius acuminis Rusticationem, an casie and insipid Study. It was the simple Culture only, with so much difficulty retriv'd from the late confusion of an intestine and bloody War like Ours, and now put in Reputation again, which made the noble Poet write

Georg.1:

#### -----Verbis ea vincere magnum Quam sit, & angustis hunc addere rebus honorem.

Seeing, as the Orator does himself express it, Nibil eft In agris erant homino libero dignius; There is nothing more becoming res. Cic. de and worthy of a Gentleman.

And thus you have in part what I had to produce in extenuation of this my Adventure, that Animated with a, Command, and Aflifted by divers Worthy Perfons (whofe Names I am prone to celebrate with all just Respects) I have prefumed to caft in my Symbol; and which, with the rest that are to follow, may (I hope) be in some degree ferviceable to him (who e're the happy Person be) which shall oblige the World with that compleat Systeme of Agriculture, which as yet feems a defiderate, and wanting to its perfection. It is (I assure you) what is one of the Principal Deligns of the ROYAL SOCIETY, not in this Particular only, but through all the Liberal and more useful Arts; and for which (in the estimation of all equal Judges) it will merit the greatest of Encouragements; that so at last what the Learned Columella has B 2 wittily

tunc Senato-Senect.

wittily reproach'd, and complain'd of, as a defect in that Age of his, concerning Agriculture in general, and is applicable here, may attain its defired Remedy and Confummation in This of Ours.

Frefat. ad P. Sylvium; which I carneftly rethe serious perulal of our Gentry. Et mihi ad Seneciute.


Sola enim Res Rustica, qua sine dubitatione proxima, o. quase consanguinea Sapientiæ est, tam discentibus egeat, commend to quam magistris : Adhuc in Scholis Rhetorum, & Geometrarum, Musicorúmque; Vel quod magis mirandum est, contemptiffimorum vitiorum officinas, gulofius condiendi cibos, & luxuriosins fercula struendi, capitumque & capillorum consam proxime cinnatores non solum esse audivi, sed & ipse vidi; Agrividetur acce- colationis neque Doctores qui se profiterentur, neque Discidere. Cic. de pulos cognovi. But this I leave for our Gallants to Interpret, and should now apply my self to the Directive Part, which I am all this while befpeaking, if after what I have faid in the feveral Paragraphs of the enfuing Difcourfe upon the Argument of Wood, it might not seem fuperfluous to have præmised any thing here for the Encouragement of fo becoming an Industry: Let me be permitted to fay, There is sufficient for Instruction, and more then is extant in any Collection what foever (abst verbo invidia) upon this subject ; abstracting things Practicable, of folid use, and material, from the Ostentation and impertinences of Writers; who receiving all that came to hand on trust, to swell their monstrous Volumes, have hitherto impos'd upon the credulous World, without conscience or honesty. I will not exasperate the Adorers of our ancient and late Naturalists, by repeating of what our Vernlam has justly pronounc'd concerning their Rhap (odies (because I likewischonor their painful Endeavours. and am oblig'd to them for much of that I know) nor will I(w<sup>th</sup> fome) reproach Pliny, Porta, Cardan, Mizaldus, Curfus, and many others of great Names (whose Writings I have diligently consulted) for the Knowledg they have imparted to me on this Occasion; but I must deplore the time which is (for the most part) fo miserably lost in pursuit of their Speculations, where they treat upon this Argument : But the World is now advis'd, and (bleffed be God) infinitely redeem'd from that base and servile submission of our noblest Faculties to their blind Traditions. This, you will

will be apt to fay, is a haughty <u>Period</u>; but whiles I affirm it of the <u>Paft</u>, it juftifies and does honor to the <u>Pre-</u> fent Industry of our Age, and of which there cannot be a greater and more emulous Instance, then the <u>Passion</u> of His <u>Majesty</u> to encourage His <u>Subjects</u> in all that is laudable and truly emolumental of this nature.

It is not therefore that I here prefume to inftruct Him in the management of that great and august Enterprise of refolving to Plant and repair His ample Forests, and other Magazines of Timber, for the benefit of His Royal Navy, and the glory of His Kingdoms; but to present to His Sacred Person, and to the World, what Advises I have received from others, observed my felf, and most Industrious from others in the ampler Orb of our Illustrious Society, and in a Work fo Important and Necesfary.

## J. E.

#### SYLVA:



Amico charifsimo Johanni Evelyno Armigero, è Societate Regali Londini. J. Beale, S. P. D. In Sylvam.

NATION AND CONTRACTOR

Are age quid cansa est quod tu Sylvestria pangis, Inter Sylvanos, capripedésque Deos ? Inter Hamadryadas latus, Dryadásque pudicas, Cum tua Cyrrhæis sit Chelys apta modis! Scilicet hoc cecinit numerosus Horatius olim, Scriptorum Sylvam quòd Chorus Omnis amat. Eft locus ille Sacer Musis, & Apolline dignus, Prima dedit Summo Templa Sacranda Jovi. Hinc quoque nunc Pontem Pontus non respuit ingens, Stringitur Oceanus, corripiturque Salum. Hinc novus Helperiis emersit mundus in oris, Effuditque auri flumina larga probi. Hinc exundavit distento Copia cornu, Qualem & Amalchax non habuere finus. Sylva tibi curæ est, grata & Pomona refundit Auriferum, rosenm, purpureumque nemus. Illa famémque sitimque abigens expirat odores, Quales nec Medus, nec tibi mittit Arabs. Ambrosiam præbent modo coEta Cydonia, Tantum Comprime, Nectareo poma liquore fluunt. Progredere, O Sœcli Cultor memorande futuri, Felix Horticolam sic imitere Deum.

Gen. 1. c. 2.

## A TABLE Of the CHAPTERS.

SYLVA.	CHAP. Pag.
CHAP. Pag.	The Parænefis and Conclusion.
Introduction T	
10 of the seed.	and and note out 142
2 Of the Seminary.	POMONA.
3 Of the Oak.	CHAP. Pag.
4 Of the Elm. 16	The Preface. I
5 Of the Beech. 20	1 Of the seminary. 5
6 Of the Ash. 22	2 Of stocks,
7 Of the Cheß-nut. 24	3 Of Graffs and Institions. 8
8 Of the Wall-nut. 25	4 Of Variety and Improvements.
-9 Of the Service. 28	IO
-10 Of the Maple. 28	5 Of the Place and Order. 15
II Of the Sycamore. 29	6 Of Transplanting and Distance.
- 12 Of the Horn-beam. 29	17
- 13 Of the Lime-tree. 30	7 Of Fencing. 18
14 Of the Quick-beam. 31	8 Of Pruning, and the use of
15 Of the Birch. 32	Fruit-Trees. 19
16 Of the Hafel. 34	CID TR
17 Of the Poplar. 36	CIDER.
18 Of the Alder. 38	Aphorifms concerning Cider by
19 Of the Withy, Sallow, Ozier,	M. Beale. 21
and Willow. 39	Sir Paul Niele's Discourse of Ci- der. 30
20 Of Fences, Quick-fets, &c. 45	der. 30 Observations concerning the Ma-
21 Of the Fir, Pine, Pinaster, Pitch-tree,&c. 51	king and Preferving of Cider,
Pitch-tree,&c. 51 22 Of the Larch, Platanus, Lo-	by John Newburgh, Efq; 41
<i>tus</i> , &c. 57	Concerning Cider, by D' Smith.
23 Of the Cypres-tree, and Ce-	46
dar. 58	Of Cider, by Capt. Taylor. 47
24 Of the Cork; Alaternus, Phil-	
lyrea, Granad, Myrtil, Jaf-	KALENDARIUM HORTENSE.
mine, &c. 62	Introduction. 55
25 Of the Acacia, Arbutus, Bays,	January. 58,59
Box, Eugh, Holly, Juniper, and	February. 60,61
Laurel-trees. 64	March. 1 62,63
26 Of the Infirmities of Trees.68	April. 64,65
27 Of Copfes. 71	May. 66,67
28 Of Pruning. 73	June. 68,69
29 Of the Age, Stature, and Fel-	July. 70,71
ling of Trees. 78	August. 72,73
30 Of Timber, the Seafoning and	September. 74,75
Uses; and of Fuel. 93	October. 76,77
31 Aphorisms, or certain general	November. 78,79
Præcepts, of use to the forego-	December 80,81
ing Chapters. 105.	The Catalogue of Plants, &c. to
32 Of the Laws and Statutes for	be fet into the Conferve, or
the Prefervation and Im- provement of Woods & c.107	otherwise defended in Winter.
Flovement of Woods, ee.107	.82

# SYLVA: OR, A DISCOURSE OF Foreft-Trees,

## AND

The Propagation of Timber in His MAJESTIES Dominions, &c.

> Tuque adés, inceptúmque una decurre laborem, O decus; ô famæ meritò pars maxima nostræ C AROLIDE, pelagóq; volans da vela petenti : Da facilem cursum, atque andacibus annue cœptis : Ignavosque viæ mecum miseratus agrestes Ingredere, & votis jam nunc assuesce vocari.

## The Introduction.



Ince there is nothing which feems more fatally Introduction. to threaten a Weakning, if not a Diffolution of the ftrength of this famous and flourishing Nation, then the fensible and notorious decay of her Wooden-walls, when either through time, negligence, or other accident, the prefent Navy shall be worn out and impair'd; it has

been a very worthy and feafonable Advertifement in the Honourable the principal Officers and Commissioners, what they have lately suggested to this Illustrious Society; for the timely prevention and redress of this intollerable defect. For it has not been the late increase of shipping alone, the multiplication of Glass-works, Iron-Furnaces, and the like, from whence this im-politick diminution of our Timber has proceeded; but from the disproportionate

fpreading

fpreading of Tillage, caufed through that prodigious havock made by fuch as lately profeffing themfelves against *Root* and *Branch* (either to be re-imbours'd of their *holy* purchases, or for some other fordid respect) were tempted, not only to fell and cut down, but utterly to grub up, demolish, and raze, as it were, all those many goodly *Woods*, and *Forests*, which our more prudent *Ancestors* left standing, for the Ornament, and service of their *Country*. And this devastation is now become so *Epidemical*, that unless some favourable *expedient* offer it felf, and a way be seriously, and speedily resolved upon, for the future repair of this important defect, one of the most glorious, and considerable *Balmarks* of this *Nation*, will, within a short time be totally wanting to it.

2. To attend now a fpontaneous fupply of these decay'd Materials (which is the vulgar, and natural way) would cost (besides the Inclosure) some entire Ages repose of the Plow: Therefore, the most expeditious, and obvious Method, would (doubtless) be by one of these two ways, Sowing, or Planting. But, first, it will be requisite to agree upon the Species; as what Trees are likely to be of greatest  $\mathcal{D}$ e, and the fittest to be cultivated; and then, to consider of the Manner how it may best be effected. Truly, the master, and destruction of our Woods, has been so universal, that I conceive nothing less then an universal Plantation of all the forts of Trees will supply, and well encounter the defect; and therefore, I shall here adventure to specify in general of them all; though I chiefly insist upon the propagation of such only as feem to be the most wanting, and ferviceable.

3. I diffribute them, therefore, into these two Classes, the Dry, and the Aquatic; both of them applicable to the same civil uses of Building, Otenfils, Ornament and Fuel; for to dip into their Medicinal virtues is none of my Province.

Among the dry, I esteem the more principal, and folid, to be the Oak, Elme, Beech, Ash, Chefs-nut, Wall-nut, &c. The less principal, the Service, Maple, Lime-tree, Horn-beam, Quick-beam, Birch, Hasel, &c. together with all their sub-alternate, and several kinds.

#### Sed neque qu'am mult & ffecies, nec nomina que sint Est numerus, Geor.

The second second

Of the Aquatical; I reckon the Poplars, Aff, Alder, Willow, Sallow, Offer, & c. Then I shall add a word or two, for the encouragement of the planting of Fruit-trees, together with some less oulgar, but no less useful Trees, which, as yet are not endenizon'd amongst us, or (at least) not much taken notice of: And in pursuance hereof, I shall observe this order : First, to shew how they are to be Raifed, and then to be Cultivated: By Raifing, I understand the Seed and the Soil; by Culture the Planting, Fencing, Watering, Dreffing, Pruning and Cutting; of all which briefly.

And

And first for their Raifing, some there are nullis hominum cogentibus, ipfæ instant coburg

sponte fua veniunt- Specifying according to the various disposition of the Air, and soil.

Pars autem posito surgunt de semine. As the Oak, Ches-nut, Alb, O.c.

Pullulat ab radice aliis densissima Sylva. As the Elme, Alder, O'c. and there are others

Nil radicis egent ----- Growing without any fuch Roots; as Willows, and all the Vimineous kinds, which are raifed of Sets only.

Hos natura modos primum dedit-For thus we fee there are more ways to the Wood then one ; and Nature has furnish'd us with variety of expedients.

4. But it has been stifly controverted by some, whether were better to raile Trees for Timber, and the like uses, from their seeds and first Rudiments; or to Transplant such as we find have either rais'd themselves from their Seeds, or spring from the Mother-roots. Now, that to produce them immediately of the seed is the better way, these Reasons may seem to evince.

First, because they take soonest. secondly, because they make the straightest, and most uniform shoot. Thirdly, because they will neither require staking, nor watering (which are two very confiderable Articles) and lastly, for that all transplanting (though it much improve Fruit-trees) unless they are taken up the first Year, or two, is a confiderable impediment to the growth of Forest-trees. And, though it be true that divers of those which are found in Woods, especially Oaklings, young Beeches, Ash, and some others, spring from the self-sown mast and keys; yet, being for the most part dropp'd, and diffeminated amongst the half-rotten flicks, musty leaves, and perplexities of the mother-roots, they grow fcraggy ; and being over-dripp'd become fqualid and moffie, which checks their growth, and caufes them to dwindle:

#### Crescentique adimunt fætus, urunitque ferentem.

Nor can their roots expand, and fpread themfelves as they would, do if they were fown, or had been planted in a more open, free, and ingenuous Soil. And that this is fo, I do affirm upon Experience, that an Acorn fown by hand in a Nurfery, or ground where it may be free from these encumbrances, shall in two or three Years out-strip a Plant of twice that age, which has either been felf-fown in the Woods, or removed; unlefs it fortune, by fome favourable accident, to have been scatter'd into a more natural, penetrable; and better qualified place : But this difproportion is yet infinitely more remarkable in the Pine, and the Wall-nut-tree, where the Nut fet into the ground shall certainly overtake a Tree of ten years growth which was planted at the fame inftant; and this is a Secret fo generally mif-reprefented by most of those who have treated of these sort of Trees, that I could not suffer it to pals C 2

pass over without a particular remark; so as the noble Poet (with pardon for receding from so venerable Authority) was certainly mistaken, when he delivers this observation as universal, to the prejudice of Sowing, and raising Woods from their Rudiments:

> Nam que seminibus jactis se sustilit arbos Tarda venit 3 seris factura nepotibus umbram.

Geor. 1. 2.

## CHAP. I.

#### Of the Seed.

Seed.

1. But to commence with the Method propos'd: Chufe your seed of that which is perfectly mature, ponderous and found; commonly that which is eafily fhaken from the boughs, or gathered about November, immediately upon its fpontaneous fall, is beft, and does (for the most part) direct to the proper feafon of interring, &c. according to the Institution of Nature her felf:

> Nam specimen sationis, & insitionis origo Ipsa fuit rerum primum natura creatrix : Arboribus quoniam baccæ, glandésque caducæ Tempestiva dabant pullorum examina subter, &c.

Lucret. 1. 5.

Yet this is to be confider'd, that if the place you fow in be too cold for an Autumnal semination, your Acorns, Mast, and other Seeds may be prepared for the Vernal by being barrell'd, or potted up in moift sand or Earth stratum S. S. during the Winter ; at the expiration whereof you will find them fprouted; and being committed to the Earth, as apt to take as if they had been fown with the most early : by this means, too, they have escaped the Vermine (which are prodigious devourers of Winter fowing) and will not be much concern'd with the increasing heat of the sea-Son, as fuch as being crude, and unfermented are newly fown in the beginning of the spring; especially in hot and loose Grounds; being already in so fair a progress by this artificial preparation; and which (if the provision to be made be very great) may be thus manag'd. Chuse a fit piece of Ground, and with boards (if it have not that polition of it felf) defign it three foot high; lay the first foot in fine Earth, another of Seeds, Acorns, Mast, Keys, Nuts, Haws, Holly-berries, &.c. promiscuoully, or feparate, with (now, and then) a little Mould sprinkled amongst them: The third foot wholly Earth: Of these preparatory Magazines make as many, and as much larger-ones as will ferve your turn, continuing it from time to time as your store is brought in. The fame may you alfo do by burying your Seeds in Sand Barrelling

ling them (as Ifaid) in Tubs, or laid in heaps in fome deep Cellar where the rigour of the Winter may least prejudice them; and I have fill'd old Hampers, Bee-bives, and Boxes with them, and found the like advantage, which is to have them ready for your Seminary, as before hath been shew'd, and exceedingly prevent the feason.

2. But to pursue this to some farther Advantage; as to what concerns the election of your seed, It is to be confider'd, that there is vast difference in Trees even of the same growth and bed, which I judge to proceed from the variety and quality of the seed : This, for instance, is evidently seen in the heart, procerity and stature of Timber; and therefore chusenot your Seeds always from the most Fruitful-trees, which are commonly the most Aged, and decayed; but from fuch as are found most folid and fair : Nor, for this reason, covet the largest Acorns, O.c. ( but as Hufband-men do their Wheat ) the most weighty, clean and bright : This Observation we deduce from Fruit-trees, which we feldom find to bear to kindly, and plentifully; from a found ftock, fmooth Rind, and firm Wood, as from a rough, lax, and untoward Tree, which is rather prone to fpend it felf in Fruit, the ultimate effort, and final endeavour of its most delicate sap, then in folid and close substance to encrease the Timber. And this shall suffice, though fome haply might here recommend to us a more accurate Microscopical examen, to interpret their most fecret Schematismes; which were an over nicity for these great Plantations.

3. As concerning the medicating, and infuccation of Seeds, or enforcing the Earth by rich and generous Composts, &c. for Trees of these kinds, I am no great favourer of it; not only, because the charge would much discourage the Work; but for that we find it unneceffary, and for most of our Forest-trees, noxious; fince even where the Ground is too fertile, they thrive not fo well; and if a Mould be not proper for one fort it may be fit for another : Yet I would not (by this) hinder any from the trial, what advance such Experiments will produce: In the mean time, for the simple Imbibition of seeds and Kernels, when they prove extraordinary dry, and as the Season may fall out, it might not be amiss to macerate them in Milk, or Water only, a little impregnated with Cow-dung, &c. during the space of twenty four hours, to give them a spirit to sprout, and chet the soner; especially, if you have been retarded in your some without our former preparation.

4. Being thus provided with *Seeds* of all kinds, I would advife to raife *Woods* by fowing them *apart*, in feveral places deftin'd for their growth, where the *Mould* being prepar'd (as Ifhall fhew hereafter) and fo qualified (if election may be made) as beft to fuit with the nature of the *Species*, they may be fown *promifcuoufly*, which is the moft natural and *Rural*; or in ftraight and even lines, for *Hedge-rows*, *Avenues*, and *Walks*, which is the more *Ornamental*: But becaufe fome may chufe rather to draw them out of *Nurferies*; that the *Culture* is not much different, nor the hinderance confiderable (provided they be early, and carefully Removed) moved) I will finish what I have to say concerning these Trees in the Seminary, and shew how they are there to be Raised; Transplanted, and Govern'd till they can shift for themselves.

#### CHAP. II.

#### Of the Seminary.

Semin ----

6

Di Vineam, vel Arbustum constituere volet, Seminaria priùs facere debebit, was the precept of Columella, 1.3. c. 5. speaking of Vineyards and Fruit-trees : and, doubtless, we cannot pursue a better Course for the propagation of Timber-trees : For though it feem but a trivial defign that one fhould make a Nurfery of Foresters; yet is it not to be imagin d, without the experience of it, what prodigious Numbers a very small fot of Ground well Cultivated, and destin'd for this purpose would, be able to furnish towards the fending forth of yearly Colonies into all the naked quarters of a Lordship, or Demeasnes; being with a pleasant Industry liberally distributed amongst the Tenants, and disposid of about the Hedge-rows, and other Waste, and uncultivated places, for Timber, Shelter, Fuel, and Ornament, to an incredible Advantage. This being a cheap, and laudable Work, of so much pleasure in the execution, and fo certain profit in the event; to be but once well done (for, as I affirm'd, a very fmall Nurfery will in a few Years people a vaft extent of Ground) hath made me fometimes in admiration at the universal negligence.

2. Having therefore made choice of fome fit place of Ground, well Fenced, respecting the south-east, rather then the full south, and well protected from the North and West; let it be Broken up the Winter before you fow, to mellow it, especially if it be a Clay, and then the furrow would be made deeper; or fo, at least, as you would prepare it for Wheat: Or you may Trench it with the Spade, by which means it will the eafier be cleanfed of whatfoever may obstruct the putting forth, and infinuating of the tender Roots : Then having given it a fecond stirring, immediately before you fow, cast, and dispose it into Rills, or small narrow Trenches of four, or five inches deep, and in even lines, at two foot interval, for the more commodious Runcation, Hawing, and dreffing the Trees: Into these Furrows (for a Conseminea Sylva) throw your Oak, Beech, Ash, Nuts, all the Glandiferous Seeds, Mast, and Key-bearing kinds, fo as they lye not too thick, and then cover them very well with a Rake, or fine-tooth'd Harrow, as they do for Peafe: Or, to be more accurate, you may fet them as they do Beans (cfpecially, the Nuts and Acorns) and that every Species by themfelves, which is the better way: This is to be done at the latter end of October, for the Autumnal fowing; and in the lighter ground, about February for, the Vernal.

3. Your Plants beginning now to peep should be earthed up?

and

and comforted a little; especially, after breaking of the greater Frosts, and when the swelling mould is apt to spue them forth; but when they are about an inch above ground you may, in a moist feason, draw them up where they are too thick; and set them immediately in other lines, or Beds prepared for them; or you may plant them in double fosser, where they may abide for good and all, and to remain till they are of a competent stature to be Transplanted; where they should be set at such distances as their several kinds require; but if you draw them only for the thinning of your Seminary, prick them into some empty Beds at one foot interval, leaving the rest at two or three.

4. When your seedlings have flood thus till June, beftow a half digging upon them, and scätter a little mungy, half rotten Litter, Fearn, Bean-hame, or old Leaves, among them, to preferve the Roots from fcorching, and to entertain the moisture; and then in March following (by which time it will be quite confum'd and very mellow) you shall chop it all into the earth, and mingle it together : Continue this process for two or three years fucceffively, and then (or before, if the statute of your young Impes invite) you may plant them forth, carefully taking up their Roots. and cutting the stem within an inch of the ground (if the kind, of which hereafter, fuffer the knife) let them where they are to continue : Some repeat this, the fecond Year, and after March ( the Moon decreasing) re-cut them at half a foot from the furface; and then meddle with them no more : but this (if the process be not more fevere then needs) must be done with a very tharp Instriment, and with care, left you violate, and unfettle the Root; which is likewife to be practis'd upon all those which you did not Transplant, unless you find them very thriving Trees; and then it shall suffice, to prune off the Branches, and spare the Tops; for this does not only greatly establish your Plants, by diverting the Sap to the Roots; but likewife frees them from the injury and concuffions of the Winds, and makes them to produce handfome, ftraight *fhoots*, infinitely preferable to fuch as are abandon'd to Nature, and Aecident, without this difcipline : By this means the Oak will become excellent Timber, fhooting into straight and fingle stems: The Chess-nut, Ash, O.c. multiply into Poles, which you may reduce to standards at pleasure.

5. The Author of the Natural Hiffory, *Pliny*, tells us it was a vulgar *Tradition*, in his time, that no *Tree* (hould be Removed under two years old, or above three: *Cato* would have none *Tranfplanted* lefs then five fingers in *diametres* but I have fhew'd why we are not to attend to long, for fuch as we raife of *seedlings*: In the interim, if these directions appear too busie, or *operose*, or that the *Plantation* you intend be very ample, a more compendious *Method* will be, the confused fowing of *Acorns*, *Coc.* in *Furrows*, two foot afunder, covered at three fingers depth, and fo for three years cleanfed, and the first *Winter* cover'd with fearn, without any farther culture, unlefs you *Transplant* them; but, as I shewed before, in *Nurferies* they would be cut'an *inch* from the Ground, and

and then let stand till March the second year, when it shall be sufficient to disbranch them to one only shoot; whether you suffer them to stand, or remove them elsewhere. But to make an Essay what Seed is most agreeable to the soil, you may by the thriving of a promiscuous Semination make a judgement of it, Transplanting those which you find least agreeing with the place; or else, by Copsing the starvling in the places where they are new sown, cause them so overtake even their untouch'd contemporaries. But I now proceed to particulars.

#### CHAP. III.

. . .

#### Of the Oak.

Oak.

I. Have fometimes confider'd it very ferioufly, what fhould move Pliny to make a whole Chapter of one only Line, which is lefs then the Argument of most of the rest in his huge Volumn : but the weightiness of the Matter does worthily excuse him, who is not wont to spare his Words, or his Reader. Glandiferi maxime generis omnes, quibus honos apud Romanos perpetuus. "Mast-bearing-trees were they principally which the Romans "Mast-bearing-trees were they principally which the Romans "held in chiefest reputation, li. 6. cap. 3. And in the following where he treats of Chaplets, and the dignity of the Cives's Coronet, it might be compos'd, of the Leaves or Branches of any Oak, provided it were a bearing Tree, and had Acorns upon it. It is for the esteem which these wise, and glorious people, had of this Tree above all others, that I will first begin with the Oak.

2. The Oak is of four kinds; two of which are most common with us; the Quercus urbana, which grows more up-right, and being clean, and lighter is fittest for Timber : And the Robur or Quercus Sylvestris, which is of an hard, black grain, bearing a finaller Acorn, and affecting to foread in branches, and to put forth his Roots more above ground; and therefore in the planting, to be allow'd a greater distance ; viz. from twenty five, to forty foot ; whereas the other flooting up more erect will be contented with fifteen: This kind is farther to be diftinguish'd by his fullness of leaves, which tarnifb, and becoming yellow at the fall, do commonly clotheit all the Winter, the Roots growing very deep and stragling. The Author of Britannia Baconica speaks of an Oak, in Lanhadron Park in Cornwall, which bears conftantly leaves speckl'd with White; and of another call'd the Painted-oak, which I only mention here, that the variety may be compar'd by fome ingenious person thereabouts, as well as the truth of the fatal pra-admonition of Oaks bearing strange leaves. It is in the mean time the propa-, gation of this large spreading, &c.

3. Oak, which is especially recommended for the excellency of the Timber, and that his Majesties Forests were well and plentifully

. . .

The second second

fully ftor'd with them; because they require room, and space to amplifie and expand themselves, and would therefore be planted at more remote distances, and free from all encumbrances : And this upon confideration how *flowly* a full-grown Oak mounts upwards, and how *speedily* they spread, and dilate themselves to all *quarters*, by dressing and due culture; so as above *forty years* advance is to be gain'd by this only Industry : And, if thus his Ma*jesties* Forest, and *Chases*, were stor'd; *viz.* with this *spreading Tree* at handsome *Intervals*, by which *Grazing* might be improv'd for the feeding of *Deer* and *Cattel* under them, benignly visited with the *gleams* of the *Sun*, and adorn'd with the distant *Land-skips* appearing through the glades, and frequent Vallies

> Cærula diftinguens inter plaga currere posset Per tumulos, & convalles, camposque profusa : Ot nuuc esse vides vario distincta lepôre Omnia, quæ pomis intersita dulcibus ornant Arbustisque tenent felicibus obsita circum.

As the Poet incomparably defcribes his Olive-groves,

#### -betwixt

Whofe rows the azure Skie is feen immix'd, With Hillocks, Vales, and Fields, as now you fee Diftinguifh'd with a fweet variety; Such places which wild Apple-trees throughout Adorn, and happy formbs grow all about.

Lucret. lib. 5.

-in

9

(For fo we might alfo fprinkle Fruit-trees amongst them (of which hereafter) for Cider and many fingular uses) we should find fuch goodly Plantations the boast of our Rangers, and Forests infinitely preferrable to any thing we have yet beheld, rude, and neglected as they arc : I fay, when his Majesty shall proceed (as he hath defign'd) to animate this laudable pride into fashion, Forests and Woods (as well as Fields and Inclosures ) will prefent us with another face then now they do. And here I cannot but applaud the worthy Industry of old Sir Harbotle Grimstone, who (I am told) from a very small Nurfery of Acorns which he fow'd in the neglect-, ed corners of his ground, did draw forth fuch numbers of Oaks of competent growth; as being planted about his Fields in even, and uniform rows, about one hundred foot from the Hedges; bush'd, and well water'd till they had fufficiently fix'd themselves, did wonderfully improve both the beauty, and the value of his Demea nes. But I proceed.

4. Both these kinds would be taken up very young, and Transplanted about October; and though they will grow tolerably in most grounds; yet do they generally affect the sound, black, deep and fast mould, rather warm then over wet and cold, and a little rising; for this produces the firmest Timber; and so our former Naturalist

Lucret.

though my L. Bacon prefer that which grows in the moifter grounds for Ship-timber, as the most tough, and less subject to rift: but let us hear Pliny. This is a general Rule, faith he; "What Trees soever they be which grow tolerably either on "Hills, or Vallies, arise to greater stature, and spread more amply is in the lower ground: But the Timber is far better, and of a finer grain, which grows upon the Mountains; excepting only Apple, and Pear-trees. And in the 39. cap. lib. 16. The Timber of those that which comes from a more exposed situation, nor is it so close, that which comes from a more exposed stuation, nor is the Timber growing in Tuscany, before that towards the Venetian side, and upper part of the Gulph: And that Timber so growing was in greatest esteem long before Pliny, we have the spear of Agamemnon

pos'd; and Dydimus gives the reason. Ta ya's is difus he) πλείου γυμυαζοιδία δ'ενδες, segeta, &c. For that being continually meather-beaten they become hardier and tougher.

5. But to discourage none, Oaks prosper exceedingly even in gravel, and moift Clays, which most other Trees abhor; yea, even the coldest clay grounds that will hardly graze: I have read, that there grow Oaks (fome of which have contain'd ten loads apiece) out of the very Walls of silcester in Hantsbire, which seem to strike root in the very Stones. It is indeed observ'd, that Oaks which grow in rough, ftony grounds, and obstinat clays, are long before they come to any confiderable stature; for such places and all fort of Clay, is held but a step-mother to Trees; but in time they afford the most excellent Timber, having stood long, and got good rooting : The fame may we affirm of the lighteft fands J which produces a fmoother-grain'd Timber, of all other the most useful for the Joyner. What improvement the stirring of the ground about the roots of Oaks is to the Trees I have already hinted; and yet in Copfes where they stand warm, and so thickn'd with the *under-wood*, as this culture cannot be practis'd, they prove in time to be goodly Trees.

6. That the Transplanting of young Oaks gains them ten years Advance fome happy perfons have affirmed : from this belief, I have defir'd to be excused, and produc'd my Reasons for it : Nor lefs are they mistaken, who advise us to plant Oaks of a great bignes, which hardly make any confiderable progress in an Age: Yet if any be defirous to make trial of it, let their Stems be of the fmoothest, and tenderest Bark; for that is ever an indication of youth, as well as the paucity of their Circles, which in difbranching, and cutting the head off, at five or fix foot height (a thing, by the way, which the French usually spare when they Transplant this Tree) may

may (before you stir their Roots ) serve for the more certain Guide; and then plant them immediately, with as much Earth as will adhere to them, in the place destin'd for their station; abating only the tap-roots, which is that down-right, and stubby part of the Roots (which all Trees rais'd of Seeds' do univerfally produce) and quickning fome of the reft with a sharp knife (but sparing the Fibrons, which are the main Suckers and Mouths of all Trees) foread them in the fos, or pit which hath been prepar'd to receive them. I fay in the fos, unless you will rather trench the whole Field, which is incomparably the beft; and infinitely to be preferr'd before narrow pits and holes (as the manner is) in cafe you plant any number confiderable, the Earth being hereby made loofe, easier and penetrable for the Roots ; about which you are to caft that Mould which (in opening of the Trench ) you took from the surface, and purposely laid apart; because it is fweet, mellow, and better impregnated : But in this Work; be circumspect never to inter your Stem deeper then you found it standing; for profound buryings very frequently destroys a Tree; though an Errour feldom observed : If therefore the Roots be sufficiently cover'd to keep the Body steady and errect, it is enough; and the not minding of this trifling Circumstance does very much deceive our ordinary Wood-men : For most Roots covet the Air (though that of the Quercus urbana least of any :

## Ethereas, tantum radice ad tartara tendit)

And the perfection of that does almost as much concern the prosperity of a Tree, as of Man himself; since Homo is but Arbor inversa; which prompts me to this curious, but important Advertisement; That the Position be likewise sedulously observed.

7. For, the Southern parts being more dilated, and the pores expos'd (as evidently appears in their Horizontal Sections) by the conftant Excentricity of their Hyperbolical Circles; being now on the fudden, and at fuch a feason converted to the North, does sterve, and deftroy more Trees (how careful foever men have been in ordering the Roots, and preparing the Ground) then any other Accident what foever (neglect of staking, and defending from Cattle excepted) the importance whereof caused the best of Poets, and most experienc'd in this Argument, giving advice concerning this Article, to add

> Quinetiam Cæli regionem in cortice fignant, Ut quo quæque modo steterit, quâ parte calores Austrinos tulerit, quæ terga obverterit axi Restituant : Adeo in teneris consuescere multum est.

> > Geor.li. 1.

Which Monition, though Pliny, and fome others think good to neglect, or effeem Indifferent; I can confirm from frequent loffes of my own, and by particular trials; having fometimes Tranf-D 2 planted planted great trees at Mid-fomer with fuccess (the Earth adhering to the Roots) and miscarried in others where this Circumstance only was omitted.

To observe therefore the Coast, and fide of the ftock, especially of Fruit-trees) is not fuch a trifle as by fome pretended : For if the Air be as much the Mother or Nurfe, as Water and Earth, (as more then probable it is) fuch bloffoming Plants as court the motion of the Meridian Sun, do as 'twere evidently point out the advantage they receive by their polition : And the frequent molfiness of most Trees on the opposite side does sufficiently note the unkindness of that Aspect; and which is most evident in the bark of Oaks white and fmooth; The Trees growing more kindly on the south fide of an Hill, then those which are exposed to the North, with an hard, dark, rougher, and more mofile Integument. I have feen (writes a worthy Friend to me on this occasion) whole Hedge-rows of Apples and Pears that quite perish'd after that shelter was remov'd : The good Husbands expected the contrary, and that the Fruit should improve, as freed from the predations of the Hedge; but use and custom made that shelter necessary; and therefore (faith he) a *flock* for a time is the weaker, taken out of a Thicket, if it be not well protected from all fudden and fierce invafions either of crude Air or Winds: Nor let any be deterr'd, if being to remove many Trees, he shall esteem it too confumptive of time; for with a Brush dipped in any white colour, or Oaker, a thousand may be marked as they stand, in a moment; and that once done, the difficulty is over. I have been the larger upon these two Remarks, because I find them so material, and yet to much neglected.

. 8. There are other Rules concerning the situation of Trees; the former Author commending the North-east-wind both for the flourifhing of the Tree, and advantage of the Timber; but to my obfervation, in our Climates, where those sharp winds do rather flanker then blow fully opposite upon our *Plantations*, they thrive best; and there are as well other Circumstances to be confidered.as they respect Rivers and Marshes obnoxious to unwholsom and poyfonous Fogs; Hills, and Seas, which expose them to the weather; and those fylvifragi venti, our cruel, and tedious Western winds; all which I leave to observation; because these accidents do so univerfally govern; that it is not easie to determine farther then that the Timber is commonly better qualified which hath endur'd the colder Aspects without these prejudices : And hence it is, that Seneca observes Woods most expos'd to the Winds to be the most strong and folid, and that therefore Chiron made Achilles's Spear of a Mountain-tree; and of those the best which grow thin, not much shelter'd from the North. Again, Theophrastus seems to have Ipecial regard to places ; exemplifying in many of Greece, which exceeded others for good Timber, as doubtless do our Oaks in the Forest of Dean all others of England : and much certainly there may reasonably be attributed to these advantages for the growth of Timber, and of almost all other Trees, as we daily see by their general

general improsperity where the ground is a bot gravel, and a loofe earth : An Oak or Elme in such a place shall not in an hundred years overtake one of fifty planted in its proper soil; though next to this, and (haply) before it, I prefer the good Air: But thus have they such valt Junipers in Spain; and the Ashes in some parts of the Levant (as of old neer Troy) so excellent, as it was after mistaken for Cedar, so great was the difference; as now the Cantabrian or Spanish exceeds any we have else in all Europe.

9. But before we take leave of this Paragraph, concerning the Transplanting of great Trees, and to shew what is possible to be effected in this kind, with cost, and industry; Count Maurice (the late Governour of Brasil for the Hollanders) planted a Grove neer his delicious Paradife of Friburge, containing fix hundred Cocotrees of eighty years growth, and fifty foot high to the neerest bough : these he wasted upon Floats, and Engines, four long miles, and planted them fo luckily, that they bare abundantly the very first year; as Gaspar Barlaus hath related in his elegant Description of that Princes expedition : Nor hath this only fucceeded in the Indies alone; Monsieur de Fiat (one of the Marshals of France ) hath with huge Oaks done the like at de Fiat : shall I yet bring you neerer home? My Lord Hopton planted Oaks as big as twelve Oxen could draw, to supply some defect in an Avenue to one of his houses in Devonshire; as the Right Honourable -Sir Charles Barclay, Treasurer of His Majesties Houshold, affur'd me; who had himfelf likewife practis'd the Removing of great Oaks by a particular addrefs extreamly ingenious, and worthy the communication.

10. Chule a Tree as big as your thigh, remove the earth from about him; cut through all the collateral Roots, till with a competent ftrength you can enforce him down upon one fide, fo as to come with your Axe at the Tap-root; cut that off, redrefs your Tree, and to let it ftand cover'd about with the mould you loofen'd from it, till the next year, or longer if you think good; then take it up at a fit feason; it will likely have drawn new tender Roots apt to take, and fufficient for the Tree, whereloever you fhall transplant him : Pliny notes it as a common thing, to re-establish huge Trees which have been blown down, part of their Roots torn up, and the body proftrates and, in particular, of a Fir, that when it was to be transplanted had a tap-root which went no lefs then eight cubits perpendicular; and to thefe I could fuperadd, but I proceed. To facilitate the Removal of fuch monftrous Trees, for the Adornment of some particular place, or the rarity of the Plant, there is this expedient. A little before the hardelt Frosts surprize you; make a square Trench about your Tree, at fuch diftance from the Stem as you judge fufficient for the Root ; dig this of competent depth, fo as almost quite to undermine it; by placing blocks, and quarters of wood, to fuftain the Earth ; this done, cast in as much Water as may fill the Trench, or at least fufficiently wet it, unless the ground were very moist before. Thus let it stand,' till fome very hard Frost do bind it firmly to the Roots,

Roots, and then convey it to the pit prepar'd for its new flation; but in cafe the mould about it be fo ponderous as not to be remov'd by an ordinary force; you may then raife it with a Crane or Pully hanging between a Triangle, which is made of three ftrong and tall Limbs united at the top, where a Pully is faftned, as the Cables are to be under the quarters which bear the earth about the Roots: For by this means you may weigh up, and place the whole weighty Clod upon a Trundle to be convey'd, and Replanted where you pleafe, being let down perpendicularly into the place by the help of the forefaid Engine. And by this addrefs you may Tranfplant Trees of a wonderful flature, without the leaft diforder; and many times without topping, or diminution of the bead, which is of great importance where this is practis'd to fupply a Defect, or remove a Curiofity.

11. Some advife, that in planting of Oaks, &c. four, or five be fuffer'd to ftand very neer to one another, and then to leave the most profferous, when they find the rest to disturb his growth; but I conceive it were better to plant them at such distances, as they may least incommode one another : For Timber-trees, I would have none neerer then forty foot where they stand closest; especially of the spreading kind.

12. Laftly, Trees of ordinary stature Transplanted (being first well water'd) must be sufficiently staked, and Bush'd about with thorns, or with some thing better, to protect them from the concussion of the Winds, and from the casual rubbing, and poysonous brutting of Cattle and Sheep, the oyliness of whose Wooll is also very noxious to them; till being well grown, and fixed (which by seven years will be to some competent degree) they shall be able to withstand all accidental invasions, but the Axe; for I am now come to their Pruning and Cutting, in which work the Seasons are of main importance.

13. Therefore, if you would propagate Trees for Timber, cut not off their heads at all, nor be too busie with lopping: but if you defire Shade, and Fuel, or bearing of Mast alone, lop off their Tops, sear, and unthriving Branches only; If you intend an out-right felling, expect till November; for this pramature cutting down of Trees before the Sap is perfectly at rest will be to your exceeding prejudice, by reason of the Worm, which will certainly breed in the Timber which is felled before that period: But in case you cut only for the Chimney, you need not be so punctual as to the time; yet for the benefit of what you let stand observe the Moons increase. The Reason of the Tree which you do not fell, the other for the durableness of the Timber which you do : Now that which is to be burnt is not so material for lasting, as the growth of the Tree is confiderable for the Timber.

14. The very fumps of Oak, especially that part which is dry, and above ground being well grubb'd, is many times worth the pains and charge, for fundry rare, and hard works; and where Timber is dear: but this is to be practised only where you defign

defign a final extirpation; for fome have drawn *fuckers* even from an old *ftub-root*; but they certainly perifh by the *Moss* which invades them, and are very fubject to grow rotten. *Pliny* fpeaks of one *Root* which took up an entire *Acre* of Ground; if fo, his *Argument* may hold good, for their growth after the *Tree* is come to its period.

15. There is not in nature a thing more obnoxious to deceit; then the buying of Trees ftanding, upon the reputation of their Appearance to the eye, unlefs the Chapman be extraordinarily judicious; fo various are their hidden, and conceal'd Infirmities, till they be fell'd, and fawn out: fo as if to any thing applicable, certainly there is nothing which does more perfectly confirm it then the most flourishing out-fide of Trees, Fronti nulla fides. A Timber-tree is a Merchant Adventurer, you shall never know what he is worth, till he be dead.

16. Oaks are in fome places (where the foil is *fpecially* qualified) ready to be cut for Cops in fourteen years and fooner; I compute from the firft femination; though it be told as an inftance of high encouragement (and as indeed it merits) that a Lady in Northamptonshire fowed Acorns, and liv'd to cut the Trees produc'd from them, twice in two and twenty years; and both as well grown as most are in fixteen or eighteen. This yet is certain, that Acorns fet in Hedge-rows have in thirty years born a sterm of a foot diametre. Generally, Copps-wood should be cut close, and at such Intervals as the growth requires; which being feldom constant, depends much on the places, and the kinds, the mould and the air; and for which there are extant particular Statutes to direct us, of all which more at large hereafter. Oak for Tan-bark may be fell'd from April to the last of June, by a Statute in the 1 Jacobi.

17. To enumerate now the incomparable Uses of this Wood; were needlefs : But fo precious was the efteem of it, that of old there was an express Law amongst the Twelve Tables concerning the very gathering of the Acorns though they should be found fallen into another mans Ground: The Land and the Sea do fufficiently speak for the improvement of this excellent material; Houses, and Ships, Cities and Navies are built with it; and there is a kind of it to tough, and extreamly compact, that our tharpest Tools will hardly enter it, as fcarcely the very Fire it felf, in which it confumes but flowly, as feeming to partake of a ferruginous, and metallin shining nature proper for fundry robust Uses. That which is twin'd, and a little wreathed (eafily to be difcern'd by the texture of the Bark ) is belt to support Burthens, for Posts, Co= lumns, Summers, &c. for all which our English Oak is infinitely. preferrable to the French, which is nothing fo useful, nor comparably fo ftrong ; infomuch as I have frequently admir'd at the fudden failing of most goodly Timber to the Eye, which being imploy'd to these Uses does many times most dangerously flie in funder, as wanting that native foring, and toughnes, which our English Oak is indu'd withall. For Shingles, Pales, Lathes, Coopers ware, Clap-board, &c. the smallest and straightest is best ; discover'd like-

likewife by the upright tenor of the Bark, as being the most proper for cleaving : The knottiest for Water-works, Piles and the like ; becaufe 'twill drive beft, and last longest. Were planting of these Woods more in use, we should banish our hoops of Hafel, &c. for those of good Oak, which being made of the younger shoots, are exceeding tough and strong: One of them being of Ground Oak will out-last fix of the best Afb. The smaller trunchions, and fpray, make Billet, Bavine and Coals; and the very Bark is of price with the Tanner and Dier, to whom the very Saw-dust is of use, as are the Aftes and Lee to cure the roapifines of Wine. The Ground-Oak while young is us'd for Poles, Cudgels and Walking-staffs, not to forget the Galls, Miffletoe, and many other useful Excrescencies : Pliny affirms that the Galls do break out altogether in one night about the beginning of June, and arrive to their full growth in one day; this I recommend to the experience of fome extraordinary vigilant Wood-man. What benefit the Mast does universally yield for the fatting of Hogs and Deer I shall shew upon another occasion, before the conclusion of this Discourse; in the mean time, the very Acorns themselves were heretofore the Food of Men (as well as other Productions of the earth) till their luxurious Palats were debauched; and even in the Romans time, the custom was in Spain to make a fecond fervice of Acorns and Mast, (as the French now do of Marrons, and Ches-nuts) which they likewife used to rost under the embers. Oaks bear also a knur, full of a Cottony matter, of which they Antiently made Wick for their Lamps and Candles; and among the Selectiora Remedia of Jo. Prævotius there is mention of an Oyl è querna glande Chymically extracted, which he affirmes to be of the longest continuance, and least confumptive of any others whatsoever, for such lights, ita ut uncia singulis mensibus vix absumatur continuo igne. To conclude, M. Blith makes Spars and small building Timber of Oakes of eleven years growth; this is indeed a prodigious Advance, but I fuspect the figure.

#### CHAP. IV.

#### Of the Elm.

Elm.

1. OF the Elm there are four, or five forts, and from the difference of the soil and Air divers fpurious: Two of these kinds are most worthy our culture, viz. the Mountain Elm, which is taken to be the Oriptelea of Theophrastus; being of a lefs, jagged and smaller leaf; and the Vernacula or Trench Elm, whose leaves are thicker, and more florid, delighting in the lower, and moss rise the oright, and a prodigious growth, in less then an Age; my self having seen one planted by the hand of a Countes

Countes yet living, which is neer twelve foot in compas, and of an height proportionable; notwithstanding the numerous progeny which grows under the shade of it, some whereof are at least a foot in Diameter, that for want of being seasonably transplanted must needs have hindered the procerity of their ample and indulgent Mother.

2. Both these forts are rais'd of Appendices or Suckers (as anon we shall describe) but this latter comes well from the Samera or Seeds, which being ripe about the beginning of March will produce them; as we fee abundantly in the Gardens of the Thuylleries, and that of Luxembourg, at Paris, where they usually fow themfelves, and come up very thick; and fo do they in many places of our Country, though fo feldom taken notice of as that it is efteem'd a Fable by the lefs observant and ignorant Vulgar. . To raise them therefore of their seeds (being well dry'd a day or two before) fprinkle it in Beds prepar'd of good earth; fiefting fome of the finest mould thinly over them, and watering them when need requires. Being rifen an inch above ground (refresh'd, and preferv'd from the scraping of Birds and Poultry ) comfort the tender feedlings by a fecond fiefting of more fine earth, to establish them; thus keep them clean weeded for the first two years; or till being of fitting stature to Remove, you may thin, and Transplant them in the fame manner as you were directed for young Daks 3 only they fhall not need above one cutting where they grow lefs regular and hopeful. But because this is an Experiment of some curiosity, obnoxious to many cafualties; and that the producing them from the .Mother-roots of greater Trees is very facile and expeditious (befides the numbers which are to be found in the Hedge-rows, and Woods, of all plantable fizes) I rather advise our Forester to furnish himfelf from those places.

3. The suckers which I speak of are produc'd in abundance from the Roots, whence being dextrously feparated, after the Earth has been well loofen'd, and planted about the end of October, they will grow very well: Nay, the ftubs only, which are left in the ground after a Felling (being fenced in as far as the Roots extend) will furnish you with plenty, which may be Transplanted from the first year or two successfully you for many years after that the body of the Mother Tree has been cut down: And from hence probably is sprung that (I fear) mistake of salmasure and others, where they write of the growing of their Chips (I suppose, having some of the bark on) scatter'd in hewing of their Timber 3 the Erronr proceeding from this, that after an Elm-tree has been Fell'd, the numerous Suckers which shoot from the remainders of the latent Roots seem to be produced from this difpersion of the Chips: Let this yet be more accurately examin'd; for I pronounce nothing Magisterially.

4. But there is also another Artifice to produce them soner, which is this; Bare some of the Master-roots of a vigorous Tree, within a foot of the Trunk, or thereabouts, and with your Axe E make

make feveral Chops, putting a small stone into every cleft, to hinder their clofure, and give access to the wet; then cover them with three or four inch thick of Earth : and thus they will lend forth Suckers in abundance, which after two, or three Tears, you may separate, and plant in the Olmarium, or place defign'd for them ; and which if it be in plumps (as they call them) within ten or twelve foot of each other, or in Hedge-rows, it will be the better ; For the Elm is a Tree of Confort, Sociable, and to affecting to grow in Company, that the very best which I have ever feen do almost touch one another : This also protects them from the Winds, and causes them to shoot of an extraordinary height; so as in little more then forty years they even arrive to a load of Timber; provided they be feduloufly and carefully cultivated, and the foil propitious. For an Elm does not thrive fo well in the Forest, as where it may enjoy fcope for the Roots to dilate and spread in the fides, as in Hedge-rows and Avenues, where they have the Air likewife free.

5. Of all the Trees which grow in our Woods, there is none which does better fuffer the Transplantation then the Elm; for you may remove a Tree of twenty years growth with undoubted luccefs: It is an Experiment I have made in a Tree almost as big more as my wafte; but then you must totally disbranch him, leaving only the Summit intire; and being careful to take him up with as much Earth as you can, refresh him with abundance of mater. This is an excellent and expeditious way for great Perfons to plant the Accesses of their Houses with; for being dispos'd at fixteen, or eighteen foot Interval, they will in a few years bear goodly heads, and thrive to admiration. Some that are very cautious emplaster the wounded head of fuch over-grown Elms with a mixture of clay, and horfe-dung, bound about them with a wife of Hay or fine Moß, and I do not reprove it. But for more ordinary plantations, younger Trees, which have their bark fmooth and tender, about the scantling of your leg, and their heads trimm'd at five or fix foot height, are to be preferr'd before all other. Cato would have none of these forts of Trees to be removed till they are five or fix fingers in diameter ; others think they cannot take them too young; but experience (the best Mistriß) tells us, that you can hardly plant an Elm too big. There are who pare away the Root within two fingers of the stem, and quite cut off the Head; but I cannot commend this extream feverity, no more then I do the strewing of Oats in the pit; which fermenting with the moilture, and frequent waterings, is believed much to accelerate the putting forth of the Roots; not confidering, that for want of air they corrupt, and grow multy, which more frequently suffocates the Roots, and endangers the whole Tree.

6. The Elm delights in a found, fireet and fertile Land, fomething more inclin'd to moifture, and where good Pasture is produced; though it will also prosper in the gravelly, provided there be a competent depth of mould, and be refresh'd with springs: in defect of which, being planted on the very surface of the ground (the swarth

*fwarth* par'd firft away, and the earth ftirred a foot deep or more) they will undoubtedly fucceed; but in this *Trial*, let the *Roots* be handfomly fpread, and covered a *foot*, or more in height, and above all, firmly *ftaked*. This is practicable alfo for other *Trees*, where the *soil* is over moift, or unkind: For as the *Elm* does not thrive in too *dry*, *fandy* or *hot* grounds, no more will it abide the *cold* and *fpungy*; but in places that are competently fertile, or a little elevated from thefe annoyances; as we fee in the *Mounds*, and caffings up of ditches, upon whofe banks the *Femal* fort does more naturally delight.

7. The Elm is by reason of its aspiring, and tapering growth (unless it be topp'd to enlarge the branches, and make them spread low) the least offensive to Corn, and Pasture-grounds, to both which, and the Cattel, they afford a benign shade, defence, and agreeable Ornament.

8. It would be planted as *fhallow* as might be; for, as we noted, deep *interring* of *Roots* is amongft the *Catholick* Miftakes; and of *this*, the greatest to which *Trees* are obnoxious. Let new planted *Elms* be kept *moist* by frequent refrefhings upon fome half-rotten *Fern*, or *Litter* laid about the foot of the *ftem*; the earth a little ftirred and deprefied for the better reception, and retention of the *mater*.

9. Laftly, your Plantation must above all things be carefully preferv'd from *Cattel*, and the concussions of impetuous *Winds*, till they are out of reach of the *one*, and sturdy enough to encounter the *other*.

10. When you lop the Elm (which may be about January for the fire, and more frequently, if you defire to have them tall; or that you would form them into Hedges (for fo they may be kept plashed, and thickned to the highest twig; affording both a magnificent, and august Defence against the Winds and Sun ) I fay, when you thus trim them, be careful to indulge the Tops; for they protect the body of your Trees from the met, which always invades those parts first, and will in time perift them to the very heart; fo as Elms beginning thus to decay, are not long profperous. Sir Hugh Plat relates (as from an expert Carpenter ) that the boughs and branches of an Elm flould be left a foot long next the trunk, when they are lop'd; but this is to my certain observation a very great mistake either in the Relator, or Anthor: for I have noted many Elms fo difbranch'd, that the remaining stubs grew immediately hollow, and were as fo many Conduits, or Pipes, to hold, and convey the Rain to the very body, and heart of the Tree.

11. There is a Cloyfter of the right French Elm in the little Garden neer to her Majesties the Q. Mothers Chappel at somerset-house, which were (I suppose) planted there by the industry of the FF. Capuchines, that will perfectly direct you to the incomparable use of this noble Tree for shade and delight, into whatever Figure you will accustom them. I have also heard of graffing Elms to a great improvement of their heads, and it would be try'd.

E 2

12. When

12. When you would Fell let the Sap be perfectly in repofe; as 'tis commonly about November or December, after the frost hath well nipp'd them: I have already alleady'd my reason for it; and I am told, That both Oak and Elm so cut, the very Saplings (whereof Rasters, Spars, &c. are made) will continue as long as the very heart of the Tree without decay. In this mork cut your kerse near to the ground; but have a care that it suffer not in the fall, and be ruined with its own weight: This depends upon your Wood-man's judgment in disbranching, and is a necessary caution to the Felling of all other Timber-Trees. If any begin to doat, pick out such for the Ax, and rather trust to its Successor.

12. Elm is a Timber of most fingular Use; especially where it may lie continually dry, or wet in extreames; therefore proper for Water-works, Mills, Pipes, Pumps, Ship-planks beneath the Waterline; and some that has been found buried in Boggs, has turn'd like the most polish'd, and hardest Ebony, only discern'd by the grain : Alfo for Wheel-wrights, Kerbs of Coppers, Featheridg and Weather-boards, Dreffers and fundry other imployments. It makes alfo the fecond fort of Charcoal; and finally (which I must not omit) theuse of the very leaves of this Tree, especially of the female, is not to be despised; for being suffered to dry in the Sun upon the Branches, and the fpray shrip'd off about the decrease in August (as also where the fuckers and stolones are fuper-numerary, and hinder the thriving of their Nurses) they will prove a great relief to Cattel in Winter, when hay and fodder is dear; they will eat them even before Oates, and thrive exceedingly well with them; remember only to lay your Boughs up in some dry, and fweet corner of your Barn : It was for this the Poet prais'd them, and the Epithete was advis'd,

#### -fæcundæ frondibus Ulmi. Georg. 2.

In some parts of Hereford-shire they gather them in Sacks for their Swine, and other Cattel according to this husbandry.

#### CHAP. V.

#### Of the Beech.

Beech.

1. The Beech, [Fagus] numbred amongst the glandiferous Trees, Irank here before the martial Afb, because it commonly grows to a greater stature. There are of these Fagi two, or three kinds with us; the Mountain, which is the whitest, and most sought after by the Turner; and the Campestral or wild, which is of a blacker colour, and more durable. They are both to be rais'd from the Mast, and govern'd like the Oak, of which amply; and that is absolutely the best way of furnishing a Wood: But they are likewife

likewife to be planted of young feedlings to be drawn out of the places where the fruitful Trees abound. In Transplanting them cut off only the boughs and bruifed parts, two Inches from the stem, to within a yard of the top; but be very fparing of the Root: This for fuch as are of pretty stature. They make spreading Trees, and noble shades with their well furnish'd and glistering leaves, being fet at forty foot diftance; but they grow taller and more upright in the Forefts, where I have beheld them at eight and ten foot, shoot into very long poles; but neither fo apt for Timber, nor Fuel: In the Vallies (where they ftand warm, and in confort) they will grow to a fupendious procerity, though the foil be frony and very barren : Alfo upon the declivities', fides and tops of high Hills, and chalkie Mountains effectially; for they will strangely infinuate their *Roots* into the bowels of those feemingly impenetrable places, not much unlike the Fir it felf, which, with this fo common Tree, the great Cafar denies to be found in Britanny, Materia cujusque generis, ut in Gallia, præter Fagum & abietem : but certainly from a grand miftake.

2. The Beech ferves for various Ules of the House-mife; with it the Turner makes Difbes, Trays, Bowls, Rimbs for Buckets, and other Utenfils, Trenchers, Dreffer-boards, O.c. likewife for the Wheeler, Joyner, and Upholster for Sellyes, Chairs, Stools, Bed-steads, Oc. for the Bellows-maker, and Husbandman his Shovel and Spade-graffs; for Fuel, Billet, Bavin and Coal though one of the leaft lafting: Not to omit even the very shavings for the fining of Wines. Of old they made their Vasa Vindimiatoria and Corbes Messoria (as we our pots for Straw-berries ) with the Rind of this Beech; and that curioufly wrought Cup which the shepherd in the Bucolicks wagers with all, was engraven by Alcimedon upon the Bark of this Tree : You would not wonder to hear me deplore the fo frequent use of this Wood, if you did confider that the industry of France furnishes that Country for all domestic Utenfils with excellent Wallnut; a material infinitely preferrable to the best Beech; which is indeed good only for shade and for Fire; as being brittle, and exceedingly obnoxious to the Worm : But whil'ft we thus condemn the Timber, we must not omit to praise the Mast, which fats our Swine and Deer, and hath in some Families even supported men with bread : Chios indur'd a memorable siege by the benefit of this Mast: and in some parts of France they now grind the Buck in Mills; it affords a fweet Oyl which the poor people eat most willingly : But there is yet another benefit which this Tree prefents us; that its very leaves which make a natural, and most agreeable Canopy all the Summer ; being gather'd about the fall, and fomewhat before they are much frost-bitten, afford the best and easiest Mattresses in the world to lay under our quilts instead of straw; because, besides their tenderness and loose lying together, they continue sweet for seven or eight years long; before which timestran becomes musty, and hard; They are thus used by divers perfons of Quality in Dauphine, and in Swizzerland I have fomefometimes lain on them to my great refreshment : so as of this Tree it may properly be faid,

Swine may be driven to Mast about the end of August.

#### CHAP. VI.

# Of the Ash.

Ash.

Rnus the Ash is with us Male and Female, the one affecting the higher grounds :

Steriles saxosis montibus orni. Geor. 2.

The other the plains, of a *whiter* wood, and rifing many times to a prodigious ftature; fo as in forty years from the Key, an Afb hath been fold for thirty pounds Sterling: and I have been credibly inform'd, that one perfon hath planted fo much of this one fort of Timber in his life time as hath been valu'd worth fifty thoufand pounds to be bought. Thefe are pretty encouragements, for a fmall, and pleafant industry.

2. The Keys being gather'd when they begin to fall (which is about the end of of ober, and the enfuing Moneth) are to be fow'd; but not altogether fo deep as your former Masts : Thus they do in Spain : A very narrow Seminary will be sufficient to store an whole Country : They will lye a full year in the ground before they appear; therefore you must carefully Fence them all that time and have patience : But if you would make a confiderable Wood of them at once, Dig or Plow a parcel of ground, as you would prepare it for Corn, and with the Corn (or what other Grain you think fitteft) fow alfo good ftore of Keys, fome Crabkernels, &c. amongst them : Take off your crop of Corn, or Seed in its Season, and the next year following it will be cover'd with young Ashes, which will be fit either to stand, or be Transplanted for divers years after; and these you will find to be far better then any you can gather out of the Woods (especially Suckers which are worth nothing) being removed at one foot stature (the fooner the better) provided you defend them well from Cattel: The reason of this hasty transplanting, is to prevent their obstinate, and deep rooting ; tantus amor terra- which makes them hard to be taken up when they grow older, and that being remov'd, they take no great hold till the fecond year, after which they come away amain : Yet I have planted them of five and fix inches diametre, which have thriven as well as the smaller wands. Cut

22

Cut not his Head at all, nor (by any means) the fibrous part of the Roots, only, that down-right, or Tap-root (which gives our Hufbandmen fo much trouble in drawing) is to be totally abated : But this work ought to be in the increase of October, or November, and not in the Spring. We are (as I told you) willing to fpare his head; because, being yet young, it is but of a fpongy fubstance; but being once well fixed, you may cut him as close to the earth as you pleafe; it will caufe him to fhoot prodigioufly; fo as in a few years to be fit for Pike-staves. In South spain (where are the beft) after the first dreffing, they let them grow till they are fo big, as being cleft into four parts, each part is sufficient to make a Pike staff : I am told there is a Flemish Ash planted by the Dutchmen in Lincolnshire, which in fix years grows to be worth twenty shillings the Tree; but I am not affur'd, whether it be the Alb, or Abeele; either of them were, upon this account, a worthy encouragement. From these low Cuttings come our Ground-ashes, fo much fought after for Arbours, Efpaliers, and other Pole-Works: They will fpring in abundance, and may be reduced to one for a standard-tree, or for Timber, if you delign it 5 for thus, Hydra like, a Ground-cut-afb

#### Per damna, per cædes, ab ipfo Ducit opes animúmý, ferro. Hor.

3. It is by no means convenient to plant Afb in Plow-lands; for the Roots will be obnoxious to the Coulter; and the fhade of the Tree is malignant to Corn when the head and banches over-drip it; but in Hedge-rows, and Plumps, they will thrive exceedingly; where they may be difpos'd at nine or ten foot diftance, and fometimes neerer: But in planting of a whole Wood of feveral kinds of Trees for Timber, every third fet at leaft would be an Afb. The beft Afb delights in the beft Land (which it will foon impoverifh) yet grows in any; fo it be not over-wet, and approaching to the Marfby, unlefs it be firft well drain'd: By the banks of fweet and cryftal Rivers and Streams I have obferv'd them to thrive infinitely.

4. The use of Ash is (next to that of the Oak it felf) one of the most universal : It serves the Souldier — & Fraxinus utilis hast is. Ovid. The Carpenter, Wheel-wright, Cart-wright, Cooper, Turner and Thatcher : Nothing like it for our Garden Palifadbedges, Hop-yards, Poles and Spars, Handles, Stocks for Tools, Spade-trees, & c. In sum, the Husband-man cannot be without the Ash for his Carts, Ladders, and other tackling : From the Pike, Spear and Bow (for of Ash were they formerly made) to the Plow; in Peace and Warit is a wood in highest request : Lastly, the white and rotten dottard part composes a ground for our Gallants Sweet-powder, and the Truncheons make the third fort of the most durable Coal, and is (of all other) the sweets the to our Forest-fuelling, and the fittest for Ladies Chambers : To conclude, the very dead-leaves afford (like those of the Elm) relief to our Cattel in Winter;

Winter; but the fhade of them is not to be endur'd, because it produces a noxious Infect; and for displaying themselves so very late, and falling very early, not to be planted for Umbrage, or Ornament; especially neer the Garden; fince (besides their predatitious Roots) the deciduous leaves descending with so long a stalk, are drawn by clusters into the Worm-boles, which foul the Allies with their falling Keys, and fuddenly infect the ground.

# CHAP. VII.

and the second of the

# Of the Cheß-nut.

Chefs-nut.

1. The next is the Cheß-nut, [Caftanea] of which Pliny reckons many kinds, efpecially that about Tarentum and Naples; but we commend those of Portugal. They are rais'd best by fowing; previous to which, let the Nuts be first spread to five at, then cover them in fand; a Moneth being pass, plunge them in Water, reject the Swimmers; being dry'd for thirty days more, fand them again, and then to the mater-ordeal as before. Being thus treated till the beginning of Spring, set them as you would do Beans: Pliny will tell you they come not up, unless four or five be pil'd together in a hole; but that is false, if they be good, as you may prefume all those to be which pass this examination; nor will any of them fail: But being come up they thrive best unremov'd, making a great stand for at leass two years upon every Transplanting; yet if needs you must alter their Station, let it be done about November, and that into a light friable ground, or moist Gravel;

November, and that into a light triable ground, or molif Gravel; however, they will grow even in Clay, Sand, and all mixed foils, upon exposid and bleak places, as more patient of cold then heat. 2. If you defire to fet them in Winter, or Autumn, I counfel

you to inter them within their husks, which being every way arm'd are a good protection against the Mouse, and a providential integument : Some fow them confusedly in the Furrow like the Acorn, and govern them as the Oak; but then would the ground be broken up 'twixt November and February ; and when they fpring be cleanfed at two foot afunder, after two years growth : Likewife may Copfes of Cheß-nuts be wonderfully increafed and thickn'd by laying the tender and young branches; but fuch as fpring from the Nuts and Marrons are best of all, and will thrive exceedingly, if being let ftand without removing, the ground be stirr'd and loosen'd about their Roots for two or three of the first years, and the superfluous wood pruned away: Thus will you have a Copfe ready for a felling within eight years, which (befides many other uses) will yield you incomparable poles for any work of the Garden, Vineyard, or Hop-yard, till the next cutting: And if the Tree'like the ground, will in ten or 'twelve years

years grow to a kind of Timber, and bear plentiful fruit.

3. I have feen many Chefs-mut-trees transplanted as big as my arm, their heads cut off at five and fix foot height; but they came on at leifure: In fuch Plantations, and all others for Avenues, you may fet them from thirty to ten foot distance, though they will grow much neerer, and shoot into poles, if (being tender) you cultivate them like the Afb.

4. The Cheß-nut being graffed in the Wall-nut, Oak or Beech, (Ihave been told) will come exceeding fair, and produce incomparable Fruit; for the Wall-nut it is probable; but I have not as yet made a full attempt: In the mean time, I with we did more univerfally propagate the Horfe-cheß-nut, which being eafily increas'd from layers grows into a goodly Standard, and bears a most glorious flower, even in our cold Country: This Tree is now all the mode for the Avenues to their Countrey palaces in France, as appears by the late Superintendents Plantation at Vaux.

5. The use of the Chess-nut is (next the Oak) one of the most fought after by the Carpenter and Joyner : It hath formerly built a good part of our ancient houses in the City of London, as does yet appear. I had once a very large Barn neer the City fram'd intirely of this Timber: And certainly they grew not far off; probably in some Woods neer the Town: For in that description of London written by Fitz-Stephens, in the Reign of Hen. 2. he speaks of a very noble and large Forest which grew on the Boreal part of it: Proxime (fayshe) patet foresta ingens, saltus nemorosi ferarum, latebræ cervorum, damarum, aprorum, & taurorum Sylvestrium, O.c. a very goodly thing it seems, and as well stor'd with all sorts of good Timber, as with Venison and all kind of Chase. The Ches-nut affords the best Stakes and Poles for Palifades and Hops, as I faid before ; and being planted in Hedge-rows & circa agrorum itinera, or for Avenues to our Country-houses, they are a magnificent and royal Ornament : But we give that fruit to our Smine in England, which is amongst the delicaces of Princes in other Countries; and. being of the larger Nut, is a lufty, and masculine food for Rustics at all times. The best Tables in France and Italy make them a fervice, eating them with Salt, in Wine, being first rosted on the Chapplet; and doubtless we might propagate their use, amongst our common people, at left (as of old the Baravoqayos) being a Food fo cheap, and fo lafting. Finally,

#### CHAP. VIII.

#### Of the Wall-nut.

I. THe Wall-nut is to be elevated like the Chess-nut, being Wall-nut. planted of the Nut, or fet at the distance you would F have have him ftand; for which they may be prepared by bedding them (being dry) in fand, or good earth, till March, from the time they fell, or were beaten off the Tree: Or if before they be fet with busk and all upon them; for the extream bitternefs thereof is most exitial and deadly to worms: Some supple them a little in warm Cows-milk; but being treated as before, you will find them already fprouted, and have need only to be planted where they are to abide; because (as we faid long fince) they are most impatient of transplanting: But if there be an absolute neceffity of removing, let your Tree be about four years old, and then by no means touch the head with your knife, nor cut away fo much as the very Tap-root; fince being of a pithy and hollow substance, the least diminution, or bruise, will greatly endanger the killing.

2. The Wall-nut delights in a dry, found and rich land ; especially, if it incline to a feeding Chalk, or Marle; and where it may be protected from the cold; as in great Pits, Vallies, and Highway fides; alfo in Stony-grounds, and on Hills efpecially Chalkie : likewise in Corn-fields : Thus Burgundy abounds with them, where they stand in the middest of goodly Wheat-lands at fixty and an hundred foot diftance; and it is fo far from hurting the crop, that they look on them as a great preferver, by keeping the grounds warm; nor do the roots hinder the Plow. When ever they fell a Tree (which is only the old, and decay'd) they always plant a young one neer him; and in feveral places 'twixt Hanaw and Francfort in Germany, no young Farmer what foever is permitted to Marry a Wife, till he bring proof that he hath planted, and is a Father of fuch a stated number of Wall-nut-trees, as the Law is inviolably observed to this day for the extraordinary benefit which this Tree affords the Inhabitants : And in truth, were this Timber in greater plenty amongst us, we should have far better Utensiles of all forts for our houses, as Chairs, Stools, Bed-Steads, Tables, Wainfcot, Cabinets, O.c. in ftead of the more vulgar Beech, fubject to the worm, weak and unfightly.

3. They render most graceful Avenues to our Country dwellings, and do excellently in hedge-rows; but had need be planted at forty, or fifty foot interval; for they affect to fpread both their roots and branches. The Bergstras (which extends from Heidelberg to Darmstadt ) is all planted with Wall-nuts; for fo by another ancient Law the Bordurers were oblig'd to nurse up, and take care of them; and that chiefly for their ornament and fhade; fo as a man may ride for many miles about that Country, under a continu'd Arbour, or Clofe-walk; The Traveller both refresh'd with the Fruit, and the Shade : How would fuch publick Plantations improve the glory and wealth of a Nation ! but where shall we find the fpirits amongst our Country-men? Yes, I will adventure to instance in those Plantations of Sir Richard Stidolph, upon the Downs neer Lether-head in Surrey; and fo about Callaulton, where many thousands of these Trees do celebrate the industry of the Owners; and will certainly reward it with infinite improvement, as I am affur'd they do in part already, and that very confiderably; befides

befides the Ornament which they afford to those pleasant Tracts, for some miles in circumference. I remember Monsieur Sorbiere, in a Sceptical discourse to Monsieur de Martel, speaking of the readiness of the People in Holland to furnish, and maintain whatfoever may conduce to the publick Ornament, as well as Convenience; tells us, that their Plantations of these, and the like Trees even in their very Roads and common High-mays are better preferv'd, and entertain'd (as I my felf have likewife been often an eye witness) then those about the Houses and Gardens of pleasure belonging to the Nobles and Gentry of most other Countries : And in effect it is a most ravishing object to behold their amenities in this particular : With us fays he (speaking of France) they make a jest at such political Ordinances, by ruining these publick and useful Ornaments, if haply some more prudent Magistrate do at any time introduce them. Thus in the Reign of Henry the fourth, during the Superintendency of Monsieur de Sulli, there was a refolution of adorning all the High-ways of France with Elms, Ge. but. the rude and mischievous Paysans did so hack, steal, and destroy what they had begun, that they were forc'd to defift from the through profecution of the defign; fo as there is nothing more expos'd, wild, and lefs pleafant then the common Roads of France for want of *lbade*, and the decent *limits* which these fweet, and divertifiant Plantations would have afforded; not to omit that Political use (as my Lord Bacon hints it where he speaks of the Statues, and Monuments of brave men, and fuch as had, well deferv'd of the Publick, erected by the Romans even in their Highways,) fince doubtlefs, fuch noble and agreeable objects would exceedingly divert, entertain and take off the Minds and Discourses of Melancholy people, and penfive Travellers, who having nothing but the dull and enclos'd ways to cast their eyes on, are but ill Conversation to themselves, and others.

4. What universal use the French make of the Timber of this fole Tree for domestic affairs may be feen in every room both of poor and rich: It is of fingular account with the Joyner, for the best grain'd and colour'd Wain-fcot ; with the Gun-fmith for Stocks ; the Drum-maker for rimbs : the Cabinet-maker for Inlagings, especially the firm and close Timber about the Roots, which is admirable for fleck'd and chambletted works, and the older it is, the more estimable ; but then it should not be put in work till throughly feason'd; because it will shrink beyond expectation : Besides these uses of the Wood, the Fruit is for preserves, for Oyland Food; and the very hufks and leaves being macerated in warm water, and that liquor poured on the Carpet of Walks and Bowling-greens, does infallibly kill the Worms without endangering the grass; not to mention the Dye which is made of this Lixive to colour Wooll, Woods, and Hair, as of old they us'd it. That which is produc'd of the thick shell becomes best Timber; that of. the thinner, better Fruit. Columella has fundry excellent rules how to afcertain, and accelerate the growth of this Tree, and to improve its qualities, which I recommend to the farther Industri-CHAP, ous, and pass now to the less principal. F 2

2.

## CHAP. IX.

#### Of the Service.

Service.

1. The Service-tree is rais'd of the Sorbs, or Berries, which being ripe (that is) rotten about September, may be fown like Beech-maft: It is reported that the Somer never fees the fruit of his labour; either for that it bears only being very old; or that Men are commonly fo before they think of planting Trees: But this is an egregious mistake; for these come very foon to be Trees, and being planted young thrive exceedingly; I have likewise planted them as big as my arm fuccessfully: The best way is therefore to propagate them of Suckers or Sets; they delight in reasonable good ground, rather inclining to cold then over hot; for in places which are too dry they never bear kindly.

2. The Timber is useful for the Joyner, and being of a very delicate Grain, for divers curiosities: Also it is taken to build with, yielding Beams of considerable substance : The shade is beautiful for Walks, and the Fruit not unpleasant, and in some cases Medicinal.

#### CHAP. X.

#### Of, the Maple.

Maple.

2.

THe Maple [ Acer ] (of which Authors reckon very many kinds) was of old held in equal estimation almost with the Citron; especially the Bruscum, the French-Maple, and the Peacockstail-Maple, which is that fort fo elegantly undulated, and crifped into variety of curles : They are all produced of the Keys, like the Afb; and like to it, affect a found and a dry mould; growing both in Woods and Hedge-rows, especially in the latter; which if rather hilly then low affords the fairest Timber. By shreading up the boughs to a head I have caus'd it to fhoot to a wonderful height in a little time; but if you would lop it for the Fire, let it be done in January. The Timber is far superiour to Beech for all ules of the Turner, who feeks it for Difhes, Trays, Trenchers, Grc. as the Joyner for Tables, Inlayings, 'and for the delicateness of the grain when the kmurs and nodosities are rarely diapred, which does much advance its price : Alfo for the lightness (under the name Ayer) imploy'd often by those who make Musical-instruments. But . there is a larger fort, which we call the Sycamor.

CHAP.

29

# CHAP. XI.

# Of the Sycamor.

1. THe Sycamor is much more in reputation for its *fhade* then Sycamor, it deferves; for the Leaves which fall early (like those of the Afb) turn to a Mucilage, and putrifie with the first moisture of the feason; fo as they contaminate and mar our Walks, and are therefore (by my confent) to be banish'd from all curious Gardens and Avenues: There is in Germany a better fort of Sycamor then ours, wherewith they make Saddle-trees, and divers other things of ufe; our own is excellent for Cart and Plow-timber, being light, tough, and not much inferiour to Afb it felf.

# CHAP. XII.

#### Of the Horn-Beam.

1. The Horn-beam, in Latine the Carpinus, is planted of Sets 3 Horn-beam, though it may likewife be railed from the Seeds, which being mature in August fhould be fown in October; but the more expeditious way, is, by Sets of about an inch diametre, and cut within half a foot of the Earth : Thus it will advance to a confiderable Tree. The places it chiefly defires. to grow in are in cold hills, and in the barren and most exposed parts of Woods.

2. Amongst other uses which it ferves for, as Mills (for which it excels either Tew or Crab ) Yoak-timber (whence of old 'twas call'd (unia) heads of Beetles, Stocks, and handles of Tools (for all which purposes its extream toughness commends it to the Hufbandman ) being planted in small Fosses, or Trenches, at half a foor interval, and in the fingle row it makes the nobleft and the stateliest Hedges for long Walks in Gardens, or Parks, of any Tree whatfoever whofe leaves are deciduous, and forfake their branches in Winter; because it grows tall, and so sturdy as not to be wrouged by the Winds : Befides, it will furnish to the very foot of the stem, and flourishes with a glossie and polish'd verdure which is exceeding delightful, of long continuance, and of all other the harder Woods the speediest Grower; maintaining a slender, upright *stem*, which does not come to be *bare*, and flicky in many years. That admirable Espalier-hedge in the long middle walk of Luxembourg Garden at Faris (then which there is nothing more graceful) is planted of this Tree; and fo is that Cradle or Clofemalk, with that perplext Canopie, which covers the feat in his Ma-jesties Garden at Hampton-Court. These Hedges are tonfile; but where they are maintain'd to fifteen or twenty foot height (which is very

1.50%

very frequent in the places before mention'd) they are to be cut, and kept in order with a Sythe of four foot long, and very little falcated; this is fix'd on a long fneed or ftreight handle, and does wonderfully expedite the trimming of these and the like Hedges.

## CHAP. XIII.

- Barry

# Of the Lime-Tree.

Lime-tree.

aster that

15. 7.5.

N. Inon

3.

1. The Lime-Tree, [Tilia] is of two kinds; the Male, which is harder, fuller of knots, and of a redder colour; but producing neither Flower, nor Seed, as does the Female, whole Bloffome is very odoriferous perfuming the Air: The Wood is likewife thicker, of fmall pith, and not obnoxious to the Worm. We fend commonly for this Tree into Flanders and Holland, to our exceffive coft, whiles our own Woods do in fome places fpontaneoully produce them, from whence I have received many of their Berries; foasit is a fhameful negligence, that we are no better provided of Nurferies of a Tree to choice and univerfally acceptable. For fo they may be rais'd either of the Seeds in Ottober; or (with better fuccefs) by the Suckers, and Plants, after the fame Method, and in as great abundance as the Elme, like to which it fhould be cultivated.

2. The Lime-tree affects a rich feeding Soil; In fuch Ground their growth will be almost incredible for speed and spreading. They may be planted as big as ones Leg; their Heads topp'd at about fix foot bole; thus it will become (of all other) the most proper and beautiful for Walks, as producing an upright Body, fmooth and even Bark, ample Leaf, fweet Blosom, and a goodly shade at distance of eighteen or twenty foot. The Prince Elector did lately remove very great Lime-Trees out of one of his Forests, to a steep. hill exceedingly exposed to the heat of the Sun at Hidelbourg; and that in the midst of summer : They grow behind that strong Tower on the south-west, and most torrid part of the eminence; being of a dry reddifh barren earth; yet do they prosper rarely well: But the heads were cut off, and the pits into which they were transplanted were (by the industry and direction of one Monseur de Son, a Frenchman) fill'd with a composition of Earth and Cow-dung which was exceedingly beaten, and fo diluted with water as it became almost a liquid pap : It was in this that he plunged the Roots, covering the furface with the turf : A fingular example of removing fo great Trees at fuch a feason, and therefore by me taken notice of here exprelly.

4. The Timber of a well grown Lime is convenient for any use that the Willow is; but much to be preferr'd, as being both stronger, and yet lighter; whence Virgil calls them tilias leves; and therefore

fore turn'd into Boxes for the Apothecaries; and Columella commends Arculas tiliaceas : with the Twigs they made Baskets, and Cradles; and of the fmoother fide of the bark Tablets for Writing; for the antient Philyra is but our Tilia. The Gravers in wood do fometimes make use of this fine Material; and even of the courfest membrane, or flivers of the Tree growing 'twixt the bark and the main body, they now twist into Bas-ropes; Besides the Truncheons make a far better Coal for Gun-powder then that of Alder it felf : and the extraordinary candor and lightness has dignifi'd it above all the Woods of our Forest in the hands of the Right Honourable, the White-stave Officers of his Majesties Imperial Those royal Plantations of these Trees in the Parks of Court. Hampton-Court, and St. James's will fufficiently instruct any man how these (and indeed all other Trees which stand single) are to be govern'd, and defended from the injuries of Beafts, and fometimes more unreasonable Creatures, till they are able to protect themfelves. In Holland (where the very high-ways are adorn'd with them) they frequently clap three or four Deal-boards (in manner of a close trunk) about them; but it is not fo well; becaufe it keeps out the air which should have free access, and intercourse to the bole, and by no means be excluded from flowing freely about them, or indeed any other Trees; provided they are fecur'd from the violence of impetuous winds, O.c. as his Majesties are without those close Coffins, in which the Dutch-men seem rather to bury them alive : In the mean time, is there a more ravishing, or delightful object then to behold some intire streets, and whole Towns planted with these Trees, in even lines before their doors, fo as they feem like Cities in a mood? this is extreamly fresh, and skreens the houses both from Winds, Sun and Dust; then which there can be nothing more defirable where streets are much frequented.

## CHAP. XIV.

#### Of the Quick-Beam.

2.

He Quick-beam, [Ornus] or (as others term it) the Whitchen, Quiek-beam. is a species of Wild-Ash. The Berries which it produces in October may then be fown; or rather the Sets planted : It rifes to a reasonable stature, shoots upright, and slender; and consists of a fine smooth bark. It delights to be both in Mountains and Woods, and to fix it felf in good light ground. Befides the use of it for the Husbandmans Tools (as once by a Statute of Hen. 8. for Bows) and for Fuel, I have not yet observed any other; save that the Bloss are of an agreeable scent.

CHAP.

WB.

#### CHAP. XV.

#### Of the Birch.

Birch.

2.

I. He Birch [Betula] is altogether produc'd of fuckers (though

it sheds a kind of *Samera* about the *Spring*) which being planted at four or five foot interval, in small twigs, will suddenly rife to Trees; provided they affect the ground, which cannot well be too barren; for it will thrive both in the dry, and the wet, Sand and Stony, *Marshes* and Bogs; the *water-galls*, and *uliginous* parts of *Forests* that hardly bear any grass, do many times spontaneously produce it in abundance whether the place be high, or low, and nothing comes amils to it.

Plant the finall twigs, or fuckers having roots, and after the first year cut them within an incb of the furface; this will caufe them to forout in strong, and lusty tufts, fit for Copfe, and Spring-woods; or, by reducing them to one flem, render them in a very few years fit for the Turner. For though Birch be of all other the worst of Timber; yet has it its various uses, as for the Husbandmans Ox-yoaks; also for Hoops, Paniers, Brooms, Wands, Bavin and Fuel; great and fmall-coal, which last is made by charking the flenderest brush, and fummities of the twigs; as of the tops and loppings M. Homards new Tanne : Lastly, of the whitess part of the old wood, found commonly in doating Birches, is made the grounds of our Gallants Sweet-powder; to say nothing here of the Magisterial Fasces, for which antiently the Cudgels were us'd by the Listor; as now the gentler Rods by our tyrannical Pedagogues.

2. I should here add the uses of the mater too, had I not already protefted against tampering with the Medicinal virtues of Trees. in the entrance of this Treatife : But if the fovereign effects of the juice of this despicable Tree supply its other defects (which makes fome judge it unworthy to be brought into the Catalogue of Woods to be propagated) I may for once be permitted to play the Empiric, and to gratific our laborious Wood-man with a draught of his own Liquor : And the rather, because these kind of secrets are not yet fufficiently cultivated; and ingenious Planters would by all means be encourag'd to make more trials of this nature, as the Indians, and other Nations have done on their Palmes, and Trees of feveral kinds, to their great emolument. The Mystery is no more then this: About the beginning of March (when the buds begin to be proud and turgid) with a Chizel and a Mallet cut a flit almost as deep as the very pith, under some bough, or branch of a well fpreading Birch; cut it oblique and not long-ways (as a good Chirurgion would make his orifice in a Vein ) inferring a fmall stone or chip, to keep the lips of the wound a little open : Sir Hugb Plat, giving a general rule for the gathering of *ap*, and *tapping* of Trees, would have it done within one foot of the ground, the first rind

32

rind taken off, and then the white bark flit over-twhart, no farther then to the body of the Tree: Moreover, that this wound be made only in that part of the bark which respects the southwest, or between those quarters; because (fayshe) little, or no fap rifeth from the Northern.

In this slit, by the help of your knife to open it, he directs that a leaf of the tree be inferted, first fitted to the dimensions of the flit, from which the fap will diftill in manner of filtration: take away the leaf, and the bark will close again, a little earth being clapped to the flit: Thus the Knight for any Tree: But we have already shew'd how the Birch is to be treated : Fasten therefore a Bottle, or some such convenient Vessel appendant : this does the effect better then perforation or tapping : Out of this aperture will extil a limpid and clear mater, retaining an obscure smack both of the talte and odor of the Tree; and which (as I am credibly inform'd) will in the space of twelve or fourteen days preponderate, and outweigh the whole Tree it felf, body and roots; which if it be constant, and so happen likewise in other Trees, is not only stupendious, but an experiment worthy the confideration of our protoundest Philosophers: an ex sola aqua funt Arbores ? whether water only be the principle of Vegetables, and confequently of Trees : For evident it is, that we know of no Tree which does more copioully attract, be it that fo much celebrated firit of the World (as they call it) inform of mater (as fome) or a certain specifique liquor richly impregnated with this Balfamical property : That there is fuch a Magnes in this fimple Tree as does manifeltly draw to it felf some occult, and wonderful virtue, is notorious; nor is conceivable, indeed, the difference between the efficacy of that liquor which distills from the bole or parts of the Tree neerer to the Root, (where Sir Hugh would celebrate the Incision ) and that which weeps out from the more fublime Branches : But I refer these difquisitions to the learned; especially, as mention'd by that incomparable Philosopher, and my most noble Friend, the honourable Mr. Boyle, in his fecond part of the usefulness of Natural Philo-Sophy: sect. 1. Effay 3d. where he speaks of the Manna del Corpo, or Trunk-manna, as well as of that Liquor from the bough fo of the sura which the Coco-trees afford ; and that Polonian fecret of the Liquor of the Wall-nut-tree root; with an encouragement of more frequent Experiments to educe saccharine substances upon these occasions : But the Book being publish'd fo long fince this Difcourfe was ready, I have only here the liberty to refer the Reader to one of the best Entertainments in the world.

4. In the mean time, the *liquor* of this *Tree* is effeem'd moft powerful for the diffolving of the *stone* in the bladder : *Hel*mont fhews how to make a *Beer* of the water; but the *Wine* is a moft rich *Cordial*, curing (as I am told) Confumptions, and fuch interiour difeafes as accompany the *stone* in the *Bladder* or *Reins*: This *Wine*, exquisitely made, is fo ftrong, that the common fort of *stone-bottles* cannot preferve the *fpirits*, fo fubrile they are and *volatile*; and yet it is gentle, and very harmles in operation within the *G Body*,

Body, and exceedingly sharpens the Appetite, being drank ante pastum : I will present you a Receipt, as it was sent me by a fair Lady.

To every gallon of *Birch-water* put a quart of *Hony* well ftirr'd together; then boil it almost an hour with a few *Cloves*, and a little *Limon-peel*, keeping it well fcumm'd: When it is fufficiently boil'd, and become cold, add to it three or four spoonfuls of good *Ale* to make it work (which it will do like new *Ale*) and when the *Test* begins to fettle, *bottle* it up as you do other *winy* liquors. It will in a competent time become a most brisk and spiritous *Drink*, which (besides the former virtues) is a very powerful opener, and doing wonders for cure of the *Pthisck:* This *Wine* may (if you please) be made as successfully with *sugar* in stead of Hony, thj. to each *Gallon* of Water; or you may dulcifie it with *Raisins*, and compose a *Raisin-wine* of it. I know not whether the quantity of the fweet *Ingredients* might not be somewhat reduc'd, and the operation improv'd: But I give it as receiv'd.

But besides these, Beech, Alder, Ash, Elder, &c. would be attempted for Liquors: Thus Crabs, and even our very Brambles may poffibly yield us medical and useful Wines. The Poplar was heretofore esteem'd more physical then the Betula. The sap of the Oak, juice, or decoction of the inner bark cures the Fashions, or Farcy, a virulent and dangerous infirmity in Horfes, and which (like Cancers) were reputed incurable by any other Topic, then some actual, or potential cantery : But, what is more noble ; a dear friend of mine affur'd me, that a Country Neighbour of his (at least fourscore years of age) who had lain fick of a bloody Strangury (which by cruel torments reduc'd him to the very article of death) was, under God, recover'd to perfect, and almost miraculous health, and strength (fo as to be able to fall stoutly to his labour) by one fole draught of Beer, wherein was the decoction of the internal bark of the Oak-tree; And I have feen a composition of an admirable sudorific, and diuretic for all affections of the Liver out of the like of the Elm, which might yet be drank daily as our Cophee is, and with no lefs delight ; but Quacking is not my trade : Ispeak only here as a plain Husband-man, and a simple Forester, out of the limits whereof I hope I have not unpardonably tranfgress'd. Pan was a Physician, and he (you know) was President of the Woods. But I proceed.

#### CHAP. XVI.

#### Of the Hasell.

Hafel:

1. The Hafell is best rais'd from the Nuts, which you shall fow like Mast in a pretty deep furrow toward the end of February: Light ground may immediately be fown and harrow'd in very accurately; but in case the mould be clay, plow it earlier, and

and let it be fufficiently mellow'd with the frosts; and then the third year cut your Trees near to the ground with a fharp Bill, the Moon decreasing.

2. But if you would make a Grove for pleasure, plant them in Foss at a yard distance, and cut them within half a foot of the earth, dreffing them for three or four Springs, and Autumns, by only loofning the Mould a little about their roots. Others there are who let the Nuts by hand at one foot diftance, to be transplanted the third year at a yard afunder : But this work is not to be taken in hand to foon as the Nuts fall, till Winter be well advanc'd; because they are exceedingly obnoxious to the frosts; nor will they fprout till the spring: Besides, Vermine are great devourers of them: Preferve them therefore moift, not monIdy, by laying them in their own dry leaves, or in Sand, till January.

#### Plantis & dur & Coryli nascuntur----

2. Hasels are likewise propagated of sets, and suckers; from whence they thrive very well, the floots being of the fcantlings of small wands, and switches, or somewhat bigger, and such as have drawn divers hairy twigs, which are by no means to be difbranch'd, no more then their Roots, unless by a very sparing and difcreet hand. Thus your Coryletum or Copfe of Hafels being planted about Autumn, may (as fome practife it) be cut within three or four inches of the ground the spring following, which the new Cion will fuddenly repair in clufters and tufts of fair poles of twenty, and fometimes thirty foot long : But, I rather should spare them till two, or three years after, when they shall have taken ftrong hold, and may be cut close to the very earth; the improfperous, and feeble ones especially. Thus are likewife Filberts to be treated, both of them improv'd much by transplanting.

4. For the place, they above all affect cold, barren, dry and fandy grounds; also Mountains, and even rockie foils produce them; but more plentifully if somewhat moist, dankish, and mossie, as in the fresher Bottoms, and fides of Hills, and in Hedge-rows. Such as are maintain'd for Copfes, may after twelve years be fell'd the first time; the next at seven or eight, &c. for by this period their Roots will be compleatly vigorous. You may plant them from October to January, provided you keep them carefully weeded till they have taken fast hold.

5. The use of the Hasel is for Poles, Spars, Hoops, Hurdles, Forks, Angling-rods, Faggots, Coals; alfo for With's and bands, upon which I remember Pliny thinks it a pretty Speculation, that a wood should be stronger to bind withall being bruis'd and divided, then when whole and entire; laftly, for riding Switches and Divinatory Rods for the detecting and finding out of Minerals; at least, if that tradition be no imposture.

There is a compendious expedient for the thickning of Copfes which are too transparent, by laying of a sampler, or pole of an G 2

35

Halel,

Hasel, Ash, Poplar, &c. of twenty, or thirty foot in length (the head a little lopp'd) into the ground, giving it a chop neer the foot, to make it fuccumb; this fastned to the earth with a hook or two, and cover'd with some fresh mould at a competent depth (as Gard'ners lay their Carnations) will produce a world of suckers, thicken and furnish a Copse speedily. But I am now come to the Water-side; let us next confider the Aquatic.

#### CHAP. XVII.

# Of the Poplar.

Poplar.

1. I Begin this fecond Claß (according to our former Diffribution) with the Poplar, of which there are feveral kinds; White, Black, &c. befides the Afpen: The white is the most ordinary with us, to be rais'd in abundance by every fet or flip: Fence the ground as far as any old Poplar roots extend, they will furnish you with fuckers innumerable, to be flip'd from their mothers, and transplanted the very fift year. You shall need no other Nurfery. When they are young their leaves are somewhat broader, and rounder then when they grow aged. In moss, and boggy places they will flourish wonderfully, so the ground be not spering; but especially neer the Margins and banks of Rivers,

#### Populus in fluviis ----- Virg.

Alfo trunchions of feven, or eight foot long, thrust two foot into the earth, when once rooted, may be cut at fix inches above ground; and thus placed at a yard distant they will immediately furnish a kind of Copfe. But in cafe you plant them of rootedtrees, or smaller fets, fix them not so deep; for though we bury the Trunchions thus profound; yet is the root which they strike commonly but shallow. The Aspen only (which is that kind of white Poplar bearing a smaller, and more tremulous leaf) thrusts down a more fearching foot, and in this likewise differs, that be takes it ill to have his bead cut off: Pliny would have short trunchions couched two foot in the ground (but first two days dry'd) at one foot and half distance, and then moulded over.

3. There is fomething a finer fort of White Poplar which the Dutch call Abele, and we have much transported out of Holland: Thefe are also best propagated of *flips* from the Roots, the least of which will take, and may in March, at three, or four years growth be transplanted.

4. In Flanders (not in France, as a late Author pretends) they have large Nurferies of them, which first they plant at one foot distance, the mould light, and moist; but, as I faid, they must be interr'd pretty deep, and kept clean by pruning them to the middle

2. Aspen.

3. Abele.

dle shoot for the first two years, and so till the third or fourth : When you Transplant, place them at eight, ten or twelve foot Interval: They will likewife grow of Layers, and even of cuttings: In three years they will come to an incredible altitude; in twelve, be as big as your middle ; and in eighteen, or twenty, arrive to full perfection : A specimen of this advance we have had of an Abele Tree at sion, which being lopp'd in Febr. 1651. did by the end of Ottober 52. produce branches as big as a mans wrift, and feventeen foot in length : As they thus increase in bulk, their value and price advance likewife; fo as the Dutch look upon a Plantation of these Trees as an ample portion for a Daughter, and none of the least effects of their good Husbandry; which truly may very well be allow'd, if that calculation hold, which the Knight has afferted, who began his Plantation not long fince about Richmond; that 30 li. being laid out in these Plants, would render at the least ten thousand pounds in eighteen years : Every Tree affording thirty Plants, and every of them thirty more, after each leven years improving twelve pence in growth, till they arriv'd to their acme.

5. The Black Poplar grows rarely with us; it is a ftronger, and taller Tree then the White, the leaves more dark, and not fo ample. Divers ftately ones of thefe I remember about the banks of Po in Italy, which River being the old Eridanus fo celebrated by the Poets in which the temerarious Phaëton is faid to have been precipitated, doubtlefs gave argument to that fiftion of his fad Sifters Metamorphosis into thefe Trees; but for the Amber of their precious tears I could hear of no fuch matter, whiles passing down that River towards Ferrara I diverted my felf with this ftory of the ingenious Poet.

6. The beft use of the Poplar, and Abele (which are all of them hospitable Trees, for any thing thrives under their stades) is for Walks, and Avenues about Grounds which are fituated low, and neer the water, till coming to be very old they are apt to grow knurry, and out of proportion: The Timber is incomparable for all forts of white Woodden Vessels, as Trays, Bowls and other Turners ware; likewise to make Carts, because it is exceeding light; for Vine, and Hop-props, and divers viminious works. The loppings in January are for the Fire; and of the twigs (with the leaves on) are made Brooms. The Brya or Catkins attract the Bees; as do also the leaves more tenacious of the Mel-dews then most other Forest-trees, the Oak excepted.

Of the Aspen our Woodmen make Hoops, Fire-mood and Coals, &c.

## CHAP. XVIII.

# Of the Alder.

Alder.

THe Alder is of all other the most faithful lover of matery and boggy places, and those most despis'd weeping parts, or water-galls of Forests, ---- crassing paludibus Alni. They are propagated of Trunchions, and will come of seeds (for fo they raife them in Flanders, and make wonderful profit of the Plantations) like the Poplar; or of Roots, which I prefer, being fet as big as the fmall of one's leg, and in length about two foot; whereof one would be plunged in the mud. This profound fixing of Aquatic-trees being to preferve them steedy, and from the concussions of the winds, and violence of waters, in their liquid and flippery foundations. They may be placed at four, or five foot diffance; and when they have ftruck root, you may cut them, which will caufe them to fpring in *clumps*, and to fhoot out into many useful poles. But if you plant smaller Jets, cut them not till they are arriv'd to fome competent bigness; and that in a proper Season; which is, for all the Aquatics, not till Winter be well ad-Therefore fuch as vanc'd, in regard of their pithy substance. you shall have occasion to make use of before that period ought to be well grown, and fell'd with the earlieft, and in the first quarter of the increasing Moon; that so the successive shoot receive no prejudice.

2. There are a fort of *Husbands* who take exceffive pains in *ftubbing* up their *Alders* where-ever they meet them in the *boggy* places of their grounds, with the fame indignation as one would extirpate the most pernicious of *Weeds*; and when they have finiss for their best *Lands* to more profit then this (feeming despicable) *plant* might lead them to, were it rightly understood : besides, the *fhadow* of this *Tree* does feed and nouriss the very grass which grows under it.

3. You may cut Aquatic-trees every third, or fourth year, and fome more frequently, as I shall shew you hereafter. They should also be abated within half a foot of the principal head, to prevent the perishing of the main *stock*; and besides, to accelerate their sprouting. In fetting the Trunchions it were not amiss to prepare them a little after they are fitted to the fize, by laying them a while in mater; this is also practicable in Willows,  $\mathfrak{Sec}$ .

4. Of old they made Boats of the greater parts of this Tree

Tunc alnos primum fluvii sensere cavatas.

Georg. 1.

Nec non & torrentem undam levis innatat alnus Miffa Pado \_\_\_\_\_ 2.

And as then, fo now, are over-grown Alders frequently fought after, for

38

for fuch *Buildings* as lye continually under water, where it will harden like a very *ftone* ; whereas being kept in any unconftant temper it rots immediately : Vitruvius tells us, that the Moraffes about Ravenna in Italy were pil'd with this Timber, to *fuperftruct* upon, and highly commends it.

5. The Poles of Alder are as ufeful as those of Willows; but the coals far exceed them; especially for Gun-powder: The Wood is likewife useful for Piles, Pumps, Water-pipes, Troughs, Sluces, Wooden-beels, and the fwelling bunches which are now and then found in the old Trees, afford the Inlayer pieces curiously chamletted and very hard, Oc. but the Fagots better for the fire then for the draining of Grounds, by placing them (as the guise is) in the Trenches; which old rubbish of Flints, Stones, and the like gross materials, does infinitely exceed, because it is for ever, preferves the Draines hollow, and being a little moulded over will produce good grass, without any detriment to the ground; but this is a fecret, not yet well understood, and would merit an express Paragraph, were it here feasonable,

Mula vocat Salices

## CHAP. XIX.

#### Of the Withy, Sally, Ozier, and Willow.

I. Since Cato has attributed the third place to the Salithum, pre-Withy. ferring it even next to the very Ortyard; and (what one would wonder at) before even the Olive, Meadow, or Corn-field it felf (for Salithum tertio loco, nempe post vineam, &c.) and that we find it fo eafily rais'd, of fo great and universal  $\mathcal{O}/e$ , I have thought good to be the more particular in my Discourse upon them; especially, fince fo much of that which I shall publish concerning them, is deriv'd from the long experience of a most learned and ingenious person, from whom I acknowledge to have receiv'd many of these hints.

Not to perplex the Reader with the various names, Greek, Gallic, Sabinic, Amerine, Vitex, &c. better diftinguish'd by their growth, and barke; and by Latine Authors all comprehended under that of Salices, I begin with the Withy. The Withy is a reasonable large Tree, and fit to be planted on high banks; because they extend their roots deeper then either Sallyes or Willows. For this reason you shall plant them at ten or twenty foot distance; and though they grow the flowest of all the twiggy Trees; yet do they recompence it with the larger crop; the wood being tough, and the twigs fit to bind strongly; the very peelings of the branches being useful to bind Arbour-poling, and in Topiary works, Vineyards, Espalier-fruit, and the like. 2. There 2. There are two principal forts of these Withies, the boary, and the red Withy which is the Greek; toughest, and fittest to bind whiles the twigs are flexible and tender.

1. Sallyes grow much faster, if they are planted within reach of mater, or in a very moorifh ground, or flat plain; and where the foil is, by reason of extraordinary moisture, unfit for Arable, or Meadow; for in these cases it is an extraordinary improvement: In a word, where Birch, and Alder will thrive.

2. Before you plant them, it is found best to turn the ground with a spade; especially, if you design them for a flat.

2. We have three forts of Sallys amongst us: The vulgar, which proves best in dryer banks, and the hopping Sallys which require a moister foil, growing with incredible celerity: And a third kind, of a different colour from the other two, having the twigs reddish, the leaf not so long, and of a more dusky green; more brittle whilst it is growing in twigs, and more tough when arriv'd to a competent fize : All of them useful for the Thatcher.

4. Of these, the hopping Sallys are in greatest esteem, being of a clearer terse grain, and requiring a more fucculent foil; best planted a foot deep, and a foot and half above ground (though some will allow but a foot) for then every branch will prove excellent for future setlings. After three years growth (being cropp'd the second and third) the first years increase will be 'twixt eight and twelve foot long generally; the second years growth strong enough to make Rakes and Pike-staves; and the third for M. Blithes's trenching Plow, and other like Otensils of the Husbandman:

5. If ye plant them at full height (as fome do, at four years growth, fetting them five, or fix foot length, to avoid the biting of *Cattel*) they will be lefs useful for ftraight *ftaves*, and for *fetlings*, and make lefs fpeed in their growth; yet this alfo is a confiderable *improvement*.

6. Thefe would require to be planted at leaft five foot diffance (fome fet them as much more) and in the Quincunx order: If they affect the fail, the leaf will come large, half as broad as a mans hand, and of a more vivid green, always larger the first year, then afterwards: fome plant them floping, and crofs-wife like a hedge; but this impedes their wonderful growth; and (though Pliny feems to commend it, teaching us how to excorticate fome places of each fet, for the fooner production of floots) it is but a deceitful Fence, neither fit to keep out Swine, nor Sheep; and being fet too neer, inclining to one another, they foon deftroy each other.

7. The worft *sallys* may be planted fo neer yet, as to be inftead of *ftakes* in a *bedge*, and then their tops will fupply their dwarfifhnefs; and to prevent *Hedge-breakers* many do thus plant them; becaufe they cannot eafily be pull'd up, after once they have ftruck *root*.

8. If some be permitted to wear their tops five or fix years,

their

Sallyes.

their Palms will be very ample, and yield the first, and most plentiful relief to Bees, even before our Abricots blossom.

The hopping Sallys open, and yield their Palms before other Sallys, and when they are blown (which is about the exit of May, or fometimes June) the Palms are four inches long, and full of a fine Cotton : A poor Body might in an hours fpace gather a pound or two of it, which refembling the finest filk, might doubtless be converted to fome profitable use by an ingenious House-wife.

9. Of these Hopping Sallys, after three years rooting, each plant will yield about a score of *staves* of full eight foot in length, and so following, for use, as we noted above: Compute then how many fair *Pike-staves*, *Perches*, and other useful *Materials*, *that* will amount to in an *Acre*, if planted at five foot interval: But a fat, and moist foil requires indeed more space then a lean or dryer; namely fix or eight foot distance.

10. You may plant fetlings of the very first years growth; but the fecond year they are better, and the third year better then the fecond; and the fourth as good as the third; especially, if they approach the mater. A bank at a foot distance from the mater is kinder for them then a *Bog*, or to be altogether *immers*'d in the water.

11. 'Tis good to new-mould them about the Roots every fecond or third year; but Men feldom take the pains. It feems that Sallys are more hardy then even Willows and Oziers, of which Columella takes as much care as of Vines themfelves. But 'tis cheaper to fupply the vacuity of fuch accidental decays by a new plantation, then to be at the charge of digging about them three times a year, as that Author advifes; feeing fome of them will decay, whatever care be ufed.

12. Sallys may also be propagated like Vines, by courbing, and bowing them in Arches, and covering some of their parts with mould, Gr.

13. For fetlings, those are to be preferr'd which grow neerest to the *ftock*, and fo (confequently) those worst which most approach the *top*. They should be planted in the first fair, and pleasant weather in *February*, before they begin to *bud*. They may be cut in *Spring* for *Fuel*; but best in *Autumn* for *ufe*; but in this work (as of *Poplar*) leave a *twig* or two; which being twisted *Arch-wife* will produce plentiful *fpronts*, and fuddenly furniss a *bead*.

14. If in our *Copfes* one in four were a *Sally* fet, amonght the reft of varieties, the profit would recompence the care.

15. The fwift growing Sally is not fo tough, and hardy for fome uses as the slower, which makes stocks for Gard'ners spades; but the other are proper for Rakes, Pikes, Mops, &c. Sally-coal is the foonest confum'd; but of all others the most accommodate for Painters to defign their Work, and first draught on paper with, &c. as being fine, and apt to flit into Pencils.

16. To conclude, there is a way of graffing a Sally trunchion 5 H take take it of two fo ot and half long as big as your wrift; Graff at both ends a Figue, and Mulberry Cion of a foot long, and fo (without claying) fet the flock fo far into the ground as the plant may be three or four inches above the earth: This will thrive exceedingly the first year, and in three be fit to transplant. The feason for this curiofity is February.

Oziers.

1. Oziers are commonly diftinguish'd from Sallyes, as Salleys are from Withies; being so much smaller then the Sallyes, and shorter liv'd, and requiring more constant moisture, and yielding more limber, and flexible twigs for Baskets, Flaskets, Hampers, Chairs, Hurdles, Stages, Bands, &c. likewise for fish Wairs, and to support the Banks of impetuous Rivers: In fine, for all Wicker and Twiggy Works:

#### Viminibus Salices -----

2. But thefe fort of Oziers would be cut in the new *fhoot*; for if they ftand longer they become more inflexible; *cut* them clofe to the *head* (a foot or fo above earth) about the beginning of October; unlefs you will attend till the *cold* be paft, which is better; and in the *decreafe*, for the benefit of the *Workman*; though not altogether for *that* of the *flock*, and fucceeding *fhoot*: When they are *cut*, make them up into *bundles*, and give them fhelter; but fuch as are for *White-mork* (as they call it) being thus *faggotted*, fhould be fet in *mater*, the ends dipped; but for *black*, and *unpeel'd*, preferv'd under covert only: The *peelings* of the former are for the ufe of the *Gard'ner*.

3. We have in *England* thefe three *vulgar* forts; one of little worth, being brittle, and very much refembling the fore-mention'd Sally, with reddifh twigs, and more greenifh, and rounder leaves: Another kind there is, call'd Perch, of limber and green twigs, having a very flender leaf; the *third* fort is totally like the fecond, only the twigs are not altogether fo green, but yellowifh, and neer the Popinjay: This is the very best for Ufe, tough and hardy.

4. These choicer forts of Oziers, which are ever the *fmallest*; also the golden-yellow and white which is preferr'd for propagation and to breed of, should be planted of *flips* of two, or three years growth, a foot deep, and half a yard length, in *Moorifle* ground, or *Banks*, or else in *Furrows*; so as the roots may frequently reach the *water*; for *Fluminibus Salices* — and at three, or four foot distance.

5. The feason for planting is in mid-February; but Cattel being exceffively licorish of their leaves and tender buds, some talk of a graffing them out of reach upon Sallys, and by this to advance their sprouting; but as the work would confume time, so have I never seen it succeed.

6. Some do also plant Oziers in their Eights like Quick-fets, thick, and (neer the water) keep them not more then half a foot above ground; but then they must be diligently cleans'd from Mos

Moß, slab and Ouze, and frequently prun'd (especially the smaller fpires) to form fingle fhoots; at least, that few, or none grow double : These they head every second year about September, the Autumnal cuttings being best for use : But generally

7. You may cut Withies, Sallys, and Willows at any mild and gentle season between leaf and leaf even in Winter; but the most congruous time both to plant and to cut them is Crescente Luna Vere, circa calendas Martias; that is, about the new Moon, and first open weather of the early Spring.

8. It is in France, upon the Loire, where these Eights (as we call them) and Plantations of Oziers and Withies are perfectly underftood ; as it feems in fome places alfo of our own Country, where I have heard twenty pounds has been given for one Acre. To omit nothing of the culture of this useful Ozier, Pliny would have the place to be prepar'd by trenching it a foot and half deep, and in that to fix the fets or cuttings of the fame length at fix foot inter-Thefe ( if the fets be large) will come immediately to be val. Trees; which after the first three years are to be abated within two foot of the ground. Then, in April, he advises to dig about them: Of these they formerly made Vine-props, and one Acre hath been known to yield props fufficient to ferve a Vineyard of twenty five Acres.

10. John Tradescan brought a small Ozier from St. Omers in Flanders, which makes incomparable Net-works, not much inferiour to the Indian twig or Bent-works which we have feen; but if we had them in greater abundance, we fhould haply want the Artificers who could imploy them.

1. Our common Willow of the moodier fort delights in Meads Willim. and Ditch-fides, rather dry, then over met (for fo they last longest) and would be planted of stakes as big as on's leg, cut at the length of five or fix foot, and fix'd a foot or more into the earth; the hole made with an Oaken-stake and beetle, or with an Iron-crow (fome use a long Augur) fo as not to be forced in with too great violence: But first, the Trunchions should be a little slop'd at both extreams, and the biggest planted downwards: To this, if they are foak d in mater two or three days (after they have been fiz'd for length, and the twigs cut off ere you plant them) it will be the better. Let this be done in February. Arms of four years growth will yield substantial sets to be planted at eight or ten soot distance; and for the first three years well defended from the Cattel, who infinitely delight in their leaves, green or wither'd. Thus 2. a Willow may continue twenty, or five and twenty years, with good profit to the industrious Planter, being headed every four or five years, some have been known to shoot no less then twelve foot in one year, after which the old, rotten Dotards may be fell'd, and easily supplied. But if you have ground fit for whole Copfes of this Wood, cast it into double dikes, making every fos neer three toot wide; two and half in depth; then leaving four foot at least of ground for the earth (because in such Plantations the moisture fhould be below the roots, that they may rather fee, then feel the water)

H 2

9.

water) and two Tables of Sets on each fide, plant the Ridges of these Banks with but one single Table, longer and bigger then the Collateral, viz. three, four, five or fix foot high, and distant from each other about two yards. These Banks being carefully kept meeded for the first two years, till the Plants have vanquish'd the Grass; every Acre at eleven, or twelve years growth, may yield you neer an bundred load of mood: Cut them in the Spring for dressing; but in the Fall for Timber and Fuel: I have been inform'd, that a Gentleman in Essen has lopp'd no less then 2000 yearly, all of his own planting.

4. There is a fort of *Willow* of a flender and long leaf, refembling the finaller Ozier; but rifing to a Tree as big as the Sally; full of *knots*, and of a very brittle *fpray*, only here rehears'd to acknowledge the variety.

5. There is likewife the Garden-willow, which produces a fweet and beautiful *flower*, fit to be admitted into our Hortulan ornaments, and may be fet for partitions of fquares; but they have no affinity with other. There is also in Shropshire another very odoriferous kind.

6. What most of the former enumerated kinds differ from the Sallys, is indeed not much confiderable, they being generally useful for the fame purposes; as Boxes, fuch as Apothecaries and Goldsmiths use; for Cart-Saddle-trees, Harrows, Shooe-makers Lasts, Heels, Clogs for Pattens, Pearches, Hop-poles; Ricing of kidny-beans, and for Supporters to Vines, when our English Vineyards come more in request: Also for Hurdles, Sieves, Lattices; for the Turner, Coals and Bavin. The mood being preferv'd dry will dure a very long time; but that which is found wholly putriss'd, and reduc'd to a loamy earth in the hollow trunks of superannuated Trees, is, of all other, the fittest to be mingl'd with fine mould for the raising our choicest Flowers, fuch as Anemonics, Ranunculus's, Auriculas, and the like; for

Quid majora sequar ? Salices, humilesý, genistæ Aut illi pecori frondem, aut pastoribus umbram Sufficiunt, sepemý, satis, & pabula melli.

Georg. 2.

7. Now by all these Plantations of the Aquatic Trees, it is evident the Lords of Moorish Commons, and unprofitable Wastes, may learn some improvement, and the neighbour Bees be gratifid; and many Tools of Husbandry become much cheaper. I conclude, with the learned Stephanus's note upon these kind of Trees, after he has enumerated the universal benefit of the Salicium: Nullius enim tutior reditus, minorisve impendii, aut tempestatis securior.

CHAP.

# CHAP. XX.

# Of Fences, Quick-Sets, &c.

I. Our main Plantation is now finish'd, and our Forest adorn'd Fences. with a just variety: But what is yet all this labour, but loss of time, and irreparable expence, unless our young, and (as yet) tender Plants be sufficiently guarded from all external injuries? for, as old Tuffer,

#### If Cattel, of Cony may enter to crop, Loung Dak is in danger of loung his top.

But with fomething a more polish'd *stile*, though to the fame purpose, the best of *Poets*,

Texendæ sepes etiam, & pecus omne tenendum est : Præcipue, dum frons tenera, imprudensý, laborum; Cui, super indignæs hyemes, solemý, potentem, Sylvestres Viri assidud, capreæý, sequaces Illudunt : Pascuntur Oves, avidæý, juvencæ. Frigora nec tantum cana concreta pruina, Aut gravis incumbens scopulis arentibus æstas Quantum illi nocuere greges, duriý, venenum Dentis, & admorsa signata in stirpe cicatrix.

Georg. 1.

2. For the reason that so many complain of the improsperous condition of their Wood-lands, and Plantations of this kind, proceeds from this neglect; though (sheep excepted) there is no imployment what sever incident to the Farmer, which requires lefs expence to gratifie their expectations: One diligent, and skilful Man will govern five hundred Acres : But if through any accident a Beast shall break into his Masters field; or the wicked Hunters make a gap for his dogs and horfes, what a clamor is there made for the difturbance of a years Crop at most in a little Corn? whiles abandoning his young Woods all this time, and perhaps many years, to the venomous bitings and treading of Cattel, and other like injuries (for want of due care) the detriment is many times irreparable : Young Trees once cropp'd hardly ever recovering : It is the bane of all our most hopeful Timber. But shall I provoke you by an instance? A Kins-man of mine has a Wood of more then 60 years standing; it was, before he purchas'd it, expos'd and abandon'd to the Cattel for divers years : fome of the outward fkirts were nothing fave forubs and miferable starvlings; yet still the place had a disposition to grow moody; but by this neglect continually suppress'd. The industrious Gentleman has Fenced in fome Acres of this, and cut all close to the ground ; it is come in eight or nine years to be better worth then the mood of fixty; and

3.

45

and will (in time) prove most incomparable Timber, whiles the other part fo many years advanc'd, shall never recover; and all this from no other cause, then preferving it fenc'd: Judge then by this, how our Woods come to be fo decried: Are five hundred sbeep worthy the care of a shepherd? and are not five thousand Oaks worth the Fencing, and the inspection of a Hayward?

#### Et dubitant homines sererc, atge impendere curam?

Let us therefore *fhut* up what we have thus laboriously *planted*, with fome good *Quick-fet hedge*.

Quick-Sets.

2.

3.

1. The White-thorne which is the best for Fencing, is either rais'd of Seeds or Plants; but then it must not be with despair, because sometimes you do not see them peep the first year; for the Haw, and many other feeds, being invested with a very hard Integument, will now and then fuffer imprisonment two whole years under the earth; and impatience of this does often frustrate the expectation of the refurrection of divers feeds of this nature; fo as we frequently dig up, and disturb the beds where they have been somn, in despair, before they have gone their full time; which is also the reason of a very popular mistake in other feeds : especially, that of the Holly, concerning which there goes a tradition, that they will not fprout till they be pass'd through the Maw of a Thrush; whence the faying, Turdus exitium fuum cacat (alluding to the Viscus made thereof, not the Missleto of Oak) but this is an errour, as I am able to testifie on experience; they come up very well of the Berries, and patience; for (as I affirm'd) they will sleep fometimes two entire years in their Graves; as will alfo the feeds of Tem, Sloes, Phylerea'angustifolia, and fundry others, whole shells are very hard about the finall kernels; but which is wonderfully facilitated, by being (as we directed) prepar'd in beds, and magazines of earth or fand for a competent time, and then committed to the ground before the full in March, by which feason they will be chitting, and speedily take root : Others bury them deep in the ground all Winter, and fow them in February : And thus I have been told of a Gentleman who has confiderably improv'd his Revenue, by fowing Haws only, and raising Nurferies of Quick-fets, which he fells by the hundred far and neer : This is a commendable industry; any neglected corners of ground will fit this Plantation: But Columella has another expedient for the raifing of our spinetum, by rubbing the now mature Hips and Haws into the crevices of baß-ropes, and then burying them in a trench : whether way you attempt it, they must (so foon as they peep, and as long as they require it) be feduloufly cleans'd of the weeds; which, if in beds for transplantation, had need be at the least three or four year; by which time, even your feedlings will be of stature fit to remove; for I do by no means approve of the vulgar pramature planting of sets, as is generally us'd throughout England; which is to take fuch only as are the very smallest, and fo to crowd them into three or four files, which are both egregious mistakes. 4. Where-

4. Whereas it is found by conftant experience, that plants as big as ones thumb, fet in the posture, and at the distance which we spake of in the Horn-beam; that is, almost perpendicular, and fingle, or at most not exceeding a double row, do prosper infinitely, and much out-strip the densest, and closest ranges of our triffing sets, which make but weak shoots, and whole roots do but hinder each other, and for being couch'd in that posture on the fides of Banks and Fences (effectially where the earth is not very tenacious) are bared of the mould which should entertain them, by that time the Rains and Storms of one Winter have paffed over them. In Holland, and Flanders (where they have the goodlieft Hedges of this kind about the Counter-scarps of their invincible Fortifications, to the great fecurity of their Musketiers upon occafion) they plant them according to my defcription, and raife Fences fo fpeedily, and fo impenetrable, that our best are not to enter into the comparison.

6. Your Hedge being yet young, fhould be conftantly meeded, though fome admit not of this work after Michaelmas, for Reafons that I approve not: It has been the practice of Hereford/bire, in the plantation of Quick-fet-bedges, to plant a Crab-ftock at every twenty foot diftance; and this they observe fo Religiously, as if they had been under fome rigorous Statute requiring it: But by this means they were provided in a fhort time with all advantages for the graffing of Fruit amongst them, which does highly recompense their industry.

7. When your Hedge is now about of fix years flature, plash it about February or October; but this is the work of a very dextrous and skilful Husbandman; and for which our honest Country-man M. Markam gives excellent directions; only I approve not fo well of his deep cutting, if it be possible to bend it, having suffered in some thing of that kind: It is almost incredible to what perfection some have laid these Hedges, by the rural way of plashing, better then by clipping; yet may both be used for ornament, as where they are planted about our Garden-fences, and fields neer the Mansion. In Scotland by tying the young shoots with bands of hay, they make the stems grow fo very close together, as that it encloseth Rabbets in Warrens instead of pales.

8. And now fince I did mention it, and that most I find do greatly affect the ordinary way of *Quicking* (that this our *Difcourfe* be in nothing deficient) we will in brief give it you much after *Geo. Markams* description, because it is the best and most accurate.

In a Ground which is more dry then wet (for watry places it abhors) plant your Quick thus: Let the first row of Sets be placed in a trench of about half a foot deep, even with the top of your ditch, in somewhat a floping, or inclining posture: Then having rais'd your bank neer a foot upon them, plant another row, so as their tops may just peep out over the middle of the spaces of your first row: These cover'd again to the height or thickness of the other, place a third rank opposite to the first, and then finish your your bank to its intended height. The distances of the plants would not be above one foot; and the feason to do the work in may be from the entry of February till the end of March; or else in September, to the beginning of December.

When this is finish'd, you must guard both the top of your Bank and outmost verge of your Ditch with a sufficient dry-bedge, interwoven from stake to stake into the earth (which commonly they do on the bank) to secure your Quick from the spoil of Cattle. And then being careful to repair such as decay, or do not spring, by suppling the dead, and trimming the rest; you shall after three years growth sprinkle some Timber-trees amongs them; such as Oak, Beech, Ash, Maple, Fruit, or the like; which being drawn young out of your Nursferies, may be very easily inferted.

But that which we affirm'd to require the greatest dexterity in this work, is the artificial *plashing* of our *Hedge* when it is now arriv'd to a fix or feven years head.

In February therefore, or October, with a very fharp Bill cut away all fuperfluous sprays and straglers which may hinder your progrefs, and are useles. Then fearching out the principal stems, with a keen and light Hatchet cut them flant-wife about three quarters through, and fo lay it from you floping as you go, folding in the leffer branches which fpring from them; and ever within a five, or fix foot distance, where you find an upright fet (cutting off only the top to the height of your intended hedge) let it stand as a flake to fortifie your work, and to receive the twinings of those branches about it. Lastly, at the top (which would be about five foot above ground) take the longest, most flender and flexible twigs which you referved (and being cut as the former where need requires) bind in the extremities of all the reft, and thus your work is finish'd : This being done very close, and thick, makes an impregnable Hedge, in few years; for it may be repeated as you fee occasion; and what you fo cut away will help to make your dry-hedges for your young Plantations, or be profitable for the Oven, and make good Bavin.

9. The Pyracanth, Paliurus, and like pretiofer forts of Thorne might eafily be propagated into plenty fufficient to frore even thefe vulgar  $\mathcal{O}$  fes were Men industrious; and then how beautiful, and fweet would the environs of our Fields be? for there are none of the fpinous florubs more hardy, nor fitter for our defence. Thus might Berberies now and then be also inferted among our hedges, which with the Hips, Haws, and Cornel-berries, do well in light lands, and would rather be planted to the South then North, or West, as ufually we observe them.

10. Some mingle their very *bedges* with Oaklings, Ash, and Fruittrees fown, or planted, and 'tis a laudable improvement.

11. In Cornwall they fecure their Lands and Woods with high Mounds, and on them they plant Acorns whofe roots bind in the loofer mould, and fo form a double, and most durable Fence, incircling the Fields with a Coronet of Trees. They do likewife (and (and that with great commendation) make hedges of our Genista Spinofa, prickly Furzes, of which they have a taller fort, fuch as Furzes. the French imploy for the fame purpose in Britaign, where they are incomparable husbands.

13. It is to be fown (which is beft) or planted of the roots in a furrow : If fown, meeded till it be ftrong : both Tonfile, and to be diligently clip'd, which will render it very thick, an excellent and beautiful hedge : Otherwise permitted to grow at large, 'twill yield very good Fagot.

14. Thus, in some places, they for in barren grounds (when they lay them down) the last crop with this feed, and so let them remain till they break them up again, and during that interim, .reap confiderable advantage : Would you believe (writes a worthy Correspondent of mine) that in Herefordshire (famous for. plenty of wood) their Thickets of Furzes (viz. the vulgar) should yield them more profit, then a like quantity of the best Wheat land of England? for such is theirs; and in Deponshire (the feat of the best Husbands in the World ) they fow on their worst Land (well plow'd ) the feeds of the rankest Furzes, which in four or five years becomes a rich Wood : No provender makes horfes to hardy, as the young tops of these Furzes; no other Wood fo thick, nor more excellent Fuel; and for fome purposes also, yielding them a kind of Timber to their more humble buildings; and a great refuge for Fowl and other Game : I am affur'd, in Britaign'tis fometimes fown no lefs then twelve gards thick, for a fpeedy, profitable, and impenetrable Mound : If we imitated this husbandry in the barren places of surrey, and other parts of this Nation, we might exceedingly spare our woods; and I have bought the best fort of French feed at the shops in London.

15. This puts me in mind of the Broom; another improvement Broom. for Barren grounds, and faver of more substantial Fuel: It may be sown English, or (what is more sweet, and beautiful) the Spanish, with equal success.

16. In the Western parts of France, and Cornwall, it grows with us, to an incredible height (however our Poet give it the epithete of humilis) and fo it seems they had it of old, as appears by Gratius his Genistæ Altinates, with which (as he affirms) they us'd to make staves for their Spears, and hunting Darts.

17. Laftly, a confiderable *Fence* may be made of the *Elder*, *Elder*, *Elder*, fet of reafonable lufty *trunchions*; much like the *Willow*, and (as I have feen them maintain'd) *laid* with great curiofity, and far excelling those extravagant plantations of them about *London*, where the *lops* are permitted to grow without due and fkilful laying.

18. There is a fort of *Elder* which has hardly any *Pith*; this makes exceeding frout *Fences*, and the *Timber* very useful for *Cogs* of *Mills*, and fuch tough employments.

19. The American Tucca is a harder plant then we take it to be; for it will fuffer our fharpest Winter, as I have seen by experience, without that trouble, and care of setting it in Cases in our Conser-. vatories for hyemation; such as have beheld it in Flower (which is not indeed till it be of some age) must needs admire the beauty.

T

of

49

of it; and it being eafily multiplied, why fhould it not make one of the beft and most ornamental *Fences* in the world for our *Gardens*, with its natural *palifados*, as well as the more tender, and impatient of moisture the *Aloes* does for their *Vineyards* in *Languedoc*, *Oc.* but We believe nothing *improvable*, fave what our *Grand-fathers* taught us.

And thus, having accomplified what (by your Commands) I had to offer concerning the propagation of the more Solid, Material, and uleful Trees, as well the Dry, as Aquatical; and to the best of my talent fenc'd our Plantation in, I should here conclude, and set a Bound likewise to my Discourse, by making an Apologie for the many errours and impertinencies of it; did not the zeal, and ambition of this Illustrious Society to promote and improve all Attempts which may concern the Fublick utility or Ornament, perswade Me, that what I am adding for the farther encouragement to the planting of some other users of your Approbation.

Fruit-Trees.

1. To difcourfe in this *ftile* of all fuch *Frnit-trees* as would prove of greateft *emolument* to the whole *Nation*, were to defign a juft *Volume*; and there are *directions* already fo many, and fo accurately deliver'd and *publifb*'d (but which cannot be affirm'd of any of the former *Classes* of *Foreft-trees* and other remarkes, at the leaft to my poor knowledge and refearch) that it would be needlefs to *Repeat*.

2. I do only with (upon the profpect, and meditation of the univerfal Benefit) that every perfon whatfoever, worth ten pounds per annum, within his Majesties Dominions, were by fome indispensable statute oblig'd to plant his Hedge-rows with the best and most useful kinds of them; especially, in such places of the Nation, as being the more in-land Counties, and remote from the Seas and Navigable Rivers, might the better be excus'd from the planting of Timber, to the proportion of those who are more happily and commodiously situated for the transportation of it.

3. Undoubtedly, if this course were taken effectually, a very considerable part both of the Meat and Drink which is spent to our prejudice might be faved by the Countrey-people, even out of the Hedges and Mounds, which would afford them not only the pleasure and profit of their delicious Fruit, but fuch abundance of Cider and Perry as should suffice them to drink of one of the most wholesom and excellent Beverages in the World. Old Gerard did long fince alledg us an example worthy to be purfu'd; I have feen (faith he, speaking of Apple-Trees, lib.2. cap. 101.) in the Pastures and Hedgrows about the Grounds of a Worshipful Gentleman dwelling two miles from Hereford, called Mr Roger Bodnome, fo many Trees of all forts that the Servants drink for the most part no other drink but that which is made of Apples : The quantity is such, that by the report of the Gentleman himself the Parson hath for Tythe many Hogsheads of Cider: The Hogs are fed with the fallings of them, which are so many that they make choice of those Apples they do eat, who will not taste of any but of the best. An Example doubtless to be followed

followed of Gentlemen that have Land and Living; but Envy faith, The Poor will break down our Hedges, and we shall have the least part of the Fruit; but forward in the Name of God, Graff, Set, Plant, and nourifh up Trees in every corner of your Ground; the labour is small, the cost is nothing, the commodity is great; your felves shall have plenty, the poor shall have somewhat in time of want to relieve their necessity, and God shall reward your good minds and diligence. Thus far honest Gerard. And in truth with how small a charge and infinite pleasure this were to be effected, every one that is Patron of a little Nurfery can easily calculate: But by this Expedient, many thousands of Acres, fow'd now yearly with Barley, might be cultivated for Wheat, or converted into Passure to the increase of Corn, and Cattel: Besides the Timber which the Pear-tree affords, comparable (for divers curious Uses) with any we have enumerated. But of this I am to render a more ample Accompt in the Appendix to this Discourse.

4. I would farther recommend the more frequent planting and propagation of *Fir*, *Pine-trees* and fome other beneficial *Materials* both for *Ornament* and *profit*; especially, fince we find by *experi*ence, they thrive fo well, where they are cultivated for *Curiofity* only.

Photo Bullion h

100 / 0.00 2.

# CHAP. XXI.

# Of the Fir, Pine, Pinaster, Pitch-tree, O.c.

1. THey are all of them eafily rais'd of the Kernels, and Nuts, Fir. which may be gotten out of their Cones and Clogs, by exposing them a little before the fire till they begin to gape, and are ready to deliver themselves of their burthen.

2. There are of the Fir two principal species; the Male which is the bigger Tree, and of a harder wood; the Female, which is much the fofter, and whiter. They may be fown in beds, or cafes, at any time during March ; and when they peep, carefully defended with Furzes, or the like fence from the rapacious Birds, which are very apt to pull them up, by taking hold of that little infecund part of the feed which they commonly bear upon their tops : The Beds wherein you fow them had need be shelter'd from the Southern Alpects with some skreen of Reed, or thick hedge : Sow them in thallow rills, not above half-inchdeep, and cover them with fine light mould : Being rifen a finger in height, establish their weak stalks, by siefting some more earth about them; especially the Pines, which being more topheavy are more apt to fwag. When they are of two, or three years growth, you may transplant them where you please; and when they have gotten good root they will make prodigious shoots; but not for the three or four first years comparatively.

I 2'

3. The

2. The Pine is likewife of both Sexes, whereof the Male growing lower, hath its mood more knotty and rude then the They would be gather'd in June before they gape, and Female. cultivated like the Fir in most respects; only, you may bury the Hills a little deeper. By a friend of mine they were rolled in a fine compost made of sheeps-dung, and fcatter'd in February, and this way never fail'd; Fir and Pine; they came to be above Inch high by May : this were an expeditious process for great Plantations : unles you would rather set the Pine as they do Pease; but at wider diftances, that when there is occasion of removal, they might be taken up with earth and all; becaufe they are (of all other Trees ) the most obnoxious to miscarry without this caution ; and therefore it were much better (where the Nuts might be commodioufly fet, and defended) never to remove them at all, it gives this Tree fo confiderable a check.

4. I am affur'd (by a perfon most worthy of credit) that in the Territory of Alzey (a Country in Germany, where they were miferably diffreffed for Wood, which they had fo deftroy'd as that they were reduced to make use of Straw for their best Fuel) a very large Trad being newly plowed, but the Wars furprizing them, not fuffer'd to fow ; there fprung up the next year a whole Forest of Pine-trees, of which fort of Wood there was none at all within lefs then fourfcore miles; fo as 'tis verily conjectur'd by fome, they might be wafted thither from the Country of Westrafia, which is the neerest part to that where they grow : If this be true, we are no more to wonder, how, when our Oak-woods are grubb'd up, Beech and Trees of other kinds have frequently fucceeded them : What fome impetuous Winds have done in this nature I could produce inftances almost miraculous : I shall fay nothing of the opinion of our Master Varro, and the learned Theophrastus, who were both of a faith that the feeds of Plants drop'd out of the Air : Pliny in his 16. Book; Chap. 33. upon discourse of the Cretan Cypres, attributes much to the indoles and nature of the foil, virtue of the Climate, and Impressions of the Air : And indeed it is very strange what is affirm'd of that Pitchy-rain, reported to have fallen about Cyrene, the year 430. U.C. after which, in a fhort time for ing up a whole wood of the Trees of Laferpitium, producing a precious Gum not much inferiour to Benzoin, if at least the story be warrantble : But of these Aerial irradiations, various conceptions and equivocal productions without feed, O.c. upon another occasion, if life and leifure permit me to finish what has been long under the hand, and file to gratifie our Horticultores : This present Treatife being but an imperfect limb of that more ample Work.

5. In transplanting of these Refinaceous, and Coniferous Trees, you must never diminish their heads, nor be at all busie with their roots, which pierce deep, and is all their foundation, unless you find any of them bruifed, or much broken : Neither may you disbranch them, but with great caution, as about March or before, or else in September, when I advise you to rub over their wounds

wounds with a mixture of Cow-dung; the neglect of this cost me dear, fo apt are they to spend their Gum.

6. Some advife us to break the shells of Pines to faeilitate their delivery, and I have effay'd it; but to my los; Nature does obstetricate, and do that office of her self when it is the best self feason; neither does this preparation at all prevent those which are so buried, whiles their hard Integuments protect them both from rotting, and the Vermine.

7. The domestic Pine grows very well with us; but the Pina-Pinaster: ster or wilder best for Walks, because it grows tall, and proud, maintaining their branches at the fides, which the Pine does less frequently.

8. The Fir grows talleft being planted reafonable clofe together; but fuffers nothing to thrive under them. The Pine not fo Inhospitable; for (by Plinies good leave) it may be fown with any Tree, all things growing well under its shade, and excellent in Woods, hence Claudian,

#### Et comitem quercum Pinus amica trabit.

9. They both affect the cold, high and rockie grounds ; yet will grow in better; but not in over rich, and pinguid. The worst land in Wales bears (as I am told) large Pine; and the Fir according to his afpiring nature, loves also the Mountain more then the Valley ; though they will also descend, and succeed very well in either; being defirous of plentiful waterings till they arrive to some competent stature; and therefore they do not profper fo well in an over fandy, and hungry foil, or gravel, as in the very entrails of the Rocks, which afford more drink to the Roots, that penetrate into their meanders, and winding receffes. But though they require this refreshing at first; yet do they perfectly abhor all stercoration; nor will they much endure to have the earth open'd about their roots for Ablaqueation, or be disturb'd. This is also to be understood of Cypress. A Fir for the first half dozen years feems to stand, or at least make no confiderable advance; but it is when throughly rooted, that it comes away mi-That Honourable Knight Sir Norton Knatchbull raculoufly. (whofe delicious Plantation of Pines, and Firs I beheld with great fatisfaction) having affur'd me that a Fir-tree of his raifing, did shoot no less then 60 foot in height in little more then twenty years, is a pregnant instance, as of the speedy growing of that material; fo of all the encouragement I have already given for the more frequent cultivating this ornamental, uleful and profitable Tree.

10. The Picea is another fort of Pine, and to be cultivated Piuch. like it

#### Piceætantum, taxiĝ, nocentes Interdum, aut ederæpandunt Vestigia nigræ.

Georg. 2.

to fhew in what unprofitable *foils* they grow; And therefore I am

am not fatisfied why it might not prosper in some tolerable degree in England, as well as in Germany, Ruffia, the colder Tracts, and abundantly in France : It grows on the Alpes among the Pine; but neither so tall nor so upright.

of *Pitch* is boyl'd. The *Teda* likewife, which is a fort more unctuous, and more patient of the warmer feituations.

12. The Bodies of these being cut, or burnt down to the ground, will emit frequent suckers from the Roots; but so will neither the Pine nor Fir.

13. That all these, especially the Fir, and Pine, will prosper well with us is more then probable, because it is a kind of Demonstration that they did heretofore grow plentifully in Cumberland, Cheshire, Stafford, and Lancashire, where multitudes of them are to this day found intire, buried under the Earth, though supposed to have been o'rethrown and cover'd sever since the universal Delage: For we will not here trouble our Planter with M. Cambden's Quarie, Whether there be not subterraneous Trees growing under the ground? though something to be touched anon might seem to excuse the presumption of it; besides that divers Earths, as well as Waters, have evidently a quality of petrifying wood buried therein.

14. In Scotland there is a most beautiful fort of Fir growing upon the Mountains; of which from that unhappy Person the late Marquess of Argyle I had sent me some seeds, which I have sown with tolerable success.

15. For the many and almost universal use of these Trees both Sea, and Land will plead,

# \_\_\_\_\_\_ dant utile Lignum

Navigiis Pinos-----

They make our beft Maft, Sheathing, &c. heretofore the whole Veffel. It is pretty (faith Pliny) to confider that those Trees which are so much sought after for Shipping should most delight in the bigheft of Mountains, as if it fled from the Sea on purpose, and were afraid to descend into the Waters. With Fir we likewife make Wainscot, Floors, Laths, Boxes, and wherever we use the Deal; nor does there any Wood so well agree with the glew as it, or so casile to be wrought: It is also excellent for Beams, and other Timber-work, in Houses, being both light, and exceedingly strong, where it may lie dry everlasting, and an extraordinary faver of Oak where it may be had at reasonable price. I will not complain what an incredible mass of ready Money is yearly exported into the Northern Countrys for this sole commodity, which might all be faved were we industrious at home. Likewise from Fir we have the most of our Pot-ashes.

The Pine, and Picea buried in the earth never decay: From the latter transides a very bright and pellucid Gum; hence we have likewife Rosin; also of the Pine are made Boxes, and Barrels for dry

hal a

dry Goods; yea, and it is cloven into *flyingles* for the covering of houses in fome places; not to forget the kernels, of fuch admirable use in *Emulsions*: In fum, they are *Plantations* which exceedingly improve the *Air* by their odoriferous and balfamical emiffions, and for ornament create a perpetual fpring where they are propagated.

16. But now whiles I am reciting the Uses of these beneficial Trees, Mr. Winthorp presents the Royal Society with the Process of making the Tar and Pitch in New England, which we thus abbreviate.

Tar is made out of that fort of Pine-tree from which naturally Terpentine extilleth ; and which at its first flowing out is liquid and clear; but being hardned by the air, either on the Tree, or where-ever it falls, is not much unlike the Burgundy Pitch; and we call them Pitch-pines out of which this gummy fubstance tranfudes : They grow upon the most barren plains, on rocks also and hills rifing amongst those plains, where several are found blown down, that have lain fo many ages as that the whole bodies, branches and roots of the Trees being perilhed, fome certain knots only of the boughs have been left remaining intire (these knots are that part where the bough is joyn'd to the body of the Tree ) lying at the fame diftance and posture as they grew upon the Tree The bodies of some of these Trees are not for its whole length. corrupted through age, but quite confum'd and reduc'd to afhes by the annual burnings of the Indians, when they fet their grounds on fire ; which yet has, it feems, no power over these hard knots beyond a black scorching; although being laid on heaps they are apt enough to burn.

It is of these knots they make their Tar in New England and the Country adjacent, whiles they are well impregnated with that Terebinthine, and Refinous matter, which like a Balfam preferves them fo long from putrifaction. The reft of the Tree doe indeed contain the like Terebinthine sap, as appears (upon any flight incifion of bark on the ftem, or boughs) by a fmall crystaline pearl which will fweat out; but this, for being more watry, and undigested by reason of the porofity of the wood, which exposes it to the impressions of the air and wet, render the Tree more obnoxious; especially, if it lye prostrate with the barkon, which is a receptacle for a certain intercutaneous worm that accelerates its decay. They are the knots then alone which the Tar-makers amass in heaps, carrying them in Carts to some convenient place not far off, where finding *clay* or *loam* fit for their turn, they lay an *Hearth* of fuch ordinary from as they have at hand: This they build to fuch an height from the level of the ground, that a Veffcl may ftand a little lower then the Hearth to receive the Tar as it runs out : But first, the Hearth is made wide according to the quantity of knots to be fet at once, and that with a very fmooth floore of clay, yet fomewhat descending or dipping from the extream parts to the middle, and thence towards one of the fides, where a gullet is left for the Tar to run out at. The Hearth thus finish'd

finish'd, they pile the knots one upon another, after the very fame manner as our Colliers do their mood for Char-coal; and of a height proportionable to the breadth of the Hearth; and then cover them over with a coat of loam or clay (which is beft) or in defect of those, with the best, and most tenacious earth the place will afford; leaving only a finall firacle at the top whereat to put the fire in ; and making fome little holes round about at feveral heights, for the admiffion of fo much air as is requilite to keep it burning, and to regulate the fire by opening, and stopping them at pleasure. The process is almost the same with that of making Char-coal, as will appear in due place; for when it is well on fire, that middle hole is also stopp'd, and the rest of the Regifters fo govern'd as the knots may keep burning and not be fuffocated with too much (moak, whiles all being now through-heated, the Tar runs down to the Hearth together with fome of the more watry fap, which hasting from all parts towards the middle is convey'd by the foremention'd gutter into the Barrel, or Veffel placed to receive it : Thus the whole Art of Tar-making is no other then a kind of rude distillation per descension, and might therefore be as well done in Furnaces of large capacity, were it worth the expence. When the Tar is now all melted out, and run, they ftop up all the vents very close; and afterwards find the knots made into excellent Char-coal preferr'd by the Smiths before any other whatfoever which is made of wood; and nothing fo apt to burn out when their blast ceafeth; neither do they *parkle* in the fire as many other forts of *Coal* do; fo as, in defect of Sea-coal, they make choice of this as best for their use, and give greater prices for it.

• Of these knots likewise do the Planters split out small flivers about the thickness of one's finger, or somewhat thinner, which ferve them to burn in stead of Candles; giving a very good light. This they call Candle-mood, and it is in much use both in New England, Virginia, and amongst the Dutch-planters in their Villages; but for that it is something offensive by reason of the much fuliginous smoak which comes from it, they commonly burn it in the chimney-corner upon a flat stone, or Iron; except, occasionally, they carry a single stick in their hand, as there is need of light to go about the house.

It must not be conceiv'd, by what we have mention'd in the former description of the knots, that they are only to be separated from the bodies of the trees by devouring time; or that they are the only materials out of which Tar can be extracted : For there are in these. Tracts millions of Trees which abound with the same fort of knots, and full of Terpentine fit to make Tar : But the labour of felling these Trees, and of cutting out their knots, would far exceed the value of the Tar; especially in Countries where Workmen are so very dear: But those knots, above mention'd, are provided to hand, without any other labour then the gathering only.

There are sometimes found of those sort of Pine-trees the lowest

lowest part of whose stems towards the root is as full of Terpentine as the knots; and of these also may Tar be made: but such Trees being rarely found, are commonly preferved to split into Candle-wood; because they will be easily riven out into any lengths, and scantlings desired, much better then the knots.

There be who pretend an art of as fully impregnating the body of any living Pine-tree for fix or eight foot high: and fome have reported that fuch an art is practis'd in Norway: But upon feveral experiments by girdling the Tree (as they call it) and cutting fome of the bark round, and a little-into the wood of the Tree, fix or eight foot diftant from the ground, it has yet never fucceeded; whether the juft feason of the year were not obferv'd, or what elfe omitted, were worth the disquisition; if at least there be any fuch fecret amongst the Norwegians, Swedes, or any other Nation. Of Tar, by boiling it to a fufficient beight, is Pitch made: and in

Of Tar, by boiling it to a fufficient height, is Pitch made: and in fome places where Rofin is plentiful, a fit proportion of that may be diffolved in the Tar whiles it is boiling, and this mixture is fooneft converted to Pitch; but it is of fomewhat a differing kind from that which is made of Tar only, without other composition.

There is a way which fome *Ship-Carpenters* in those Countries have us'd to bring their *Tar* into *Pitch* for any fudden use; by making the *Tar* fo very hot in an *Iron-kettle*, that it will easily take *fire*, which when *blazing* and fet in an *airy* place, they let burn fo long, till, by taking out fome fmall quantity for trial, being *cald*, it appears of a fufficient *confistence*: Then by covering the *Kettle* clole, the *fire* is extinguish'd, and the *Pitch* is made without more ceremony.

There is a process of making Rosin also out of the fame knots, by fplitting them out into thin pieces, and then boiling them in *water*, which will educe all the *Refinous* matter, and gather it into a body which (when cold) will harden into pure Rosin.

# CHAP. XXII.

## Of the Larch, Platanus, Lotus, O.c.

1. But why might we not hope as well of the Larch from Larch. Beams of nolefs then 120 foot in length made out of this goodly Tree which is of fo ftrange a composition that 'twill hardly burn, as Cafar found in a Caftle he besieg'd built of it : yet the Coals thereof were held far better then any other for the melting of Iron. That which now grows fome where about Chelnsford in Effex, arriv'd to a flouristing, and ample Tree, does fufficiently reproach our negligence and want of industry as well as the incomparable and thady Platanus, that fo beautiful and preci-K ous

1000

ous Tree which we reade the Romans brought out of the Levant, and cultivated with fo much induftry and coft, for its flately and proud head only; that they would irrigate them with Wine in flead of Water; and fo priz'd the very fladow of it, that when afterwards they transplanted them into France, they exacted a Tribute of any of the Natives who fhould prefume but to put his head under it. Pliny tells us there is no Tree whatfoever which fo well defends us from the heat of the Sun in Summer; nor that admits it more kindly in Winter.

Platanus.

Lotus.

1. There was lately at Basil in Smitzerland an ancient goodly Platanetum: and they may with us be rais'd of their seeds with care, in a moist foil, as here I have known them: But the reason of our little success is, that we very rarely have them sent us ripe; which should be gather'd late in Autumn, and brought us from some more Levantine parts then Italy.

2. They come also of *Layers* abundantly; affecting a fresh and feeding ground; for so they plant them about their *Rivulets*, and *Fountains*.

1. The fame opinion have I of the noble Lotus, which in Italy yields both an admirable (hade, and Timber immortal.

2. The offer of Crassus to Domitius for half a dozen of these Trees growing about an house of his in Rome, testifies in what esteem they were had for their incomparable beauty and use.

## CHAP. XXIII.

CALINE U

2

# Of the Cyprefs-tree and Cedar.

Cypress.

1. If we fhould reafon only from our common experience, even the Cypreß-tree was, but within a few years paft, reputed fo tender, and nice a Plant, that it was cultivated with the greateft care, and to be found only amongft the Curious; whereas we fee it now, in every Garden, rifing to as goodly a bulk and ftature, as moft which you fhall find even in Italy it felf; for fuch I remember to have once feen in his late Majefties Gardens at Theobalds, before that Princely feat was demolifh'd. I fay, if we did argue from this Topic: Methinks it fhould rather encourage our Countrymen to add yet to their Plantations other Forreign and useful Trees, and not in the leaft deter them, because many of them are not as yet become endenizon'd amongft us:

2. We may read that the *Peach* was at first accounted to tender and delicate a *Tree*, as that it was believ'd to thrive only in *Perfia*; and even in the days of *Galen* it grew no nearer then *Egypt*, of all the *Roman* Provinces, but was not feen in the *City* till more then thirty years before *Pliny*'s time; whereas there is now hardly a more common and universal in *Europe*: Thus likewife the *Avellana* from *Pontus* in *Afia*; Thence into *Greece*, and fo *Italy*, to the City of *Abellino* in *Campania*.

#### Una tantùm litera immutata, Avellina dici, qua prius Abellina.

I might affirm the fame of our Damasco Plum, Quince, Medlar, Figue, and most ordinary Pears, as well as of several other Peregrine Trees, Fruit-bearers, and others. It was 680 years after the foundation of Rome ere Italy had tasted a Cherry of their own, which being then brought thither out of Pontus (as the above-mention'd Filberts were) did afterwards travel ad nltimos Britannos.

3. Josephus tells us, That the Cedar in Judea was first planted there by Solomon, who doubtless try'd many rare Experiments of this nature; and none more Kingly then that of Planting to Posterity. I do not speak of those which grow on the Mountains of Libanus, in the colder and Northern tracts of Syria: But, as I am inform'd by a curious Traveller, there remaining now not above twenty four of those stately Trees in all those goodly Forests, where that mighty Prince set fourscore thousand Hewers at work for the Materials of one only Temple and a Palace,'tis a pregnant Example what Time and Neglest will bring to ruine, if due and continual care be not taken to propagate Timber.

4. Nor is it any wonder if we find the whole Species of fome Trees to totally loft in a Countrey as if there had never been any fuch planted in it : Be this therefore applied to Fir, Pine, and many others with us, fince it was to long ere Rome was acquainted with them, or indeed with any of the Pitch bearers.

5. We had our first Myrtils out of Greece, and Cypress from Creete, which was yet a meer stranger in Italy, as Pliny reports, and most difficult to be raifed; which made Cato to write more concerning the culture of it then of any other Tree: Notwithstranding we have in this Countrey of ours no less then three forts, which are all of them easily propagated, and prosper very well if they are rightly ordered; and therefore I shall not omit to difclose one fecret, as well to confute a popular Errour, as for the Instruction of our Gard'ners.

6. The Tradition is, That the Cypress (being a Symbol of Mortality, they should fay of the contrary) is never to be cut for fear of This makes them to impale and mind them about like killing it. fo many *Ægyptian Mummies*; by which meaps the inward parts of the Tree being heated, for want of Air and Refreshment, it never arrives to any perfection, but is exceedingly troublefome, and chargeable to maintain; whereas indeed there is not a more tonfile and governable Plant in nature: For the Cypress may be cut to the very Roots, and yet fpring afresh: And this we find was the husbandry in the Isle of Anaria, where they us'd to fell it for Copse: For the Cypress being rais'd from the Nursery of Seeds fown in September (or rather March), and within two years after transplanted, should at two years standing more, have the master stem of the middle shaft cut off some hand-breadth below the fummit, the sides and smaller sprigs shorn into a conique or pyramidal form, and fo kept clipp'd from April to September, as oft as there is occasion 3 and by this Regiment they will grow furnish'd to the foot, and be-K 2 come

come the moft beautiful Trees in the world, without binding or Stake; ftill remembring to abate the middle ftem, and to bring up the collateral branches in its ftead to what altitude you pleafe: Thus likewife may you form them into Hedges and Topiary works, or by fowing the seeds in a fhallow furrow, and plucking up the fupernumeraries where they come too clofe and thick: For in this work it fhall fuffice to leave them within a foot of each other; and when they are rifen about a yard in height (which may be to the half of your Palifado) cut off their tops, as you are taught, and keep the fides clipp'd, that they afcend but by degrees, and thicken at the bottome as they climbe. Thus they will prefent you in half a dozen or eight years with incomparable hedges, preferable to all others whatfoever, becaufe they are perpetually green, and able to refift the Winds better then any which I know, the Holly only excepted, which indeed has no peer.

7. When I fay Winds, I mean their fiercest gusts, not their cold: For though it be faid, Brumag, illefa Cupreffus, and that indeed no frost impeaches them (for they grow even on the fnowy tops of Ida,) yet our cruel Eastern winds do sometimes mortally invade them which have been late *clipp'd*, feldome the untouch'd, or that were dreffed in the Spring only : The effects of this last March and April Winds, accompanied with cruel Frosts and cold blasts, for the space of more then two moneths night and day, did not amongst neer a thousand Cypreffes (growing in my Garden) kill above three or four, which for being very late cut to the quick, (that is, the latter end of October) were raw of their wounds, took cold, and gangreen'd; fome few others which were a little finitten towards the tops, might have escaped all their blemishes, had my Gard'ner capp'd them but with a wift of hay or Straw, as in my absence I commanded. As for the frost of the past Winter (then which I believe there was never known a more cruel and deadly piercing fince England had a name) it did not touch a Cypress of mine till it joyn'd forces with that destructive Wind : Therefore for caution, clip not your Cypresses late in Autumn, and cloath them against these winds; for the frosts they only discolour them, but seldome or never hurt them, as by long experience I have found.

8. If you affect to fee your Cypress in Standard, and grow wild (which may in time come to be of a large fubstance, fit for the most immortal of Timber ) plant of the Male fort; it is a Tree which will prosper wonderfully; and where the ground is hot, and gravelly, though he be nothing so beautiful.

9. There is likewife the *Tarentine Cyprefs*, fo much celebrated by *Cato:* I do not mean our *Savine*, (which fome erroneoufly take for it) both *that*, and the *Milefian*, are worthy our culture.

10. I have already shew'd how this Tree is to be rais'd from the feed; but there was another Method amongst the Ancients, who (as I told you) were wont to make great. Plantations of them for their Timber : I have practis'd it my felf, and therefore deferibe it.

11. If you receive your feed in the Nuts, expose them to the

Sun

sun till they gape, or neer a gentle fire, by which means the feeds will be eafily thaken out; for if you have them open before, they do not yield you half their crop,

About the beginning of April (or before, if the weather be (howery) prepare an even Bed, which being made of fine earth, clap down with your spade, as Gard'ners do for Purselain-feed : (of old they roll'd it with fome Stone or Cylinder) Upon this ftrew your feeds pretty thick ; then fieft over them fome more mould for almost an inch in height : keep them duly matered after Sun-fet, unless the seafon do it for you; and after one years growth (for they will be an inch high in little more then a Moneth) you may transplant them where you pleafe.

12. What the Uses of this Timber are, for Chests and other Utenfils; as heretofore for supporters of Vines, Poles, Rails, and Planks, (relifting the Worm, Moth, and all putrefaction to eternity ) the Venetians sufficiently understand; who do every twenty year, and oftner (the Romans every thirteen ) make a confiderable Revenue of it out of Candy : And certainly a very gainful commodity it was, when the Fell of a Cypresetum was heretofore reputed a good Daughters Portion, and the Plantation it felf call'd Dotem filiæ.

13. The Timber of this wood was of infinite effeem with the Ancients : That lasting Bridge built over the Euphrates by Semiramis was made of this wood; and it is reported, Plato chofe it to write his Laws in before Braß it felf, for the diuturnity of the matter : It is certain, that it never rifts, or cleaves, but with great violence; and the bitterneß of its juice preferves it from all worms, To this day those of Creet, and Malta make and putrifaction. use of it for their buildings; because they have it in plenty, and there is nothing out-lasts it : Finally, (not to forget even the very chips of this precious mood, which gives that flavour to Muscadines and other rich Wines ) I commend it for the improvement of the Air, as fending forth most fweet, and aromatick emissions, when ever it is either clipp'd, or bandled : But,

Quidtibi odorato referam sudantia ligno,

if I forget

The Cedar ? which grows in all extreams: In the moift Barbados; the hot Bermudas, the cold New England; even where the Snow Cedar. lyes (as I am assurd) almost half the year: Why then it should not thrive in Old England, I conceive is from our want of induftry: It grows in the Bogs of America, and in the Mountains of Alia: It leems there is no place affrights it; and I have frequently rais'd it of the feeds, which I fet like the Bay-berries; and we might have of the very best kind in the World from the summer Islands, though now almost utterly exhausted there also, and so the most incomparable of that facred wood like to be quite destroy'd by our Negligence, which is by nature almost eternal :

3. Thus I reade that in the Temple of Apollo at Utica there was found Timber of neer two thousand years old; and in Sagunti of Spain a beam in a certain Oratory confectated to Diana, which had been

ŧ.,

21

been brought from Zant 200 years before the destruction of Troy :

4. The sittim mention'd in holy Writ is believ'd to have been a kind of Cedar, of which the most precious Otenfils were form'd; fo that when they faid a thing was cedro digna, the meaning was, worthy of eternity.

#### CHAP. XXIV.

### Of the Cork, Alaternus, Phillyrea, Granad, Myrtil, Jasmine, O.c.

1. THe Cork [Suber] grows in the coldest parts of Biscany, and in the North of New England: Why should we defpair? That the great Ilex thrives well enough, his Majesties Privy-gardens at White-hall would once have shew'd, where should a goodly Tree, of more then fourscore years old; though there be now but an Impe of it remaining. I wonder Carolus Stephanus, and Benedictus Cursius should write so confidently there were no Cork-trees in Italy, where I my self have travell'd through vast Woods of them about Pisa, and Aquin, and in divers other places between Rome and the Kingdom of Naples: That there were none in France indeed Pliny is express, Nat. Hist. 1. 16. c. 8.

3. I shall not need rehearse the Uses of the Bark of this Tree, it is so well known; the Timber is else inconsiderable.

1. The Alaternus, which we have lately received from the hottest parts of Languedoc (and that is equal with the heat of almost any Country in Europe) thrives with us in England, as if it were an Indigene and Natural.

2. I have had the honour to be the first who brought it into Use and reputation in this Kingdom for the most beautiful, and useful of Hedges, and Verdure in the world (the swiftness of the growth confider'd) and propagated it from Cornwall even to Cumberland: The feed grows ripe with us in August; and the honybreathing Blossomes afford an early and marvellous relief to the Bees.

Phillyrea.

Alaternus.

1. All the *Phillyrea's* are yet more *hardy*; which makes me wonder to find the *Angustifolia* planted in *Cafes*, and fo charily fet into the *floves*, among the *Oranges* and *Lemmons*; when by long *experience* I have found it equal our *Holly* in fuffering the extreameft rigours of our cruelleft *Frosts*, and *Winds*, which is doubtlefs (of all our *Englifb* Trees) the most infensible and ftout.

2. They are (both Alaternus and this) raifed of the feeds (though those of the Phillyrea will be long under ground) and being transplanted for Espalier hedges, or standards, are to be govern'd by the shears, as oft as there is occasion: The Alaternus will be up in one Moneth after it is fown: Plant it out at two years growth, and clip it after rain in the spring, before it grows sticky, and

Cork.

2.

and whiles the shoots are tender; thus will it form an bedge (though planted but in fingle rows and at two foot diftance) of a yard in thickness, twenty foot high (if you defire it) and furnish'd to the bottom: But for an hedge of this altitude, it would require the friendship of some Wall, or a Frame of lusty poles, to fecure against the Winds one of the most delicious objects in nature: But if we could have store of the Phillyrea folio leviter ferrato (of which I have rais'd fome very fine Plants from the feeds) we might fear no weather, and the verdure is incomparable.

1. The culture of the Granade does little differ from that Granade, of the Alaternus, of which we might raise confiderable hedges on all our southern Aspects : They have supported this last most unmerciful Winter without any artifice; and if they yield us their flowers for our pains of well pruning (for they must diligently be purged of their mood ) it is a glorious recompence : I plant them in my Hedge-rows even amongst the Quick.

1. The vulgar Italian wild Myrtil (though not indeed the most Myrtil. fragrant) grows high, and supports all weathers. I know of one neer fifty years old, which has been continually exposid; unless it be, that in some exceeding sharp seasons a little straw has been thrown upon it; and where they are fmitten, being cut down neer the ground, they put forth and recover again; which many times they do not in Pots, and Cafes, where the roots are very obnoxious to perish with mouldines. The shelter of a few Mats, and Straw, fecur'd very great Trees (both leaf and colour in perfection) this last Winter also, which were planted abroad; whiles those that were carried into the Conferve were most of them lost. Myrtils may be rais'd of feeds, but with great caution; and they feldom prove hardy, nor is it worth the time being fo abundantly encreased of Layers : But,

2. I produce not these particulars, and other amana vireta already mention'd, as fignifying any thing to Timber, the main defign of this Treatife (though I reade of fome fo tall, as to make make spear (hafts ) but to exemplifie in what may be farther added to Ornament and Pleasure by a cheap, and most agreeable industry.

The common white and yellow Jasmine would flower plenti- Jasmine, fully in our Woods, and is as hardy as any of the Periclimena; (how it is propagated by fubmerfion, or layers, every Gard'ner skills; and if it were as much imploy'd for Nofe-gays, O.c. with us, as it is in France and Italy, they might make money enough of the Flowers : One forry tree in Paris, where they abound, has been worth to a poor woman neer twenty shillings in a year.

and the second second

CHAP.

#### CHAP. XXV.

#### Of the Acacia, Arbutus, Bays, Box, Yew, Holly, Juniper, and Laurel-trees.

Acacia.

1. The French have lately brought in the Virginian Acacia, which exceedingly adorns their Walks: The Tree is hardy against all the invasions of our sharpest feasons, but our high winds; which by reason of its brittle nature it does not so well refiss, and the Roots (which infinuate and run like liquorize under ground) are apt to emaciate the soil, and therefore haply not so commendable in our Gardens, as they would be agreeable for variety of Walks and shade: They thrive well in his Majesties new Plantation in St. James's Park.

1. But why do we thus neglect the Arbutus, and make that fuch a rarity, which grows fo common, and fo naturally in Ireland? It is indeed with fome difficulty rais'd from the feeds; but it may be propagated from the Layers, grows to a goodly Tree, and is patient of our feveres weather.

1. Bays are encreas'd both of their Suckers, and Seeds, which should be dropping-ripe ere gather'd : Pliny has a particular process for the ordering of the seeds, and it is not to be rejected : Which is, the gathering the Berries dry, in January, and spreading them till their fweat be over : then he puts them in dung and fows them : As for the steeping in wine, water does altogether as well : others wash the feeds from their mucilage, by breaking and bruifing the glutinous Berries; then fow them in March by fcores in a heap; and indeed to they will come up in clusters, but nothing fo well, nor fit for transplantation, as where they are interr'd with a competent scattering, so as you would furrow Pease: Both this way, and by fetting them apart (which I most commend) I have rais'd multitudes, and that in the berries without any farther preparation; only for the first two years they would be defended from the piercing winds which frequently deftroy them; and yet the fcorching of their tender leaves ought not make you despair, for many of them will recover beyond expectation.

3. This aromatic Tree greatly loves the *fhade*, yet thrives beft in our hotteft *Gravel*, having once pass'd those first difficulties: Age and *Culture* about the roots wonderfully augment its growth; fo as I have seen *Trees* neer thirty foot high of them; and almost two foot *diameter*. They are fit also both for *Arbour* and *Palifade-work*, so the *Gard'ner* understand when to prune, and keep it from growing too woody.

1. The Box which we begin to proferibe our Gardens, should not yet be banish'd from our care; because the excellency of the wood does commute for the unagreeableness of its smell: therefore, let us furnish our cold, and barren Hills, and declivities with this useful shrub: It will increase abundantly of *flips* set in March. 2. The

2. Arbutus.

Bayt.

2.

Box.

2. The Turner, Ingraver, Mathematical-Instrument, Comb and Pipe-makers give great prizes for it by weight, as well as measure; and by the feasoning, and divers manner of cutting, vigorous insolations, politure and grinding, the Roots of this Tree (as of even our common, and neglected Thorne) do furnish the Inlayer and Cabinet-makers with pieces rarely undulated, and full of variety.

3. The Chymical oyl of this mood has done the feats of the best Guajacum (though in greater quantity) for the cure of Venereal difeases, as one of the most expert Phylitians in Europe has confest.

1. Since the use of **Bams** is laid aside amongst us, the propaga- Eugh, tion of the Eugh-tree is likewise quite forborn; but the neglect of it is to be deplor'd; seeing that (besides the rarity of it in Italy, and France, where but little of it grows) the barreness grounds, and coldest of our mountains (for

Aquilonem & frigorataxi) might be profitably replenish'd with them: I fay, profitably, for, besides the use of the wood for Bows

Ityreos taxi torquentur in arcus. The foremention'd Artists in Box most gladly imploy it : And for the cogs of Mills, Posts to be set in most grounds, and everlasting Axle-trees, there is none to be compar'd with it, likewise for the bodies of Lutes, Theorbas, &c. yea, and for Tankards to drink out of, whatever Pliny report of its shade, and fatal fruit in spain, France and Arcadia.

2. The toxic quality was certainly in the liquor which those good Fellows tippl'd out of those bottles, not in the nature of the mood; which yet he affirms is cur'd of that Venenous quality by driving a brazen wedge into the body of it: This I have never tri'd, but that of the *shade* and *fruit* I have frequently, without any deadly, or noxious effects: fo that I am of opinion that Tree, which Seftius calls Smilax, and our Historian thinks-to be our Eugh, was fome other Wood.

3. This Tree is eafily produc'd of the feeds, wash'd and cleans'd from their mucilage; and burried in the ground like Haws; It will commonly be the fecond Winter ere they peep, and then they rife with their caps on their beads: Being three years old you may transplant them, and form them into Standards, Knobs, Walks, Hedges, &c. in all which works they fucceed marvellous well, and are worth our patience for their perennial verdure, and durablenes.

4. He that in Winter should behold some of our highest Hills in Surrey clad with whole Woods of these two last fort of Trees, for divers Miles in circuit, (as in those delicious Groves of them, belonging to the Honourable my noble friend Sir Adam Brown of Bech-worth-Castle, from Box-hill, and neer our famous Mole or Swallow) might without the least violence to his Imagination, easily phansie himself transported into some new or enchanted Country; for, if in any spot of England,

. Hîc ver perpetuum, atque alienis mensibus astas.

. . 11

tis

# Eternal Spring, and Summer all the year.

i i int

-12 -1

1. But, above all the natural Greens which inrich our homeborn flore, there is none certainly to be compar'd to the Holly; infomuch as I have often wonder'd at our Curiofity after forreign Plants, and expensive difficulties, to the neglect of the culture of this vulgar, but incomparable Tree; whether we will propagate it for Ufe, and Defence; or for fight and ornament.

2. Is there under *beaven* a more glorious and refreshing object of the kind, than an impregnable *Hedge* of one *bundred* and fixty foot in length, seven foot high, and five in diameter, which I can shew in my poor Gardens at any time of the year, glittring with its arm'd and vernish'd leaves? the taller Standards at orderly distances blushing with their natural Corall: It mocks at the rudest affaults of the Weather, Beasts, or Hedge-breaker,

#### Et illum nemo impund lacessit.

103. I have already fhew'd how it is to be rais'd of the Berries, when they are ready to drop: Remove them also after three or four years; but if you plant the Sets (which is likewise a commendable way, and the Woods will furnish enough) place 'em Northwards, as they do Quick. Of this might there lining Pales and Enclosures be made (fuch as the Right Honourable my Lord Dacres, somewhere in Suffex, has a Park almost environ'd with, able to keep in any Game, as I am credibly inform'd) and cut into fquare Hedges, it becomes impenetrable, and will thrive in hotteft as well as the coldest places. At Dengeness in Kent they grow naturally amongst the very beach, and pibbles : And this rare Hedge, the boast of my Villa, was planted upon a burning gravel, expos'd to the meridian Sun.

4. True it is, that time must bring this Tree to perfection; it does to to all things elfe, & posteritati pangimus. But what if a little culture about the Roots (not dunging, which it abhorres) and frequent stirring of the mould doubles its growth? We stay even years for a tolerable Quick, it is worth staying it thrice for this, which has no Competitor.

5. And yet there is an expedient to effect it more infenfibly, by planting it with the Quick: Let every fift or fixt be an Holly-fet, they will grow up infallibly with your Quick, and as they begin to ipread, make way for them, by extirpating the White-thorn, till they quite domincer: Thus was my Hedge first planted, without the least interruption to the Fence, by a most pleasant Metamorphosis. But there is also another, not less applauded, by laying along of well rooted Sets (a yard or more in length) and stripping off the leaves and branches: these cover'd with a competent depth of earth will fend forth innumerable Suckers which will fuddenly advance into an Hedge.

6. The

H.ly.

6. The Timber of the Holly is for all flurdy uses; the Mill-Wright, Turner and Engraver prefer it to any other: It makes the best handles, and stocks for Tools, and of the Bark is composed our Bird-lime.

1. Of Juniper we have two forts, whereof one is much taller, Juniper: and more fit for Improvement: The wood is yellow, and fweet as Cedar, whereof it is accounted a dwarfif fort.

2. I have rais'd them abundantly of their feeds, which in two moneths will peep, and being govern'd like the Cypresse, apt for all the employments of that beautiful Tree: The difcreet loofening of the Earth about the Roots alfo makes it ftrangely to prevent your expectations by fuddenly fpreading into a bufb fit for a thoufand pretty Employments; for coming to be much unlike that which grows wild, and is subject to the treading and cropping of Cattle, &c. it may be form'd into most beautiful and useful Hedges : My Brother having cut out of one onely Tree an Arbour capable for three to fit in : It was at my last measuring feven foot fquare, and eleven in height; and would certainly have been of a much greater altitude and farther spreading, were it not continually kept forn: But what is most confiderable is the little time fince it was planted, being yet hardly ten years, and then it was brought out of the Common a flender Bufb of about two foot high; But I have experimented a proportionable improvement in my own Garden, where I do mingle them with Cypreffc, and they perfectly become their stations.

3: The Berries afford (befides a tolerable Pepper) one of the most universal Remedies in the world to our crazy Forester; and the Coals, which are made of the Wood, endure the longest of any: If it arrive to full growth it is Timber for many curious works; the very Chips render a wholesom perfume within doors, as well as the dusty bloss in Spring without.

1. But to Crown all, I will conclude with the Laurell, which Laurel. by the Ufe we commonly put it to, feems as if it had been only deftin'd for Hedges, and to cover bare Walls; whereas, being planted upright, and kept to the Standard, by cutting away the collateral Branches, and maintaining one ftem, it will rife to a very confiderable Tree; and (for the first twenty years) refembling the most beautiful headed Orange in fhape and verdure, arrive in time to emulate even some of our lusty Timber-trees; fo as I dare pronounce the Laurel to be one of the most proper and ornamental Trees for Walks and Avenues of any growing.

2. Pity it is they are fo abus'd in the Hedges, where the lower Branches growing *flickie* and dry, by reafon of their frequent and unfeafonable *cutting* (with the *genius* of the *Tree*, which is to fpend much in wood) they never fucceed after the first fix or *feven* years; but are to be new *planted* again, or abated to the very *Roots* for a fresh *fhade*.

3. But would you yet improve the *Standard* which I celebrate, to greater and more fpeedy exaltation? bud your *Laurel* on the *Black-Cherry-flock* to what height you pleafe; if at leaft the re-L 2 67.

port

port be true, which I had from an ocular testimony, and am now making an essay of, because I am more then somewhat doubtful of such *Allyances*, though something like it in *Palladius* speaks it not so impossible;

#### Inferitur lauro Cerasus, partug, coato Tingit adoptivus virginis ora pudor.

4. They are rais'd of the seeds or Berries with extraordinary facility, or propagated by Layers and entrings where-ever there is fhade and moifture. I have finish'd now my Planting: A word or two concerning their Preservation, and the Cure of their Infirmities.

### CHAP. XXVI.

#### Of the Infirmities of Trees.

Infirmities.

The Difeases of Trees are various, affecting the several parts: These invade the Roots; Weeds, Suckers, Fern, Wet, Mice, and Moles.

1. Weeds are to be diligently pull'd up by hand after Rain, whiles your Seedlings are very young, and till they come to be able to kill them with *fhade* and over-dripping: And then are you for the obstinate to use the Haw, Fork, and Spade, to extirpate Doggraß, Bear-bind, &c.

2. Suckers shall be duly eradicated, and with a sharp spade dexterously separated from the Mother-roots, and Transplanted in convenient places for propagation, as the Season requires.

3. Fern is best destroy'd by striking off the Tops, as Tarquin did the heads of the Poppies: This done with a good wand or cudgel, at the decrease in the Spring, and now and then in Summer, kills it in a year or two beyond the vulgar way of Mowing, or burning, which rather encreases then diminishes it.

4. Over-much Wet is to be drain'd by Trenches, where it infefts the *Roots* of fuch kinds as require drier ground : But if a drip do fret into the body of a Tree by the head, (which will certainly decay it) cutting first the place fmooth, *stop* and cover it with *loam* and *hay* till a new *bark* fucceed.

These infest the Bark; Bark-bound, Teredo, or Worm, Conys, Mos, Ivy, &c.

5. The Bark-bound are to be releafed by drawing your knife rinddeep from the Root, as far as you can conveniently; and if the gaping be much, filling the rift with a little Cow-dung; do this on each fide, and at Spring, February or March; also cutting off fome branches is profitable; especially fuch as are blasted or lightning-ftruck.

6. The

6. The Teredo, Coffi, and other Worms, lying between the Body and the Bark, poyfon that paffage to the great prejudice of fome Trees; but the holes being once found, they are to be taken out with a light Incifion.

7. Conies and Hares by barking the Trees in hard Winters fpoil very many tender Plantations: Next to the utter deftroying them there is nothing better then to anoint that part which is within their reach with *stercus humanum*, tempered with a little Water or Orine, and lightly brushed on; this renew'd after every great Rain.

8. Moß is to be rubb'd and fcrap'd off with fome fit inftrument of Wood, which may not excorticate the Tree, or with a piece of Hair-cloth after a fobbing Rain: But the most infallible Art of Emuscation is taking away the cause, which is fuperfluous moisture in clayie and spewing grounds.

9. Ivy is destroy'd by digging up the Roots, and loofning its hold : Misleto, and other Excression to be cut and broken off.

10. The Bodies of Trees are visited with Canker, Hollowness, Hornets, Earwigs, Snails, &c.

11. Cankers (caufed by fome ftroak or galling) are to be cut out to the quick, the fcars emplaistred with Tar mingled with Oil, and over that a thin fpreading of loam; or elfe with clay and Horf-dung; or by laying Wood-ashes, Nettles, or Fern to the roots, & c.

12. Hollowness is contracted when by reason of the ignorant or careless lopping of a Tree the wet is suffer'd to fall perpendicularly upon a part, especially the Head: In this case if there be sufficient sound wood cut it to the quick and close to the body, and cap the hollow part with a Tarpaulin, or fill it with good stiff loam and fine hay mingled. This is one of the worst of Evils, and to which the Elm is most obnoxious.

13. Hornets and Walls, &c. by breeding in the hollownels of Trees infeit them, and are therefore to be deftroy'd by ftopping up their entrances with Tar and Goof-dung, or by conveying the fumes of brimstone into their Cells.

14. Earwigs and Snails do feldome infeft Forest-trees, but those which are Fruit-bearers, and are destroy'd by enticing them into sweet waters, and by picking the Snails off betimes in the Morning, and rainy Evenings. Lastly,

Branches, Buds, and Leaves extreamly fuffer from the Blasts, Jaundies, and Caterpillars, Rooks, &c.

15. The blafted parts of Trees are to be cut away to the quick; and to prevent it, *smoak* them in fuspicious weather, by burning moist straw with the wind, or rather the dry and superfluous cuttings of Arromatick plants, such as Rosemary, Lavender, Juniper, Bays,&c.

. Mice, Moles, and Pismires cause the Jaundies in Trees, known by the discolour of the Leaves and Buds.

16. The Moles may be taken in Traps, and kill'd, as every Woodman knows: It is certain that they are driven from their haunts by Garlick for a time, and other heady fmells buried in their paffages.

17. Mice

17. Mice with Traps, or by finking fome Veffel almost level with the furface of the ground, the Veffel half full of Water, upon which let there be strew'd fome huls or chaff of Oates; also with Bane.

18. Deftroy *Pifmires* with fealding water, and diffurbing their *hills*.

19. Caterpillars, by cutting off their mebs from the twigs before the end of February, and burning them; the fooner the better: If they be already hatched wash them off, or choak and dry them with *smoak*.

20. Rooks do in time, by pinching off the buds and tops of Trees for their Nefts, cause many Trees and Groves to decay.

These (amongst many others) are the Infirmities to which Forest-Trees are subject whilst they are standing; and when they are fell'd, to the Worm; especially if cut before the Sap be perfectly at rest: But to prevent or cure it in the Timber, I recommend this Secret as the most approv'd.

21. Let common yellow Sulphur be put into a cucurbit-glas, upon which pour so much of the strongest Aqua-fortis as may cover it three fingers deep: Distil this to dryness, which is done by two or three Rectifications: Let the Sulphur remaining in the bottom (being of a blackish or fad red colour) be laid on a Marble, or put into a Glass, where it will easily diffolve into Oil: With this anoint what is either infected or to be preferved of Timber. It is a great and excellent Arcanum for tinging the Wood with no unpleasant colour, by no Art to be washed out; and such a prefervative of all manner of Woods, nay of many other things; as Ropes, Cables, Fishing-nets, Masts of Ships, &c. that it defends them from putrefation, either in Waters, under or above the earth, in the Snow, Ice, Air, Winter or Summer, &c.

It were fuperfluous to defcribe the process of the Aqua-fortis; It fhall be fufficient to let you know, That our common Coperas makes this Aqua-fortis well enough for our purpofe, being drawn over by a Retort : And for Sulphur the Island of Schriftophers yields enough (which hardly needs any Refining) to furnish the whole world. This Secret (for the Curious) I thought fit not to omit; though a more compendious three or four anointings with Linseed Oil, has prov'd very effectual : It was experimented in a Wall-nut Table, where it destroy'd millions of Worms immediately, and is to be practis'd for Tables, Tubes, Mathematical Instruments, Boxes, Bedsteads, Chairs, Rarities, &c. Oyl of Wall-nuts will doubtless do the fame, is fweeter, and a better Vernish; but above all is commended Oyl of Cedar, or that of Juniper.

Hitherto I have fpoken of *Trees*, their kinds, and propagation in particular: Now a mord or two concerning their ordering in general, as it relates to Copfes, Lopping, Felling,&c.

Then I shall add something more concerning their Uses, as to Fewel, &c. and cast such accidental Lessons into a few Aphorisms, as could not well be more regularly inserted.

Laftly,

22.

Lastly, I shall conclude with some more ferious Observations in reference to the main Design and project of this Discourse, as it concerns the Improvement of His Majesties Forests, for the honour and security of the whole Kingdom.

#### CHAP. XXVII.

# Of Copfes.

1. Stlva Cædua is as well Copfe to cut for Fewel as for use of Copfes. Timber; and we have already shew'd how it is to be rais'd, both by Sowing and Planting. Our ordinary Copfes are chiefly upon Hasel, or the Birch; but if amongst the other kinds store of Ash and Sallow (at least one in four) were sprinkled in the Planting, the prosit would soon discover a difference, and well recompence the Industry. Others advise us to plant shoots of Sallow, Willow, Alder, and of all the swift growing Trees, being of seven years growth, stoping off both the ends towards the ground to the length of a Billet, and burying them a reasonable depth in the earth. This will cause them to put forth seven or eight branches, each of which will become a Tree in a short time, especially if the foil be moist.

2. Copfes being of a competent growth, as of twelve or fifteen years, are efteem'd fit for the Ax; but those of twenty years flanding are better, and far advance the price. Some of our old *Clergy* Spring-woods heretofore have been let reft till twenty five or thirty years, and have prov'd highly worth the attendance; for by that time even a *Seminary* of *Acorns* will render a confiderable advance, as I have already exemplified in the *Northamptonfhire* Lady. And if *Copfes* were fo divided as that every year there might be fome *fell'd*, it were a continual and a prefent profit : Seventeen years growth affords a tolerable *Fell*; fuppofing the *Copfe* of feventeen *Acres*, one *Acre* might be yearly *fell'd* for ever; and fo more, according to proportion.

3. As to what Numbers and Scantlings you are to leave on every Acre, the Statutes are our generall guides, at leaft the legal. It is a very ordinary Copfe which will not afford three or four Firsts, that is, Bests; fourteen Seconds; twelve Thirds; eight Wavers, &c. according to which proportions the fizes of young Trees in Copfing are to succeed one another. By the Statute of 35 Hen. 8. in Copfes or Under-moods fell'd at twenty four years growth, there were to be left twelve Standils, or Stores of Oak, upon each Acre ; in defect of so many Oaks, the same number of Elms, Ash, Ash, or Beech; and they to be such as are of likely Trees for Timber, and of such as have been spar'd at some former Felling, unless there were none, in which case they are to be then less, and so to continue without Felling till they are ten inch square within a yard of ground.

Copfes

Copfes above this growth fell'd, to leave 12 great Oaks; or in defect of them other Timber-trees (as above) and fo to be left for 20 years longer, and to be enclosed feven years.

4. In fumme, you are to fpare as many likely Trees for Timber as with diferentian you can. And as to the felling, (beginning at one fide, that the Carts may enter without detriment to what you leave ftanding) the Under-wood may be cut from January at the lateft, till mid-March, or April's or from mid-September, till neer the end of November's fo as all be avoided by Midsomer at the lateft, and then fenced (Where the Rowes and Brush lye longer unbound or made up, you endanger the loss of a second Spring) and not to ftay fo long as usually they are a clearing, that the Toung, and the Seedlings may suffer the least interruption.

5. It is advisid not to cut off the Browfe-mood of Oaks in Copfes, but to fuffer it to fall off, as where Trees ftand very clofe it usually does: I do not well comprehend why yet it should be fpared fo long.

- 6. When you efpy a *cluster* of *Plants* growing as it were all in a bunch, it shall suffice that you preferve the fairest *sapling*, cutting all the rest away. And if it chance to be a *Chess-nut*, *service*, or like profitable *Tree*, cleer it from the droppings and incumbrances of other Trees, that it may thrive the better: Then as you pass along, *prune*, and *trim* up all the young *Wavers*, covering such *Roots* as lye bare and exposed with fresh mould.

7. Cut not above half a foot from the Ground, and that flopewife; ftripping up fuch as you fpare from their extravagant Branches, Water-boughs, &c. that hinder the growth of others: Always remembring (before you fo much as enter upon this work) to preferve fufficient Plash-pole about the verge and bounds of the Copfe for Fence, and fecurity of what you leave; and for this fomething lefs then a Rod may fuffice: Then raking your Wood cleer of spray, Chips, and all Incumbrances, shut it up from the Cattle; the longer the better.

8. By the Statute men were bound to enclose Copfes after Felling, of or under 14 years growth for 4 years: Those above 14 years growth to be 16 years Enclos'd: And for Woods in common, a fourth part to be thut up; and at Felling the like proportion of great Trees to be left, and 7 years Enclos'd: This was enlarg'd by 13 Eliz.

Your elder Under-woods may be graz'd about July.

Then for the Measure of Fuel these proportions were to be observ'd.

9. Statutable Billet should hold three foot in length, and seven inch`and half compass; 10 or 14 as they are counted for 1, 2, or 3, c.

A ftack of Wood (which is the boughs and offal of the Trees to be converted to Charcoal) is 4 yards long, three foot and half high, (in fome places but a yard) and as much over: In other places the Cord is 4 foot in height and 4 foot over; or, (to fpeak more Geometrically) a sold made up of three dimensions, 4 foot high, four

four broad, and eight foot long; the content 128 cubique feet.

Fagots ought to be a full yard in length, and two foot in circumference, made round, and not flat; for so they contain les Fuel, though equal in the bulk appearing. But of these particu-lars when we come to speak express of Fuel.

10. In the mean time it were to be wish'd, that some approv'd Experiments were feduloufly try'd (with the advice of skilful and ingenious Phylitians ) for the making of Beer without Hops; as possibly with the white Marrubium (a Plant of fingular virtue) or with dry'd Heath-tops (viz. that fort which bears no Berries.) or the like, far more wholesom; and less bitter then either Tamarisk, Carduus, or Broom, which divers have effay'd; it might prove a means to fave a world of Fuel, and in divers places young Timber and Copfe-wood, which is yearly spent for Poles; especially in Countries where Wood is very precious.

#### CHAP. XXVIII.

# Of Pruning.

EL IL VINCE

,

Luci

3.....

1. PRuning I call all purgation of Trees from what is fuperflu-Pruning. ous. The Ancients found fuch benefit in Pruning, that they feign'd a Godes præsided over it, as Arnobius tells us: And in truth, it is in the discreet performance of this Work that the Improvement of our Timber and Woods does as much confift as in. any thing whatfoever. A fkilful Planter fhould therefore be early at this work : Shall old Gratius give you Reason and Direction?

Nunquam sponte sua procerus ad vera termes Exiit, inque ipla curvantur stirpe geniste. Ergo age luxuriam primò fætusque nocenteis Detrahe : frondosas gravat indulgentia silvas. Post ubi proceris generosa stirpibus arbor se dederit, teretesque ferent ad sidera virga, Stringe notas circum, & gemmanteis exige versus. His, si quis vitium nociturus sufficit humor, Visceribus fluit, & venas durabit inertes.

Gra. fal. Cynæget;

And his incomparable Interpreter thus in English.

Twigs of themselves never rise strait and high, And Under-woods are bow'd as first they shoot. Then prune the boughs; and Suckers from the root Discharge. The leavy wood fond pity tires ; After, when with tall rods the tree alpires, And the round staves to heaven advance their twigs, Pluck all the buds, and strip off all the sprigs;

Thefe

These issues vent what moisture still abound, And the veins unimploy'd grow hard and found.

Wafe: .

. For 'tis a milery to fee how our fairest Trees are defac'd, and mangl'd by unskilful Wood-men, and mischievous Bordurers, who go always arm'd with fhort Hand-bills, hacking and chopping off all that comes in their way; by which our Trees are made full of knots, boils, cankers, and deform'd bunches, to their utter destruction : Good husbands should be asham'd of it. As much to be reprehended are those who either begin this work at unseasonable times, or fo maim the poor branches, that either out of lazinefs, or want of skill, they leave most of them stubs, and instead of cutting the Arms and Branches close to the boale, hack them off a foot or two from the body of the Tree, by which means they become hollow and rotten, and are as fo many conduits to receive the Rain and the Weather, which perifhes them to the very head, deforming the whole Tree with many ugly botches, which shorten its life, and utterly marre the Timber.

3. By this Animadversion alone it were easie for an ingenious man to understand how Trees are to be govern'd; which is in a word, by cutting clean, fmooth, and close, making the stroke upward, and with a sharp Bill, so as the weight of an untractable bongh do not fplice, and carry the bark with it, which is both dangerous and unfightly.

4. The proper feafon for this work is a little after the change in January :

#### -Tunc ftringe comas, tunc brachia tonde: ----- Tunc denique dura . Exerce Imperia, & ramos compesce fluenteis.

But this ought not to be too much in young Fruit-trees, after they once come to form a handform head; in which period you fhould but only pare them over about March, to cover the flock the fooner, if the Tree be very choice: To the aged, this is plainly a renewing of their Touth, and an extraordinary refreshment: Besides, for Interlucation, exuberant branches, & spille nemorum come, where the bonghs grow too thick and are cumberfome, to let in the Sun and Air, this is of great importance.

5. Divers other precepts of this nature I could here enumerate, had not the great experience, faithful and accurate description how this necessary Work is to be perform'd, fet down by our Country-man honest Lawson (Orchard, cap. 11.) prevented all that the most Inquisitive can fuggest : The particulars are fo ingenuous, and highly material, that you will not be displeas'd to read them in his own style.

all ages (faith he) by Rules and experience do consent to a pruning, and lopping of Trees: Let habe not any that I know deferibed unto us (ercept in dark, and general words) what, or which

1 31, 1 100

11 W

which are those superflucus boughs, which we must take aways and that is the mod chief, and mod neoful point to be known in lopping. And we may well affure our felbes (as in all other Arts, to in this) there is a bantage, and derterity by fkills an bas bit by pratice out of experience, in the performance bereof, for the profit of mankind : Let do I not know (let me speak it with patience of our cunning Arborifts) any thing within the compals of bumane affairs fonecellary, and fo little regarded; not only in Orchards, but allo in all other Timber-trees, where, oz whatloever.

Now to our purpose :

how many Forests, and Woods, wherein you shall have for one lively theibing Tree, four (nay contetimes twenty four) ebil theibing, rotten and dying Træs, eben whiles they libe; and instead of Trees, thousands of bushes and shrubs? what rot= tenels ? what hollownels ? what dead arms ? wither's tops? curtail'd trunks? what loads of Mosse? drouping boughs? and bying branches thall you fix every where? and those that like in this lost are in a manner all unprofitable boughs, canker'd arms, trooked, little and thost boals. What an infinite number of buttes, thubs, and strags of Hafels, Thornes and other prostable wood, which might be brought by dreffing to be= come great, and godly tries? Confider now the Caufe.

The letter Wood bath ben spoil'd with careles, unskilful, and untimely flowing 3 and much allo of the great Wood. The greater Tries at the first rising have fill'd and overladen themselves with a number of wastefull boughs and fuckers, which have not only drawn the fap from the boal, but allo bave made it knotty. and themfeldes, and the boal moffie, for want of dy ting; whereas, if in the prime of growth they had bien tas ken away close, all but one top, and clean by the bulk, the Arength of all the fap thou'd have gone to the bulk, and to be would babe recovered, and cover'd bis knots, and babe put forth a fair, long and fraight body, for Timber profitable, buge great of bulk, and of infinite last.

If all Timber-trees were luch (will some say) how would we babe crooked woo for Wheels, Coorbs, &c?

Anfw. Dzels all pou can, and there will be enough crooked foz th le uleg.

Doze then this; in mod places they grow to thick, that neither themselbes, noz earth, noz any thing under og nær them can theibes not Sun, not Rain, not Air can bo them, not any. thing ner, og under them, any profit or comfort.

I lie a number of Hags, where our of one vot pou wall lie thie optour (nay more, such is mensunskilful gredinels, who defiring many, have none god) pretty Oaks, or Alhes, fraight and tail; becaule the rot at the first wor gibes lap amain : but. if one only of them might be fuffer's to grow, and that well, and cleanly prun'd, all to his very top, what a Tree could we M 2

babz

babe in time ? And we lie by thole roots continually, and plenti= fully springing, notwithanding to deadly wounded, what a commodity would arile to the Owner, and the Commonwealth if woo were cheristed, and otderly diels'd. The walte boughs closely, and skillully taken away, would give us lioze of Fences, and Fuels and the bulk of the Tree in time would grow of huge length and bignels : But here (methinks) I bear an unskilful Arborist fay, that Træs habe their seberal forms, even by nature; the Pear, the Holly, the Afpe, &c. grow long in bulk, with few and little armes. The Oak by nature broad, and such like. All this I grant : But grant me allo, that there is a profitable end and ule of every Tree, from which if it decline (though by Nature) pet Man by Art may (nap muff) Row other end of Trees I neber could learn, than correct it. and Timber, Fruit much and good, and pleasure : Ales Physical binder nothing a good form.

Meither let any Man eber lomuch as think, that it is unprobable, much lels unpolsible, to reform any Tree of what kind loeber: for (believe me) I babetried it : I can bring any Tree (beginning by time) to any form. The Pear, and Holly map be made spread, and the Oak to close.

Thus far the good *Man* out of his *eight* and *forty* years *experi*ence concerning *Timber-trees*: He defcends then to the *Orchards*; which because it may likewise be acceptable to our industrious *Planter*, I thus contract.

6. Such as stand for Fruits should be parted from within two foot (or thereabouts) of the earth; fo high, as to give liberty to drefs the Root, and no highers because of exhausting the fap that should feed his Fruit : For the boal will be first, and best ferved and fed, being next to the root, and of greatest substance. These should be parted into two, three, or four Arms, as your graffs yield twigs; and every Arm into two, or more Branches, every Branch into his several Cyons : still spreading by equal degrees ; fo as his lowest fpray be hardly without the reach of a mans hand, and his highest not past two yards higher : That no twig (especially in the middeft ) touch his fellow ; let him fpread as far as his lift without any mafter-bough, or top, equally; and when any fall lower then his fellows (as they will with weight of Fruit) eafe him the next fpring of his fuperfluous twigs, and he will rife : When any amount above the reft, top him with a nip between your fingers, or with a knife : Thus reform any Cyon; and, as your Tree grows in stature, and strength, to let him rife with his tops, but flowly, and early; especially in the middest, and equally in breadth alfo; following him upward, with lopping his under-growth, and water-boughs, keeping the fame diftance of two yards, not above three, in any wile, betwixt the lowest and higheft twigs.

1. Thus shall you have handsome, clear, healthful, great and lasting Trees.

2. Thus

2. Thus will they grow fafe from Winds', yet the top foreading.

3. Thus shall they bear much Fruit; I dare fay, one as much as five of your common Trees, all his branches loaden.

4. Thus shall your *Boal* being low defraud the branches but little of their *fap*.

5. Thus shall your Trees be easie to dress, and as easie to gather the Fruit from, without bruising the Cyons, O.c.

6. The fittest time of the Moon for Pruning is (as of Graffing) when the fap is ready to ftir (not proudly ftirring) and fo to cover the wound. Old Trees would be prun'd before young Plants : And note, that wherefoever you take any thing away, the fap the next Summer will be putting: be fure therefore when he puts to bud in any unfit place, you rub it off with your finger : Thus begin timely with your Trees, and you may bring them to what form you please. If you defire any Tree should be taller, let him break, or divide higher : This for young Trees : The old are reformed by curing of their difeafes, of which we have already difcours'd. There is this only to be confider'd, in reference to Foresters, out of what he has spoken concerning Fruit-trees; that where Trees are planted for shadow, and meer ornament, as in Walks, and Avenues, the Browfe-wood ( as they call it ) should most of it be cherished; whereas in Fruit, and Timber-trees. (Oak excepted) it is best to free them of it : As for Pollards (to which I am no great friend because it makes so many scrags and dwarfes of many Trees which would else be good Timber; endangering them with drips and the like injuries) they should not be headed above once in ten or twelve years, at the beginning of the fpring, or end of the Fall.

7. For the improvement of the fpeedy growth of Trees, there is not a more excellent thing then the frequent *rubbing* of the *Boal* or *Stem*, with fome piece of *bair-clotb*, or ruder fluff, at the beginning of *Spring*: fome I have known done with *Seales-skin*; the more rugged bark with a piece of *Coat* of *Maile*, which is made of fmall *myres*; this done, when the body of the *Trees* are wet, as after a foaking *Rain*; yet fo, as not to *excorticate*, or gall the *Tree*, has exceedingly accelerated its growth, by opening the *pores*; freeing them of mofs, and killing the *worm*.

8. Laftly, Frondation, or the taking off fome of the luxuriant branches, and fprays, of fuch Trees, effectially whose leaves are profitable for Cattel (whereof already) is a kind of pruning : and fo is the fcarifying, and cross hatching of fome Fruit-bearers, and others, to abate that qualquavia which spends all the juice in the leaves to the prejudice of the reft of the parts.

9. This, and the like, belonging to the care of the Wood-ward, will mind him of his continual duty; which is to walk about, and furvey his young *Plantations* daily; and to fee that all Gaps be immediately ftopp'd; trefpaffing *Cattle* impounded; and (where they are infefted) the Deer chafed out,  $\mathcal{O}c$ . It is most certain that *Trees* preferv'd, and govern'd by this difcipline, and according to the the Rules mention'd, would increase the beauty of Forests, and value of Timber, more in ten, or twelve years, then all other imaginable Plantations (accompanied with our usual neglect) can do in forty or fifty.

10. To conclude, in the time of this Work would our ingenious Arborator frequently. incorporate, mingle, and unite the Arms and Branches of fome young and flexible Trees which grow in confort, and neer to one another; by entering them into their mutual barks with a convenient infition: This, efpecially, about Fields, and Hedge-rows for Fence and Ornament; alforby bowing, and bending of others, efpecially Oak and Afb, into various flexures, curbs and poftures, oblig'd to ply themfelves into different Modes, which may be done by humbling and binding them down with tough bands and withs, till the tenor of the fap, and cuftom of being fo conftrain'd, did render them apt to grow fo of themfelves, without power of redreffing; This courfe would wonderfully accommodate Materials for Knee-timber and Shipping, the Wbeelwright and other ufes; conform it to their Moulds, and fave infinite labour, and abbreviate the work of heming and wafte,

-adeo in teneris consuescere multum est.

#### the Poet, it feems, knew it well, and for what purpofes,

Continuò in Sylvis magna vi flexa domatur In burim, & curvi formam accipit Ulmus aratri: Geo.1.

fo as it even half made the Plow to their hands.

#### CHAP. XXIX.

# Of the Age, Stature, and Felling of Trees.

Felling.

78

1. IT is not till a Tree is arriv'd to his perfect Age, and full vigor, that the Lord of the Forest fhould confult, or determine concerning a Felling. For there is certainly in Trees (as in all things elfe) a time of Increment, or growth; a Status or featon when they are at best (which is also that of Felling) and a decrement or period when they decay.

To the first of these they proceed with more, or less velocity, as they confist of more strict and compacted particles, or are of a slighter, and more laxed contexture; by which they receive a speedier, or flower definition of Aliment: This is apparent in Box, and Willow; the one of a harder, the other of a more tender substance: But as they proceed, so they likewise continue.

By the state of Trees I would fignific their utmost effort, growth,

and

and maturity, which are all of them different as to time, and kind; yet do not I intend by this any period or inftant in which they do not continually either Improve or Decay (the end of one being ftill the beginning of the other) but farther then which their Natures do not extend; but immediately (though to our fenfes imperceptibly) through fome infirmity (to which all things fublunary be obnoxious) dwindle and impair, either through Age, defect of Nouriflement, by ficknefs, and decay of principal parts; but effecially, and more inevitably, when violently invaded by mortal and incurable Infirmities, or by what other extinction of their native beat, fubftruction, or obstruction of Air and Moisture, which making all motions whatfoever to ceafe and determine, is the caufe of their final deftruction.

2. Our honeft Countrey-man, to whofe Experience we have been obliged for fomething I have lately Animadverted concerning the Pruning of Trees, does in another Chapter of the fame Treatife speak of the Age of Trees. The Difcourfe is both learned, rational, and full of encouragement: For he does not feruple to affirm, That even some Fruit-Trees may possibly arrive to a thousand years of Age ; and if fo Fruit-Trees whole continual bearing does fo much impair and shorten their lives, as we see it does their form and beauty; How much longer might we reasonably imagine some hardy and flow-growing Forest-trees may probably last? I remember Pliny tells us of fome Oaks growing in his time in the Hercynian Forest, which were thought co-evous with the World it felf; their roots had even raifed Mountains, and where they encounter'd fwell'd into goodly Arches like the Gates of a City : But to our more modern Author's calculation for Fruit-trees (I suppose he means Pears, Apples, &c.) his allowance is three hundred years for growth, as much for their stand (as he terms it), and three hundred for their Decay, which does in the total amount to no lefs then nine hundred years. This conjecture is deduc'd from Apple-Trees growing in his Orchard, which having known for fourty years, and upon diligent enquiry of fundry aged Persons of eighty years and more, who remembred them Trees all their time, he finds by comparing their growth with others of that kind, to be far fhort in bignels and perfection, (viz. by more then two parts of three) yea albeit those other Trees have been much hindred in their stature through ill government and ordering.

3. To establish this he assembles many Arguments from the age of Animals, whose state and decay double the time of their increase by the same proportion : If then (saith he) those frail Creatures, whose bodies are nothing (in a manner) but a tender rottenness, may live to that age, I see not but a Tree of a solid substance, not damnified by heat or cold, capable of and subject to any kind of ordering or dressing, feeding naturally, and from the beginning disburthen'd of all superputities, eased of, and of bis own accord avoiding the caufes that may annoy him, should double the life of other Creatures by 'very many years. He proceeds, What else are Trees in comparison with the Earth, but as hairs to the body of Man? And it is certain, that

that (without some distemper, or forcible cause) the hairs dure with the body, and are esteem'd excrements but from their superfluous growth: So as he refolves upon good Reafon, that Fruit-trees well ordered may live a thousand years, and bear Fruit, and the longer the more, the greater, and the better (for which an Instance also in Mr Beale's Hereford-shire Orchards, pag.21,22.) because his vigour is proud and ftronger, when his years are many. Thus fhall you fee old Trees put forth their Buds and Blossomes both sooner and more plentifully then young Trees by much; And I fenfibly perceive (faith he) my young Trees to enlarge their Fruit as they grow greater, &c. And if Fruit-Trees continue to this Age, how many Ages is it to be supposed strong and huge Timber-trees will last? whose massie bodies require the years of divers Methusala's before they determine their days; whofe Sap is ftrong and bitter; whofe Bark is hard and thick, and their substance solid and stiff; all which are defences of health and long life. Their ftrength withstands all forceable Winds; their Sap of that quality is not fubject to Worms and tainting; their Bark receives feldome or never by calualty any wound; and not only fo, but he is free from Removals, which are the death of millions of Trees; whereas the Fruit-tree (in comparison) is little, and frequently blown down; his Sap sweet, eafily and foon tainted; his Bark tender, and foon wounded; and himfelf used by Man as Man uses himself; that is, either unskilfully, or carelesly. Thus he.

4. I might to this add much more, and truly with fufficient probability, that the Age of Timber-trees, especially of such as be of a compact, refinous, or balfamical nature (for of this kind are the Eugh, Box, Horn-beam, White-thorn, Oak, Walnut, Cedar, Juniper, O.c.) are capable of very long duration and continuance : those of largest Roots, longer liv'd then the shorter; the dry, then the met; and the gummy, then the watry: For not to conclude from Pliny's Hercynian Oaks, or the Terpentine Tree of Idumea, which Josephus rankes also with the Creation; I read of a Cypres yet remaining fome where in Persia neer an old Sepulchre, whose stem is as large as five men can encompass, the boughs extending fifteen paces every way; This must needs be a very old Tree, believ'd by my Author little less then 2500 years of age : The particulars were too long to recount. The old Platanus fet by Agamemnon, and the Herculean Oaks, the Laurel neer Hippocren, the Vatican Ilex, and old Lotus Trees, recorded by Valerius Maximus, were famous for their age : St Hierome affirms he faw the sycomore that Zaccheus climb'd up, to fee our LORD ride in Triumph to Jerusalem: And now in the Arentine Mount they shew us the Malus Medica, planted by the hand of St Dominic : To which add those superannuated Tilia's now at Basil, and that of Auspurg, under whole prodigious shade they to often feast, and celebrate their Weddings; because they are all of them noted for their reverend Antiquity; for to fuch Trees it feems they paid Divine honours, as . the nearest Emblems of Eternity, & tanquam facros ex vetustate, as Quintilian speaks: And like to these might that be which is celebrated

celebrated by our Poet, neer to another Monument,

justáque antiqua Cupressus Relligione patrum multos servata per annos. Æn. 2.

5. But we will spare our Reader, and refer him that has a defire to multiply examples of this kind, to those undoubted Records our Naturalist mentions in his 44. Chap. Lib. 16. where he shall read of Scipio Africanus's Olive-trees; Dianas Lotus; the overgrown Myrtil; the Vatican Holm, those of Tybertine, and especially, that neer to Tusculum, whose body was thirty five foot about; besides divers others which he there enumerates in a large Chapter: And what shall we conjecture of the age of Xerxes's huge Platanus, in admiration whereof he staid the march of so many hundred thousand men for so many days: by which the wise Socrates was us'd to spear? And certainly, a goodly Tree was a powerful attractive, when that prudent Conful Passen Crispus fell in love with a prodigious Beech of a wonderful age and stature.

6. We have already made mention of Tiberius's Larch, and that of the Float which wasted Caligulas Obelisks out of Ægypt, four fathoms in circumference : We read alfo of a Cedar growing in the Island of Cyprus which was 130 foot long, and 18 in diameter; of the Plane in Athens whose roots extended 36 Cubits farther then the boughs; which were yet exceedingly large; and fuch another was that most famous Tree at Veliternus, whose arms ftretch'd out 80 foot from the stem : But these were folid : Now if we will calculate from the hollow, befides those mention'd by Pliny in the Hercynian Forest; the Germans (as now the Indians) had of old some Punti or Canoes of excavated Oak which would well contain thirty, fome fourty perfons: And the Lician Platanus recorded by the Naturalist, and remaining long after his days, had a room in it of eighty one feet in compais, adorn'd with Fountains, stately Seats and Tables, of stone; for it feems it was foglorious a Tree both in body, and head, that Licinius Mutianus (three times Conful, and Governour of that Province) us'd to feast his whole Retinue in it, chufing rather to lodge in it, then in his golden-roofed Palace.

7. Compare me then with these that nine-fathom'd deep Tree spoken of by Josephus à Costa; the Mastick-tree seen and meafur'd by Sir Francis Drake, which was four and thirty yards in circuit; and for prodigious height the two, and three bundred foot unparallel'd Palms-royal describ'd by Captain Ligon growing in our Plantations of the Barbados; or those goodly Masts of Fir, which I have seen, and measur'd, brought from New England; not to omit the vast, and incredible bulk of some Oaks standing lately in Westphalia, whereof one serv'd both for a Castle and Fort; bécause in this resention we will endeavour to give a taste of more fresh observations, and to compare our modern Timber with the Ancient, and that, not only abroad, but without travelling into forreign Countries for these wonders:

8. What

N

8. What goodly Trees were of old ador'd, and confecrated by the Dryads I leave to conjecture from the ftories of our ancient Britains, who had they left Records of their prodigies in this kind, would doubtlefs have furnish'd us with examples as remarkable for the growth and stature of Trees, as any which we have deduc'd from the Writers of forreign places, since the remains of what are yet in being (notwithstanding the havock which has univerfally been made, and the little care to improve our Woods) may stand in fair competition with any thing that Antiquity can produce.

9. There is somewhere in Wales an Inscription extant, cut into the wood of an old Beam, thus

#### SEXAGINTA PEDES FUERANT IN STIPITE NOSTRO, EXCEPTA COMA QUÆ SPECIOSA FUIT.

This must needs have been a noble Tree, but not without later parallels; for to instance in the feveral species, and speak first of the bulks of some immense Trees; there was standing an old and decay'd Chess-nut at Frailing in Essex, whose very stump did yield thirty sizable load of Logs; I could produce you another of the fame kind in Glocestersbire which contains within the bowels of it a pretty wain-scotted Room inlighten'd with windows, and furnish'd with seats, & c. to answer the Lician Platanus lately mention'd.

10. But whileft I am on this period; fee what a *Tilia* that most learn'd, and obliging perfon, **D**. Brown of Normich, defcribes to me in a Letter just now receiv'd.

An extraordinary large, and stately Tilia, Linden or Lime-tree, there groweth at Depeham in Norfolk, ten miles from Norwich whose measure is this. The compass in the least part of the Trunk or body about two yards from the ground is at least eight yards and half: about the root nigh the earth, fixteen yards; about half a yard above that, neer twelve yards in circuit : The height to the uppermost boughs about thirty yards, which surmounts the famous Tilia of Zurich in Switzerland; and uncertain it is whether in any Tilicetum, or Lime-walk abroad it be confiderably exceeded : Yet was the first motive I had to view it not so much the largeness of the Tree, as the general opinion that no man could ever name it; but I found it to be a Tilia famina; and (if the distinction of Bauhinus be admitted from the greater, and leffer leaf) a Tilia Platuphyllos or Latifolia; fome leaves being three inches broad; but to distinguish it from others in the Country, I call'd it Tilia Coloffaa Depehamenfis. Thus the Doctor.

A Poplar-tree not much inferior to this he informs me grew lately at Harlingly Thetford, at Sir William Gawdies gate, blown down by that terrible Hurrocan about four years fince.

11. I am told of a very Withy-tree to be feen fomewhere in Bark-fhire which is increased to a most fupendious bulk: But these for arriving hastily to their Acme, and period, and generally not so confiderable for their use; I pass to the Ash, Elm, Oak, &c.

2 4 63

There were of the first of these divers which measured in length one hundred and thirty two foot, sold lately in Essex: And in the Manor of Horton (to go no farther then the Parish of Ebsham in Surrey, belonging to my Brother Richard Evelyn Esq.) there are Elms now standing in good numbers, which will bear almost three foot square for more then forty foot in height, which is (in my judgement) a very extraordinary matter. They grow in a mosist Gravel, and in the Hedge-rows.

Not to infift upon Beech, which are frequently very large; there are Oaks of forty foot high; and five foot diameter yet flourishing in divers old Parks of our Nobility and Gentry.

A large and goodly Oak there is at Reedham in Sir Richard Berneys Park of Norfolk, which I am inform'd was valu'd at forty pounds the Timber, and twelve pounds the lopping wood.

12. Nor are we to over-pass those memorable Trees which fo lately flourished in Dennington Park neer Newberry : amongst which three were most remarkable from the ingenious Planter, and dedication (if Tradition hold ) the famous English Bard, Jeofry Chaucer; of which one was call'd the Kings, another the Queens, and a third Chaucers-Oak. The first of these was fifty foot in height before any bough or knot appear'd, and cut five foot fquare at the butt end, all clear Timber. The Queens was fell'd fince the Wars, and held forty foot excellent Timber, straight as an arrow in growth and grain, and cutting four foot at the *[tub*, and neer a yard at the top; belides a fork of almost ten foot clear timber above the fhaft, which was crown'd with a fhady tuft of boughs, amongst which, some were on each fide curved like Rams-horns, as if they had been fo industriously bent by hand. This Oak was of a kind fo excellent, cutting a grain clear as any Clap-board (as appear'd in the Wainscot which was made thereof ) that a thousand pities it is some feminary of the Acorns had not been propagated, to preferve the species. Chancers Oak, though it were not of these dimensions, yet was it a very goodly Tree : And this account I receiv'd from my most honour'd friend Phil. Packer Efq: whole Father (as now the Gentleman his Brother) was proprietor of this Park : But that which I would farther remark, upon this occafion, is, the bulk, and stature to which an Oak may possibly arrive within less then two hundred year, fince it is not fo long that our Poet flourish'd (being in the Reign of King Edward the fourth) if at least he were indeed the Planter of those Trees, as 'tis confidently affirm'd. I will not labour much in this enquiry; because an implicit faith is here of great encouragement; and it is not to be conceiv'd what Trees of a good kind, and apt foil, will perform in a few years; and this (I am inform'd) is a fort of gravelly clay moistn'd with small and frequent springs.

13. There was in *Cuns-burrow* (fometimes belonging to my Lord of *Dover*) feveral *Trees* bought of a *Conper*, of which he made *ten pound per yard* for three or four yards, as I have been credibly affur'd: But where fhall we parallel that mighty *Tree* which furnish'd the *Main-mast* to the *Sovereign* of our *Seas*, which N 2 • being

being one hundred foot long fave one, bare thirty five inches diameter. Yet was this exceeded in proportion, and use, by that Oak. which furnish'd those prodigious beams that lye thwart her. The diameter of this Tree was four foot nine inches, which yielded four-square beams of four and forty foot, long each of them. The Oak grew about Framingam in Suffolk; and indeed it would be thought fabulous, but to recount only the extraordinary dimenfions of fome Timber-trees growing in that County; and of the exceffive fizes of these materials, had not mine own hands measur'd. a Table (more then once ) of above five foot in breadth, nine and an half in length, and fix inches thick, all intire and clear : This plank cut out of a Tree fell'd down by my Fathers order, was made a Pastry-board, and lyes now on a frame of folid Brick-work at Wolton in Surrey, where it was fo placed before the room was finish'd about it, or wall built, and yet abated by one foot shorter, to confine it to the intended dimensions of the place : for at first, it held this breadth, full ten foot and an half in length.

14. To these I might add that suprannuated Eugh-tree growing now in Braburne Church-yard, not far from Scots-hall in Kent; which being 58 foot 11 inches in the circumference, will bear neer twenty foot diameter, as it was measur'd first by my felf imperfectly, and then more exactly for me, by order of the Right Honourable Sir George Carteret, Vice-Chamberlain to his Majelty, and Treasurer of the Navy : not to mention the goodly planks, and other confiderable pieces of squar'd, and clear Timber, which I observ'd to lye about it, that had been hew'd, and famn out of fome of the Arms only, torn from it by impetuous winds. Shch another Monster I am inform'd is also to be seen in Sutton Churchyard neer Winchester : But these (with infinite others, which I am ready to produce ) might fairly fuffice to vindicate, and affert our Proposition, as it relates to modern examples, and fizes of Timbertrees, comparable to any of the Ancients, remaining upon laudable and unfuspected Record; were it not great ingratitude to conceal a most industrious, and no less accurate Accompt, which comes just now to my hands from Mr. Halton, Auditor to the Right Honourable, the most Illustrious, and Noble, Henry Howard of Norfolk.

#### In Sheffield Lordship.

The names of she perfons who gave inthe particu-Jars.

15. In the Hall Park, neer unto Rivelin, ftood an Oak which had eighteen yards without bough, or knot; and carried a yard and telligenee of fix inches square at the said height, or length, and not much bigger neer the root : Sold twelve years ago for 11 li. Confider the distance of the place, and Country, and what so prodigious a Tree Ed.Rawson. would have been worth neer London.

> In Firth's Farme within Sheffield Lordship, about twenty years fince, a Tree blown down by the wind, made or would have made two Forge-hammer-beams, and in those, and the other wood of that Tree, there was of worth, or made 50 li. and Godfrey Frogat (who is

Cap.Bullock.

now

now living) did oft fay, he loft 30 li. by the not buying of it. A Hammer-beam is not lefs then 7' yards long, and 4. foot square at the barrel.

In sheffield Park, below the Manor, a Tree was ftanding which was fold by one Giffard (fervant to the then Countes of Kent ) for 2 li. 10's. to one Nich. Hicks ; which yielded of fawn Wair fourteen hundred, and by estimation, twenty Chords of wood.

A Wair is two yards long, and one foot broad, fixfcore Ed. Morphy to the hundred : fo that, in the faid Tree was 10080 Wood-ward: foot of Boards ; which, if any of the faid Boards were more then *half-inch* thick, renders the thing yet more admirable.

In the upper end of Rivelin stood a Tree, call'd the Lords-Oak, of twelve yards about, and the top yielded twenty one Chord, cut down about thirteen years fince.

In & beffield Park An. 1646. ftood above 100 Trees worth 1000 li. and there are yet two worth above 20 li. still note the place, and market. 5- 8 3

In the fame Park, about eight years ago, Ralph Archdall cut a Tree that was thirteen foot diameter at the Kerf, or cutting place neer the Root.

In the fame Park two years fince Mr. Sittwell, with Jo. Mag fon did chuse a Tree, which after it was cut, and laid afide flat upon a level ground, Sam. Staniforth a Keeper, and Ed. Morphy, both on. horse-back, could not see over the Tree one anothers Hat-crowns. This Tree was afterwards fold for 20 li.

In the fame Park, neer the old foord, is an Oak-tree yet ftanding, of ten yards circumference.

In the fame Park, below the Conduit Plain, is an Oak-tree which Jo. Halton, bears a top, whole boughs thoot from the boal fome fifteen, and fome fixteen yards.

> Then admitting 15<sup>±</sup> yards for the common, or mean extent of the boughs from the boal, which being doubled is 21 yards; and if it be imagin'd for a diameter, because the Ratio of the diameter to the circumference is 113 it follows 112.355 :: 31.97 44 yards which is the circumference belonging to this diameter.

> Then farther it is demonstrable in Geometry, that half the diameter multiplied into half the circumference produces the Area or quantity of the Circle, and that will be found to be 754  $\frac{347}{452}$  which is 755 fquare yards ferè.

> Then lastly, if a Horse can be limited to three square yards of ground to stand on (which may seem a competent proportion of three yards long, and one yard broad) then may 251 Horfe be well faid to stand under the shade of this Tree. But of Scotch Cattle certainly, more then twice that number.

> > Work-

11 . 0 3

13. 11.1

85

#### Workfopp-Park.

16. In this Park, at the corner of the Bradshaw-rail, lyeth the boal of an Oak-tree which is twenty nine foot about, and would be found thirty, if it could be justly measured; because it iyeth upon the ground; and the length of this boal is ten foot, and nor arm, nor branch upon it.

In the fame Park, at the white-gate, a Tree did stand that was from bough end to bough end (that is, from the extream ends of two opposite boughs) 180 foot; which is witness'd by Jo. Magfor and Geo. Hall, and measur'd by them both.

> Then because 180 foot, or 60 yards is the diameter; 30 yards will be the *femidiameter*: And by the former. Analogies 113. 355 :: 60. 188<sup>1</sup>/<sub>2</sub>

> > and

**I.** 30 :: 94<sup>1</sup>/<sub>4</sub>. 2827<sup>1</sup>/<sub>3</sub>

That is, the Content of ground upon which this Tree perpendicularly drops, is above 2827 fquare yards, which is above half an Acre of ground: And the affigning three fquare yards (as above) for an Horse, there may 942 be well said to stand in this compass.

In the fame Park (after many hundreds fold, and carried away) there is a Tree which did yield quarter-cliff bottoms that were a yard fquare : and there is of them to be feen in morksopp, at this day, and fome Tables made of the faid quarter-cliff likewife.

In the fame Park, in the place there call'd the Hawks-nest, are Tree forty foot long of Timber which will bear two foot square at the top-end or height of forty foot.

If then a *fquare* whole fide is two foot, be inferibed in a *Circle*, the proportions at that *Circle* are

, , ,	Jeer		
Diameter	-		8284
Circumference			8858
Area			2821

And becaufe a Tun of Timber is faid to contain forty folid'feet : one of these Columns of Oak will contain above fix Tun of Timber and a quarter : in this computation taking them to be Cylinders, and not tapering like the fegment of a Cone.

#### Welbeek-Lane.

17. The Oak which stands in this Lane call'd Grindal-Oak hath at these several distances from the ground these Circumferences

0	foot		inch
at	τ	33	: 01
at	2	28	: .05
at	6		: 07
and to	1		C: \ ]:

The breadth is from bough-end to bough-end (i.) diametrically

Kenhelm Homer.

Jo.Magfon. Geo. Hall.

cally 88 foot; the height from the ground to the top-most bough 81 foot [this dimension taken from the proportion that a Gnomon bears to the shadow] there are three Arms broken off and gone, and eight very large ones yet remaining, which are very fresh and good Timber.

88 foot is 29; yards, which being in this cafe admitted for the diameter of a circle, the fquare yards in that circumference will be 676 fere; and then allowing three yards (as before) for a beast, leaves 225 beasts, which may possibly stand under this Tree.

But the Lords-Oak that ftood in Rivelin was in diameter three yards, and twenty eight inches; and exceeded this in circumference three feet at one foot from the ground.

#### Shire-Oak.

Shire-Oak is a Tree standing in the ground late Sir Tho. Hewets, Hen. Homer, about a mile from Worksopp-Park, which drops into three Shires, viz. Tork, Nottingham, and Derby, and the distance from boughend to bough-end is ninety foot and thirty yards.

This circumference will contain neer 707 square-yards,

fufficient to fhade 235 horfe. Thus for the accurate M. Halton.

18. Being inform'd by a perfon of credit, that an Oak in Sheffield-Park, call'd the Ladies-Oak, fell'd, contain'd forty two Tun of Timber, which had Arms that held at least four foot square for ten yards in length; the Body six foot of clear Timber: That in the fame Park one might have chosen above 1000 Trees worth above 6000 li. another 1000 worth 4000 li. & fic de cateris: To this M. Halton replies, That it might possibly be meant of the Lords-Oak already mention'd to have grown in Rivelin: For now Rivelin it felf is totally destitute of that issues on the computation of 1000 Trees formerly in Sheffield-Park worth 6000 li. it is believ'd there were a thonsand much above that value; fince in what is now inclos'd, it is evident touching 100, worth a thousand pounds.

My worthy friend Leonard Pinckney Efq. first Clerk of his Majesties Kitchin (from whom I receiv'd the first hints of many of these particulars) did assure that one John Garland built a very handsome Barne containing five Baies, with Pan, Posts, Beams, Spars, &c. of one fale Tree growing in Worksop-park. But these shall fuffice, I should never finish to pursue these Instances through our once goodly Magazines of Timber for all uses, growing in this our native Country, comparable (as I faid) to any we can produce of elder times; and that not only (though chiefly) for the encouragement of Planters, and Prefervers of one of the most excellent, and nečessary Materials in the World for the benefit of Man; but to evince the continu'd vigor of Nature, and to reproach the want

want of Industry in this Age of ours; and (that we may return to the Argument of this large Chapter ) to affert the procerity and stature of Trees from their very great Antiquity: For certainly if that be true, which is by divers affirmed concerning the guercetum of Mambre, recorded by Enfebius to have continued till the time of Constantine the Great, we are not too prejudicately to censure what has been produc'd for the proofs of their Antiquity; nor for my part do I much question the 'Authorities : But let this suffice ; what has been produc'd being only an historical speculation, of more encouragement haply then other use, but such as was pertinent to the *subject* under confideration, as well as what I am about to add concerning the Texture and Similar parts of the body of Trees, which may also hold in forubs, and other lignous plants, because it is both a curious and Rational account of their Anatomization, and worthy of the fagacious Inquiry of that incomparably learned Perfon D<sup>r</sup> Goddard, as I find it entered amongst other of those precious Collections of this Illustrious Society.

19. The Trunk or bough of a Tree being cut transversely plain and fmooth, sheweth several Circles or Rings more or less Orbicular, according to the external figure, in some parallel proportion, one without the other, from the centre of the Wood to the infide of the Bark, dividing the whole into so many circular spaces. These Rings are more large, gross, and distinct in colour and substance in some kind of Trees, generally in such as grow to a great bulk in a short time, as Fir, Ass. finaller or less distinct in those that either not at all or in a longer time grow great, as Quince, Holly, Box, Lignum-vita, Ebony, and the like fad colour'd and hard moods; so that by the largeness or simallness of the Rings, the quickness or flowness of the growth of any Tree may perhaps at certainty be estimated.

These *fpaces* are manifestly broader on the out fide then on the other, especially the more outer, to a double proportion, or more; the inner being neer an equality.

It is afferted, that the larger parts of these *Rings* are on the *South* and *funny* fide of the *Tree* (which is very rational and probable) infomuch that by cutting a Tree *transverse*, and drawing a *diametre* through the broadest and narrowest parts of the *Rings*, a *Meridian* line may be described.

The outer fpaces are generally narrower then the inner, not only on their narrower fides, but also on their broader, compared with the fame fides of the inner; Notwithstanding which, they are for the most part, if not altogether, bigger upon the whole account.

Of these spaces, the outer extremities in Fir, and the like woods, that have them larger and großer, are more dense, hard, and compact; the inner more soft and spungy; by which difference of substance it is that the *Rings* themselves come to be diffinguished.

According as the bodies and boughs of *Trees*, or feveral parts of the fame, are bigger or leffer, fo is the *number* as well as the *breadth* of the *circular* fpaces greater or lefs; and the like according to the *age*, effectially the number. It

11 11

It is commonly and very probably afferted, That a Tree gains a new one every year. In the body of a great Oak in the New-Forest, cut transversly even (where many of the Trees are accounted to be fome hundreds of years old) three and four hundred have been diftinguish'd. In a Fir-tree, which is faid to have just fo many rows of boughs about it as it is of years growth, there has been observed just one less immediately above one row, then immediately below: Hence some probable account may be given of the difference between the outer and the inner parts of the Rings; that the outermost being newly produced in the Summer, the exterior signification of the Winter.

20. In the young branches and twigs of Trees there is a pith in the middle, which in fome, as Afb, and efpecially Elder, equals or exceeds in dimensions the reft of the fubstance, but waxes lefs as they grow bigger, and in the great boughs and trunk fcarce is to be found : This gives way for the growth of the inward Rings, which at first were lefs then the outer (as may be feen in any floot of the first year) and after grow thicker, being it felf abfum'd, or perhaps converted into Wood; as it is certain Cartilages or Gristles are into bones (in the bodies of Animals) from which to fense they differ even as much as pith from Wood.

These Rings or spaces appearing upon transverse Section (as they appear elliptical upon oblique, and strait lines upon direct Section) are no other then the extremities of so many Integuments investing the whole Tree, and (perhaps) all the boughs that are of the same age with any of them, or older.

In the growth of Trees Augmentation in all dimensions is acquired, not only by Accession of a new Integument yearly, but also by the Reception of nourifhment into the Pores, and substance of the rest, upon which they also become thicker; not only those towards the middle, but also the rest, in a thriving Tree: Yet the principal growth is between the Bark and Body, by Accession of a new Integument yearly, as hath been mentioned: Whence the cutting of the Bark of any Tree or Bough round about will certainly kill it.

The Bark of a Tree is diffinguished into Rings or Integuments no lefs then the Wood, though much smaller or thinner, and therefore not diffinguishable except in the thick barks of great old Trees, and toward the inside next the Wood; the outer parts drying and breaking with innumerable fissures, growing wider and deeper, as the body of the Tree grows bigger, and mouldering away on the out fide.

Though it cannot appear by reafon of the continual decay of it upon the account aforefaid; yet it is probable the *Bark* of a Tree hath had fucceffively as many *Integuments* as the *wood*; and that it doth grow by acquifition of a *new one* yearly on the infide, as the wood doth on the out-fide; fo that the chief way, and conveyance of nourifhment to both the *Wood* and the *Bark*, is between them both.

The least *Bud* appearing on the body of a *Tree* doth as it were

were make perforation through the feveral Integuments to the middle, or very neer; which part is, as it were, a Root of the bough into the body of the Tree; and after becomes a knot; more hard then the other mood : And when it is larger, manifeftly fhewing it felf also to confist of feveral Integuments, by the circles appearing in it, as in the body : more hard, probably; because streightned in room for growth; as appears by its distending, buckling, as it were, the Integuments of the mood about it; fo implicating them the more; whence a knotty piece of mood is fo much harder to cleave.

It is probable, that a Cience or Bud, upon Graffing, or Inoculating, doth, as it were, Root it felf into the flock in the fame manner as the branches, by producing a kind of knot. Thus far the accurate Doctor.

20. To this might be fubjoyn'd the vegetative motion of Plants, with the diagrams of the Jefuite Kercher, where he discourses of their stupendious Magnetisms, &c. could there any thing material be added to what has already been so ingeniously inquir'd into: therefore let us proceed to their Felling.

21. It fhould be in this *ftatus*, vigour and perfection of Trees, that a *Felling* fhould be celebrated; fince whiles our *Woods* are growing it is pity, and indeed too foon s and when they are decaying, too late: I do not pretend that a man (who has occasion for *Timber*) is obliged to attend fo many ages ere he fell his Trees; but I do by this infer, how highly neceflary it were, that men fhould perpetually be *planting*; that fo *posterity* might have Trees fit for their fervice of *competent*, that is, of a *middle* growth and age, which it is impoffible they fhould have, if we thus continue to deftroy our *Woods*, without this providential *planting* in their ftead, and *felling* what we do cut down, with great difcretion, and regard of the future.

22. Such therefore as we shall perceive to decay are first to be picked out for the Ax; and then those which are in their state, or approaching to it; but the very thriving, and manifestly improving, indulg'd as much as possible.

23. The time of the year for this destructive work is not usually till about the end of April (at which feafon the bark does commonly rife freely) though the opinions and practice of men have been very different: Vitruvius is for an Autumnal Fall; others advife December and January : Cato was of opinion Trees should have first born their Fruit, or, at least, not till full ripe, which agrees with that of the Architect : And though Timber unbarked be indeed more obnoxious to the Worm, and to contract fomewhat a darker hue (which is the reason so many have commended the season when it will most freely strip) yet were this to be rather consider'd for fuch Trees as one would leave round, and unsquar'd; lince we finde the wilde Oak, and many other forts, fell'd over late, and when the *fap* begins to grow proud, to be very fubject to the morm; whereas being cut about mid-winter it neither casts, rifts, nor twines; because the cold of the winter does both

Felling.

both dry, and confolidate 5 whiles in fpring, and when pregnant, fo much of the virtue goes into the leaves and branches: Happy therefore were it for our Timber, fome real Invention of Tanning without fo much Bark (as the Honourable Mr Charles Howard has most ingeniously offer'd) were become universal, that Trees being more early fell'd, the Timber might be better feason'd and condition'd for its various Uses. But as the custom is, men have now time to fell their woods, even from mid-winter to the fpring; but never any after the Summer Solftice.

24. Then for the Age of the Moon, it has religiously been obferv'd; and that Dianas prefidency in Sylvis was not fo much celebrated to credit the fictions of the Poets; as for the dominion of that moist Planet, and her influence over Timber : For my part, I am not fo much inclin'd to thefe Criticisms, that I should altogether govern a Felling at the pleasure of this mutable Lady; however there is doubtless fome regard to be had,

#### . Nec frustra signorum obitus speculamur & ortus:

#### The old Rules are thefe :

Fell in the decrease, or four days after conjunction of the two great Luminaries; some the last quarter of it; or (as Pliny) in the very article of the change, if poffible; which hapning (faith he) in the last day of the Winter solstice, that Timber will prove immortal: At least should it be from the twentieth to the thirtieth day, according to Columella : Cato four days after the Full, as far better for the growth : But all viminious Trees filente Luna; fuch as Sallies, Birch, Poplar, &c. Vegetius for Ship-timber, from the 15th, to the 25th, the Moon as before; but never during the Increase, Trees being then most abounding with moisture, which is the only fource of putrifaction.

25. Then for the Temper, and time of day : The wind low, neither East nor West; neither in frosty, wet or demy weather; and therefore never in a Fore-noone. Laftly, touching the fpecies; Fell Fir when it begins to fpring; not only because it will then best quit its coat and strip; but for that they hold it will never decay in mater; which howfoever Theophrastus deduce from the old Bridge made of this material over a certain River in Arcadia, cut in this feason, is hardly fufficient to fatisfie our inquiry. , 26. Previous to this work of Felling is the advice of our Country-man Markham, and it is not to be rejected : Survey (faith he) your Woods as they stand immediately after Christmas, and then divide the species in your mind; (I add, rather in some Note Book, or Tablets ) and confider for what purpofes every feveral kind is most useful: After this, reckon the bad and good together, so as one may put off the other, without being forc'd to glean your Woods of all your best Timber. This done (or before) you shall acquaint your self with the marketable prices of the Conntry where your Fell is made, and that of the feveral forts; as what lo many inches, or foot square and long, is worth for the feveral imployments: What planks? what other scantlings for so many . Spoaks,

O 2

Spoaks, Naves, Rings, Pales; Spars, &c. allowing the waste for the charges of Felling, &c. all which you shall compute with greater certainty, if you have leifure, and will take the pains to examine fome of the Trees either by your own Fathom; or (more accurately) by girting it about with a string, and fo reducing it to the square, &c. by which means you may give a neer gues: or, you may mark such as you intend to fell; and then begin your sale about Candlemas till the Spring; before which you must not (according as our Custom is) lay the Ax to the Root; though some, for particular imployments, as for Timber to make Plows, Carts, Axel-trees, Naves, Harrows, and the like Husbandry-tools, do frequently cut in October.

Being now entering with your Work-men, one of the first, and most principal things is, the skilful disbranching of the Boal of all fuch Arms and Limbs as may endanger it in the Fall, wherein much forecast and skill is required of the Wood-man; so many excellent Trees being utterly spoiled for want of this only confideration: And therefore in arms of Timber which are very great, chop a nick under it close to the Boal, so meeting it with the down-right strokes, it will be cut without splicing.

27. Some there are who cut a kerfe round the body, almost to the very pitch, or heart, and fo let it remain a while; by this means to drain away the moisture, which will distill out of the wounded Veins, and is chiefly good for the moister fort of Trees : And in this work the very Ax will well tell you the difference of the Sex; the Male being fo much harder, and browner then the Female : But here (and wherever we fpeak thus of Plants ) you are to understand the analogical, not proper distinction. Fell as close to the ground as possible may be, if you defign a renascency from the roots; unlefs you will grub for a total destruction, or the use of that part we have already mention'd, fo far fuperiour in goodnels to what is more remote from the Root. Some are of opinion, that the feedling Oak should never be cut to improve his Boal; because, fay they, it produces a reddish wood not so acceptable to the Work-man; and that the Tree which grows on the head of his Mother does feldom prove good Timber : It is observ'd, indeed, that one foot of Timber neer the Root (which is the proper kerfe, or cutting place) is worth three farther off: And haply, the fucceffor is more apt to be tender, then what was cut off to give it place; but let this be inquir'd into at leisure.

28. When your Tree is thus proftrate, ftrip off the Bark; and fet it fo as it may beft dry; then cleanfe the Boal of the Branches which were left, and faw it into lengths for the fquaring, to which belongs the Measure, and Girth (as our Work-men call it) which I refer to the Buyer, and to many subsidiary Books lately printed, whereinit is taught by a very familiar and easie Method: A Tun of Timber is forty folid feet, a load fifty.

29. If you are to remove your *Timber*, let the *Dew* be first off, and the *south-wind* blow before you *draw* it : Neither should you by any means put it to use for three, or four *moneths* after, unless great

great neceffity urge you, as it did *Duilius*, who in the *Punic* War built his *Fleet* of *Timber* before it was *feafon'd*, being not above two moneths from the very *Felling* to the Launching: and as were also those *Navies* of *Hiero* after forty days; and that of *Scipio*, in the third *Carthaginean* War, from the very *Forest* to the *Sea*. *July* is a good time for bringing home your *fell'd Timber*.

30. To make excellent Boards and Planks, 'tis the advice of some, you should Bark your Trees in a fit season, and so let them stand naked a full year before the felling; and in some cases, and grounds, it may be profitable : But let thefe, with what has been already faid in the foregoing Chapters of the feveral kinds, fuffice for this Article : I shall add one Advertisement of Caution to those Noble perfons, and others who have Groves and Trees of ornament neer their houses, and in their Gardens in London, and the Circle of it; especially, if they be of great stature, and well grown; fuch as are the Groves in the feveral Inns of Court; nay, even that (comparatively, new Plantation) in my Lord of Bedfords Garden, &c. and wherever they stand in the more interiour parts of the City; that they be not over hafty, or by any means perswaded to cut down any of their old Trees, upon hope of new, more flourishing Plantations; thickning, or repairing deformities; because they grow so well when first they were set : It is to be confider'd how exceedingly that pernicious smoak of the sea-coal is increas'd in and about London fince they were first planted, and the buildings environing them, and inclosing it in amongst them, which does fo universally contaminate the Air, that what Plantations of Trees shall be now begun in any of those places will have much ado, great difficulty, and require a long time, to be brought to any tolerable perfection: Therefore let them make much of what they have; and though I difcourage none, yet I can animate none to cut down the old.

## CHAP. XXX.

## Of Timber the Seafoning and Ules, and of Fuel.

WE have before spoken concerning some preparations of Seasoning. Standing Trees design'd for Timber, by a half-cutting, difbarking, and the seasons of drawing, and using it.

1 . 131

1. Lay up your Timber very dry, in an airy place (yet out of the Wind, or Sun) and not ftanding upright, but lying along one piece upon another, interpoling fome fhort blocks between them, to preferve them from a certain mouldiness which they ufually contract while they *smeat*, and which frequently produces a kind of *fungus*, effectally if there be any *fappy* parts remaining.

2. Some there are yet, who keep their Timber as moist as they can, by *submerging* it in *Water*, where they let it imbibe to hinder the

th e cleaving; and this is good in Fir, both for the better stripping and feasoning.

3. Some again commend Buryings in the Earth; others in Wheat; and there be feasionings of the Fire, as for the forching and hardning of Piles which are to stand either in the water, or the earth: Thus do all the Elements contribute to the Art of Seasoning.

4. And yet even the greenest Timber is sometimes desirable for fuch as Carve and Turn; but it choaks the teeth of our Saws; and for Doors, Windows, Floors, and other clofe Works, it is altogether to be rejected; especially where Walnut-tree is the material, which will be fure to thrink : Therefore it is belt to chufe fuch as is of two or three years feasoning, and that is neither moilt nor overdry; the mean is best. Sir Hugh Plat informs us that the Venetians use to burn and scorch their Timber in a flaming fire; continually turning it round with an Engine, till they have gotten upon it an hard, black, coaly cruft; and the fecret carries with it great probability; for that the wood is brought by it to fuch a hardness and driness, ut cum omnis putrifactio incipiat ab humido, nor earth nor. water can penetrate it; I my felf remembring to have feen Charcoals dug out of the ground amongst the ruines of ancient buildings, which have in all probability lain cover'd with earth above 1500 years.

5. Timber which is cleft is nothing fo obnoxious to rift and cleave as what is hewn; nor that which is fquar'd, as what is round; and therefore where use is to be made of huge and massie Columns, let them be boared through from end to end; it is an excellent prefervative from splitting, and not un-philosophical; though to cure this accident, the rubbing them over with a wax-cloath is good, Painters Putty, &c. or before it be converted, the fmearing the Timber over with Com-dung, which prevents the effects both of Sun and Air upon it, if of neceffity it must lye expos'd : But befides the former remedies I find this for the clofing of the chops and clefts of green Timber, to anoint and supple it with the fat of powder'd-beef-broth, with which it must be well foak'd, the chasm's fill'd with fpunges dipt into it; this to be twice done over : Some Carpenters make use of greafe and faw-dust mingled; but the first is fo good a way (fays my Anthor ) that I have feen Wind-flock-timber so exquisitely closed, as not to be difcerned where the defects were: This must be us'd when the Timber is green: Finally,

6. I must not omit to take notice of the coating of Timber in Work, us'd by the Hollanders for the prefervation of their Gates, Port-cullis's, Draw-bridges, Sluces, and other huge Beams and Contignations of Timber expos'd to the Sun, and perpetual injuries of the Weather, by a certain mixture of Pitch and Tar, upon which they ftrew finall pieces of Cockle and other fbells, beaten almost to powder, and mingled with Sea-fand, which incrusts and arms it after an incredible manner against all these assures and foreign invaders.

Uses.

7. For all uses that Timber is esteem'd the best which is the most

most light, without knots, yet firm, and free from *fap*'; which is that fatty, *whiter*, and *foster* part, call'd by the Ancients Alburnum, which you are diligently to hew away : You shall perceive fome which has a *spiral* convolution of the *veins*; but it is a vice proceeding from the feverity of unfeasonable Winters, and defect of good nutriment.

8. Moreover, it is expedient that you know which is the Grain, and which are the Veins in Timber; becaufe of the difficulty of working against it: Those therefore be the veins which grow largest, and are softer for the benefit of cleaving and hewing; that the Grain which runs in waves, and makes the divers and beautiful chamfers which some woods abound in to admiration. The Grain of Beech runs two contrary ways, and is therefore to be wrought accordingly.

• 9. For the place of growth, that Timber is efteem'd best which grows most in the Sun, and on a dry and hale ground; The Climate contributes much to its quality, and the Northern situation is preferr'd to the rest of the quarters; so as that which grew in Tuscany was of old thought better then that of the Venetian side; and Trees of the milder kind, and barren, then the over much cultivated, and great bearers: but of this already.

10. To omit nothing, Authors have fumm'd up the natures of Timber ; as the hardeft Ebeny, Box, Larch, Lotus, Terebinth, Eugh, &c. which are beft to receive polifying; and for this Lin-feed, or the fweeter Nut-oyl does the effect beft: Pliny gives us the Receipt, with a decoction of Walnut-fhales, and certain wild-pears: Next to thele, Oak for Ships, and Houfes; Cornel, Holly, &c. for Pins, Wedges, &c. Chef-nut, Horn-beam, Poplar, &c. Then for Bucklers, and Targets, were commended the more foft and moift; because apt to close, swell, and make up their wounds again; such as Willow, Lime, Birch, Alder, Elder, Afb, Poplar, &c.

The Robur, or Wild-oak Timber, best to stand in ground; the guercus without.

Pines, Pitch, Alder and Elm, are excellent to make Pumps and Conduit-pipes, and for all Water-works, &c. Fir for Beams, Bolts, Bars; being tough, and not fo apt to break as the hardeft Oak : In fum, the more odoriferous Trees are the more durable and lafting.

11. We did, in Chap. 21. mention certain Subterranean Trees, which M<sup>r</sup> Cambden fuppofes grew altogether under the ground: And truly, it did appear a very Paradox to me, till I both faw and diligently examin'd that piece (Plank, Stone, or both fhall I name it) of Lignum folfile taken out of a certain Quarry thereof at Aqua Sparta not far from Rome, and fent to the most incomparably learn'd D<sup>r</sup> Ent, by that obliging Virtuofo Cavalier dal Pozzo. He that shall examine the bardness, and feel the ponderousses of it, finking in water, &c. will easily take it for a stone; but he that shall behold its grain, fo exquisitely undulated, and varied; together with its colour, manner of bewing, chips, and other most perfect refemblances, will never scruple to pronounce it arrant wood. Signor signor Stelluti (an Italian) has publish'd a whole Treatife exprefly to describe this great curiosity: But, whiles others have Philosophiz'd according to their manner upon these extraordinary Concretions; see what the most industrious, and knowing M. Hook, Curator of this Royal Society, has with no less Reason, but more fuccinctness, observ'd from a late Microscopical Examen of another piece of petrisi'd-wood; the Description, and Ingenuity whereof cannot but gratifie the Curious, who will by this Instance, not only be instructed how to make Inquiries upon the like occasions; but see also with what accurateness the Society constantly proceeds in all their Indagations, and Experiments; and with what Candor they relate, and communicate them.

12. " It refembl'd Wood, in that

"First, all the parts of the *petrifi'd* substance feem'd not at all "diflocated, or alter'd from their natural position whiles they "were *wood*; but the whole piece retain'd the exact shape of "*wood*, having many of the conspicuous *pores* of *wood* still remaining *pores*, and shewing a manifest difference visible enough between the grain of the *wood* and that of the *Bark*; especially, "when any fide of it was cut smooth and polite; for then it appear'd to have a very lovely grain, like that of some curious close *wood*.

<sup>cc</sup> Next (it refembled wood) in that all the fmaller and (if fo I <sup>cc</sup> may call those which are only to be seen by a good glass) *mi-*<sup>cc</sup> croscopical pores of it, appear (both when the substance is cut and <sup>cc</sup> polish'd transversly, and parallel to the pores) perfectly like the <sup>cc</sup> *Microscopical* pores of several kinds of *mood*, retaining both the <sup>cc</sup> shape, and polition of such pores.

" It was differing from wood.

"First, in weight, being to common water, as 3<sup>±</sup> to 1. where-"as there are few of our English woods that, when dry, are found "to be full as heavy as water.

<sup>cc</sup> Secondly, in hardnefs, being very neer as hard as a <sup>cc</sup> Flint, and in fome places of it alfo refembling the grain of a <sup>cc</sup> Flint : it would very readily cut Glaß, and would not without <sup>cc</sup> difficulty (efpecially in fome parts of it) be foratch'd by a black <sup>cc</sup> hard Flint : it would alfo as readily ftrike fire againft a Steel, as <sup>cc</sup> alfo againft a Flint.

"Thirdly, In the clofenefs of it; for, though all the microfoopical pores of the mood were very confpicuous in one polition, yet by altering that polition of the polifh'd furface to the light, it also was manifest that those pores appear'd darker then the rest of the body, only because they were fill'd up with a more dusky substance, and not because they were hollow.

"Fourthly, in that it would not *burn* in the *Fire*; nay, though "Ikept it a good while red-hot in the flame of a *Lamp*, very intenfly caft on it by a *blaft* through a fmall *pipe*; yet it feem'd not at all to have diminith'd its extension; but only I found it to have chang'd its colour, and to have put on a more dark, and dufky brown *bue*. Nor could I perceive that those parts which "feem'd

" feem'd to have been Wood at first, were any thing wasted, but "the parts appear'd as folid, and close, as before. It was farther "observable also, that as it did not confume like wood; so neither "did it crack and fly like a Flint, or fuch like hard ftone; nor was "it long before it appeared red-hot.

"Fiftly, in its diffolubleness; for putting some drops of diftil-" led Vinegar upon the stone, I found it prefently to yield very "many bubbles, just like those which may be observed in spirit of " Vinegar when it corrodes Coral; though I guels many of those " bubbles proceeded from the small parcels of Air, which were " driven out of the pores of this petrifi'd fubstance, by the infinu-"ating liquid menstruum.

" Sixthly, in its Rigidness, and friability; being not at all flexi-" ble, but brittle like a Flint; infomuch that with one knock of a " Hammer I broke offa small piece of it, and with the same ham-" mer quickly beat it to pretty fine pomder upon an Anvil.

"Seventhly, it feem'd also very differing from mood to the " touch, feeling more cold then wood ufually does, and much like "other close Stones and Minerals.

"The Reasons of all which Phanomona seem to be.

" That this petrifi'd wood having lain in fome place where it was " well foaked with petrifying water (that is, fuch a mater as is well "impregnated with ftony and earthy particles) did by degrees fe-" parate, by straining and filtration, or perhaps by pracipitation; " co-hassion or co-agulation, abundance of stony particles from that " permeating water, which stony particles having, by means of the "fluid Vehicle, convey'd themselves not only into the microscopi-" cal pores, and perfectly stop'd up them; but also into the pores; "which may perhaps be even in that part of the Wood which " through the microscope appears most folid; do thereby fo aug-"ment the weight of the wood, as to make it above three times "heavier then mater, and perhaps fix times as heavy as it was "when mood : next, they hereby fo lock up and fetter the parts " of the wood, that the fire cannot eafily make them fly away, but " the action of the Fire upon them is only able to Char those parts, "as it were, like as a piece of mood if it be closed very fast up in "clay, and kept a good while red-hot in the fire, will by the heat " of the fire be charr'd, and not confum'd; which may perhaps " be the Reason why the petrifi'd substance appear'd of a blakish " brown colour after it had been burnt. By this intrusion of the " petrifi'd particles it also becomes hard, and friable; for the " fmaller pores of the mood being perfectly stuffed up with these " ftony particles, the particles of the mood have few, or no pores " in which they can refide, and confequently, no flexion or yield-" ing can be caus'd in fuch a fubstance. The remaining particles " likewife of the mood among the stony particles may keep them "from cracking and flying, as they do in a Flint.

Finally, for the use of our Chimneys, and maintenance of fire, Fuel. the plenty of mood for Fuel, rather then the quality is to be looked after; and yet are there fome greatly to be preferr'd before others,

I.

others, as harder, longer-lasting, better heating, and cheerfully burning; for which we have commended the Afb, &c. in the foregoing Paragraphs, and to which I pretend not here to add much, for the avoiding repetitions; though even an History of the best way of Charking would not mil-become this Discourse. But in this penury of that dear Commodity, to incite all ingenious perfons, studious of the benefit of their Country, to think of ways how our Woods may be preferved, by all manner of Arts which may prolong the lafting of our Fuel, I would give the best encouragements. Those that shall feriously confider the intolerable mifery of the poor Cauchi, the then inhabitants of the Low-Countries describ'd by Pliny, lib. 16. cap. 1. (how opulent soever their late Industry has render'd them ) for want only of wood for Fuel, will have reason to deplore the excessive decay of our former store of that useful Commodity; and by what shifts our Neighbours the Hollanders do yet repair that defect, be invited to exercise their ingenuity: For belides the Dung of Beasts, and the Turf for their Chimneys, they make use of stoves both portable, and standing; and truly the more frequent use of those Inventions in our great, wasting Cities (as the custom is through all Germany) as also of those new, and excellent Ovens invented by Dr Keffler, for the incomparably baking of Bread, &c. would be an extraordinary expedient of husbanding our Fuel; as well as the right mingling, and making up of Char-coal-dust, and loam, as 'tis hinted to us by Sir Hugh Plat, and is generally us'd in Mastricht and the Country about it; then which there is not a more fweet, lasting and beautiful Fuel; The manner of it is thus:

4. Take about one *third part* of the fmalleft of any *Coal*, *Pit*, *Sea* or *Char-coal*; and commix them very well with *loam* (whereof there is in fome places to be found a fort fomewhat combuftible) make these up into *balls*, as big as an ordinary *Cannon*-bullet, or fomewhat bigger; or if you will in any other form, like *brickbats*, *O*-*c*. expose these in the *air* till they are throughly dry; they will be built into the most orderly *fires* you can imagine, *burn* very clear, give a wonderful heat, and continue a very long time.

Two or three fhort Billets cover'd with Char-coal last much longer, and with more life, then twice the quantity by it felf, whether Char-coal alone, or Billet; and the Billets under the Char-coal being undisturb'd, will melt as it were into Char-coals of fuch a lasting fize.

If *Small-coals* be fpread over the *Char-coal*, where you burn it alone, 'twill bind it to longer continuance; and yet more, if the *Small-coal* be made of the *roots* of *Thornes*, *Briers* and *Brambles*. Confult *L.Bacon*, *Exp.*775.

The sea-weed which comes in our Oyster-barrels laid under New-Castle-coal to kindle it (as the use is in some places) will (as I am inform'd) make it out-lass two great fires of simple coals, and maintain a glowing *luculent* heat without waste: It was not try'd by my Friend, what it would do as to Fuel burnt by it felf; but, that it adds much life, continuance and aid, to our fullen Seacoal

2. 3. .

r99

coalfuel; and if the main Ocean should afford Fuel, (as the Bernacles and soland-Geefe are faid to do in some parts of Scotland with the very flicks of their Nests) we in these Isles may thank our felves if we be not warm : These few particulars I have but inention'd to animate Improvements, and ingenious Attempts of detecting more cheap, and useful processes, for ways of charking-coals, Peat, and the like fuliginous materials; as the accomplish'd M. Boyle has intimated to us in the Fift of those his precious Effays concerning the usefulness of Natural Philosophy, Part 2. cap. 7. O.c. to which I refer the curious.

6, By the Preamble of the Statute 7, Ed. 6. one may perceive (the Measures compar'd) how plentiful Fuel was in the time of Edward the 4th to what it was in the Reigns of his Succeffors: This fuggested a review of Sizes, and a reformation of Abuses; in which it was Enacted, that every sack of Coals should contain four Bushels : Every Taleshide to be four foot long, besides the carf; and if nam'd of one, marked one, to contain 16 inches circumference, within a foot of the middle : If of two marks, 23 inches; of 3. 28. of 4. 35; of 5.38. inches about, and fo proportionably.

6. Billets were to be of three foot, and four inches in length: the fingle to be 17 inches and an half about ; and every Billet of one cast (as they term the mark) to be ten inches about: of two cast, fourteen inches, and to be marked (unless for the private use of the Owner) within fix inches of the middle : of one cast within four inches of the end, O.c.

Every bound Fagot flould be three foot long; the band twenty four inches circumference, besides the knot.

In the 43. Eliz. the fame statute (which before only concern'd London and its Suburbs ) was made more universal; and that of Edw. 6. explain'd with this addition : For fuch Taleshides as were of neceffity to be made of *clefi-wood*, if of one mark, and half round, to be 19 inches about ; if quarter-cleft, 18 inches 1: Marked two, being round it shall be 23 inches compass : half-round 27: quarter-cleft 26: marked three, round 28: half-round 23: quarter-cleft 32: marked four, being round 33 inches about : halfround 29 : quarter-cleft 28 : marked five round, 38 inches about : half-round 44: quarter-cleft 43: the measure to be taken within half a foot of middle of the length mention'd in the former statute.

Then for the Billet every one nam'd a single ; being round to have 7 inches ; circumference; but no fingle to be made of cleft wood : If marked one, and round, to contain 11 inches compass : if half-round 13: quarter-cleft 12:

If marked two, being round, to contain 16 inches : halfround 19 : quarter-cleft 18; : the length as in the Statute of King Ed. 6.

7. Fagots to be every flick of three foot in length, excepting only one flick of one foot long, to harden and wedge the binding of it: This to prevent the abuse (too much practis'd) of filling the middle part, and ends with trash, and short sticks, which had been omitted in the former Statute : concerning this and of the

the dimensions of wood in the Stack, see Chap. 27. to direct the lefs inftructed Purchaser: and I have been the more particular upon this occasion; because then our Fuel bought in Billet by the Notch (as they call it in London) there is nothing more deceitful; for by the vile iniquity of some Wretches, marking the Billets as they come to the Wharf, Gentlemen are egregiously cheated. I could produce an instance of a Friend of mine (and a Member of this Society) for which the Wood-monger has little cause to brag; fince he never durst come at him, or challenge his Money for the Commodity he bought'; because he durst not stand to the measure.

8. But I will now defcribe to you the Mystery of Charking (whereof fomething was but touch'd in the Process of extracting Tar out of the Pines) as I receiv'd it from a most industrious person, and so conclude the Chapter.

There is made of *Char-coal* ufually three forts, viz. one for the *Iron-works*, a fecond for *Gun-powder*, and a third for *London* and the *Court*, befides *Small-coals*, of which we fhall alfo fpeak in its due place.

We will begin with that fort which is us'd for the *Iron-works*, because the rest are made much after the same manner, and with very little difference.

The beft Wood for this is good Oak, cut into lengths of three foot, as they fize it for the *stack*: This is better then the *Cord-wood*, though of a larger measure, and much us'd in *suffex*.

The wood cut, and fet in *ftacks* ready for the *Coaling*; chufe out fome level place in the *Copfe*, the moft free from ftubs,  $\mathcal{O} \cdot c$ . to make the *Hearth* on: In the midft of this *area* drive down a ftake for your *Centre*, and with a *pole*, having a *ring* faftn'd to one of the extreams (or elfe with a *Cord* put over the *Centre*) defcribe a *Circumference* from twenty, or more feet *femidiameter*, according to the quantity of your *wood* defign'd for *coaling*, which being neer may conveniently be charked in that *Hearth*; and which at one time may be 12, 16, 20, 24, even to 30 *ftack*: If 12 therefore be the quantity you will *coal*, a *Circle* whofe *diameter* is 24 foot, will fuffice for the *Hearth*; If 20 ftack, a diameter of 32 foots; If 30, 40 foot, and fo proportionably.

Having thus marked out the ground, with Mattocks, haws and fit Inftruments, bare it of the Turf, and of all other combuftible fluft whatfoever, which you are to rake up towards the Peripherie, or out-fide of the circumference, for an ufe to be afterwards made of it; plaining, and levelling the ground within the circle : This done, the wood is to be brought from the necreft parts where it is flack'd, in wheel-barrows; and first the finalleft of it plac'd at the utmost limit, or very margent of the Hearth, where it is to be fet long-ways, as it lay in the flack; the biggeft of the wood pitch, or fet up on end round about against the finall-wood, and all this within the circle, till you come within five, or fix foot of the centre; at which diftance you shall begin to fet the mood in a Triangular form (as in Fig. 2. A) till it come to be three foot high: Against

Against this again place your greater wood almost perpendicular. reducing it from the triangular to a circular form, till being come within a yard of the centre you may pile the wood long-ways, as it lay in the stack, being careful that the ends of the wood do not touch the Pole, which must now be erected in the centre, nine foot in height, that fo there may remain a round hole, which is to be form'd in working up the stack-wood, for a tunnel, and the more commodious firing of the pit, as they call it. This provided for, go on to pile, and fet your wood upright to the other, as before; till having gain'd a yard more, you lay it long-ways again as was fhew'd: And thus continue the work, ftill enterchanging the position of the wood till the whole Area of the Hearth and Circle be fill'd, and pil'd up at the least eight foot high, and fo drawn in by degrees in piling, that it refemble the form of a copped brown Houfhold-loaf, filling all inequalities with the finaller trunchions till it lye very close, and be perfectly, and evenly shaped. This done, then take straw, haume or ferne, and lay it on the out-fide of the bottom of the heap or mood, to keep the next cover from falling amongst the sticks : Upon this put on the turf, and cast on the dust and rubbif which was grubb'd and raked up at the making of the Hearth, and referved neer the circle of it; with this cover the whole heap of mood to the very top of the pit, or tunnel, to a reasonable and competent thickness beaten close and even, that fo the fire may not vent but in the places where you intend it; and if in preparing the Hearth, at first, there did not rife sufficient turf and rubbish for this work, supply it from some convenient place neer to your heap: There be who cover this again with a fandy, or finer mould, which if it close well need not be above an inch or two thick: This done, provide a Screene, by making light hurdles with flits, rods, and straw of a competent thickness, to keep off the wind; and broad, and high enough to defend an opposite fide to the very top of your pit, being eight or nine foot; and fo as to be eafily remov'd as need shall require for the luing of your pit.

When now all is in this posture, and the wood well rang'd, and clos'd, as has been directed, fet fire to your heap : But first, you must provide you of a Ladder to ascend the top of your pit : this they usually make of a curved Tiller fit to apply to the convex shape of the heap, and cut it full of notches for the more commodious setting their feet whiles they govern the fire above; therefore now they pull up, and take away the stake which was erected at the centre to guide the building of the pile, and cavity of the Tunnel. This done, put in a quantity of Char-coals (about a peck) and let them fall to the bottom of the Hearth; upon them caft in coals that are fully kindled; and when those which were first put in are beginning to link, throw in more fuel; and lo, from time to time, till the Coals have univerfally taken fire up to the top : Then ent an ample, and reasonable thick turf, and clap it over the hole, or mouth of the Tunnel, ftopping it as close as may be with fome of the former dust and rubbish. Lastly, with the handles of your Rakers, or the like, you must make Vent-holes, or Registers

Registers (as our Chymists would name them) through the stuff which covers your heap to the very wood, these in ranges of two or three foot distance quite round within a foot (or thereabout) of the top, though some begin them at the bottom: A day after begin another row of *holes* a foot and half beneath the former ; and fo more, till they arrive to the ground, as occasion requires. Note, that as the Pit does coal and fink towards the centre, it is continually to be fed with fhort, and fitting wood, that no part remain unfir'd; and if it charks faster at one part then at another, there close up the vent-holes, and open them where need is : A pit will in this manner be burning off, and Charking, five, or fix days, and as it coals the *moak* from thick and gross clouds will grow more blew, and livid, and the whole mass fink accordingly 5 fo as by thefe indications you may the better know how to ftop, and govern your spiracles. Two or three days it will only require for cooling, which (the vents being ftopp'd) they affift, by taking now off the outward covering with a Rabil or Rubber; but this not for above the space of one yard breadth at a time; and first they remove the coursest, and grossest of it, throwing the finer over the heap again, that fo it may neither cool too hastily, nor endanger the burning and reducing all to Afbes, flould the whole pit be uncover'd and expos'd to the air at once; therefore they open it thus round by degrees.

When now by all the former Symptoms you judge it fully chark'd, you may begin to draw; that is, to take out the Coals, first round the bottom, by which means the Coals, Rubbish and Dust finking and falling in together may choak, and extinguish the fire.


Your Coals fufficiently cool'd, with a very long-tooth'd Rake, and a Vann, you may load them into the Coal-mains, which are made clofe with boards, purpofely to carry them to Market: Of these Coals the groffer fort are commonly referv'd for the Forges, and Iron-works, the middling and smoother put up in facks and carried by the Colliers to London and the adjacent Towns; those which are chark'd of the roots, if pick'd out, are accounted best for Chymical fires, and where a lasting, and extraordinary blast is requir'd.

9. Coal for the Powder-mills is made of Alder-wood (but Limetree were much better had we it in that plenty as we eafily might) cut, ftack'd, and fet on the Hearth like the former: But first ought the wood to be wholly disbark'd (which work is to be done about Mid-fummer before) and being throughly dry it may be coaled in the fame method, the heap or pits only fomewhat fmaller, by reafon that they feldom Coal above five, or fix ftack, a time, laying it but two lengths of the wood one above the other, in form fomewhat flatter on the top then what we have deferib'd. Likewife do they fling all their rubbish and dust on the top, and begin not to cover at the bottom, as in the former example. In like fort, when they have drawn up the fire in the Tunnel, and stopp'd it, they begin to draw down their dust by degrees round the heap; and this proportionably.

portionably as it fires, till they come about to the bottom; all which is difpatch'd in the space of two days. One of these beaps will char threefcore facks of Coal, which may all be carried at one time in a Waggon; and some make the Court-coals after the same manner. Lastly,

10. Small-coals are made of the fpray, and brufb-wood which is fhripped off from the branches of Copfe-wood, and which is fometimes bound up into Bavins for this use ; though also it be as frequently charked without binding, and then they call it cooming it together : This they place in fome neer floor, made level, and freed of incumbrances, where fetting one of the Bavins or part of the fpray, on fire, two men stand ready to throw on Bavin upon Bavin (as fast as they can take fire, which makes a very great and fudden blaze) till they have burnt all that lyes neer the place, to the number (it may be) of five, or fix hundred Bavins: But ere they begin to fet fire they fill great Tubs or Veffels with mater, which stand ready by them, and this they dash on with a great diff or fcoup to foon as ever they have thrown on all their Bavins, continually plying the great heap of glowing Coals, which gives a sudden stop to the fury of the fire, whiles with a great Rake they lay, and fpread it abroad, and ply their cafting of mater still on the Coals, which are now perpetually turn'd by two men with great Shovels, a third throwing on the water: This they continue till no more fire appears, though they ceafe not from being very hot : After this, they shovel them up into great heaps, and when they are throughly cold, put them up in facks for London, where they use them amongst divers Artificers, both to kindle greater fires, and to temper, and aneal their feveral Works.

The best season for the fetching home of other Fuel, is from June; the ways being then most dry, and passable.



11. And thus we have feen how for House-boot, and Ship-boot, Plow-boot, Hey-boot and Fire-boot, the Planting, and Propagation of of Timber and Forest-trees is requifite; fo as it was not for nothing, that the very name (which the Greeks generally apply'd to Timber) <sup>5</sup>×n, by Senechdoche, was taken always pro Materia; fince we hardly find any thing in Nature more universally useful; or, in comparison with it, deferving the name of Material.

9. To fum up all the good qualities then, and transcendent perfections of Trees, let us hear the harmonious Poets, in this confort of their Elogies :

Navigiis pinos, domibus cedró fqus cuprefsó fque ; Hinc radios trivere rotis, hinc tympana plaustris Agricolæ, & pandas ratibus pofuere carinas. Viminibus falices, fæcundæ froondibus Olmi : At Myrtus validis hastilibus, & bona bello Cornus : Ityreos Taxi torquentur in arcus. Nec Tiliæ leves, ant torno rafile Buxum, Non formam accipiunt ferróque cavantur acuto. Nec non & torrentem undam in levis innatat Alnus Miffa Pado; nec non & apes examina condunt Corticibúfque cavis, vitiofæg Ilicis alvo: Georg. 2.

and the most ingenious Ovid, where he introduces the miraculous Grove rais'd by the melodious Song of Orpheus,

> -non chaonis abfuit arbor, Non nemus Heliadum, non frondibus æsculus altis, Nec Tilia molles, nec Fagus, & innuba Laurus, Et Coryli fragiles, & Fraxinus utilis hastis; Enodisque Abies, curvataque glandibus Ilex, Et Platanus genialis, Acérque coloribus impar. Amnicoláque simul Salices, & aquatica Lotos, Perpetuoque virens Buxus, tenuesque Myrice, Et bicolor Myrtus, & baccis cærula Ficus. Vos quoque flexi-pedes Hederæ venistis, & una Pampineæ Vites, & amickæ Vitibus Ulmi, Orníque, & Piceæ, Pomóque onerata rubenti Arbutus, & lente victoris premia Palma, Et succinsta comas, hirsutaque vertice Pinus Grata Deum matri, Oc. -Met. 10.

as the incomparable *Poet* goes on, and is imitated by our divine *spencer*, where he brings his gentle *Knight* into a fhady *Grove* praifing

The failing *Pine*, the *Cedar* proud, and tall, The Vine-prop *Elm*, the *Poplar* never dry. The builder *Oak*, fole King of *Forests* all;

The

The Affine, good for flaves; the Cypreßfuneral: The Laurel, meede of mighty Conquerours And Poets fage; the Fir, that weepeth ftill; The Willow, worn of forlorne Paramours; The Eugh, obedient to the benders will; The Birch for fhafts; the Sallow for the Mill; The Myrrhe fweet bleeding in the bitter wound; The war-like Beech; the Afh for nothing ill; The fruitful Olive, and the Platane round; The Carver Holm; the Maple, feldom inward found.

And in this Symphony might the noble Tallo bear likewile his part ; but that these are sufficient, & tria funt omnia. What now remains concerns only some general Pracepts, and Directions applicable to most of that we have formerly touched; together with a Brief of what farther Laws have been enacted for the Improvement, and prefervation of Woods; and which having dispatch'd, shall with a short Paraness for the present ordering, and disposing of his Majesties Plantations for the future benefit of the Nation, put an end to this rustick Discourse.

## CHAP. XXXI.

## Aphorisms, or certain general Præcepts of use to the foregoing Chapters.

1. TRy all forts of *Seeds*, and by their thriving you shall best discern what are the most proper kinds for Grounds,

Quippe solo natura subest -----

and of these design the main of your Plantation.

2. Keep your newly fown *feeds* continually fresh, and in the *fbade* (as much as may be) till they peep.

3. All curious feeds, and plants are diligently to be meeded till they are ftrong enough to over-drop or fupprefs them: And you fhall carefully haw, half-dig, and ftir up the earth about their Roots during the first three years; especially in the Vernal, and Autumnal Æquinoxes: This work to be done in a moist feason for the first year to prevent the dust, and the fuffocating of the tender buds; but afterwards in the more dry weather.

4. Plants rais'd from seed, shall be thinn'd where they come up too thick; and none fo fit as you thus draw to be transplanted into Hedge-rows; especially, where ground is precious.

5. In transplanting, omit not the placing of your Trees towards their accustom'd Aspect.

6. Remove the foftest wood to the moiftest grounds,

2

Divifa

Canto.I.

#### Divise arboribus patrie

7. Begin to Transplant Forest-trees when the leaves fall after Michaelmas; you may adventure when they are tarnish'd, and grow yellow: It is lost time to commence later, and for the most part of your Trees, early Transplanters feldom repent; for sometimes a tedious band of Frost prevents the whole season, and the baldness of the Tree is a note of deceipt; for some Oaks, and most Beeches, preferve their dead-leaves till new ones push them off.

8. Set deeper in the lighter grounds than in the ftrong; but fhalloweft in Clay: five inches is fufficient for the dryeft, and one or two for the moist, provided you establish them against winds.

9. Plant forth in warm, and moift feasons; the Air tranquil and ferene; the wind westerly; but never whiles it actually freezes, rains, or in misty weather; for it moulds, and infects the Roots.

10. What you gather, and draw out of *Woods*, plant immediately, for their roots are very apt to be mortified by the winds and cold air.

11. Trees produc'd from feeds must have the Tap-roots abated (the Walnut-tree, and fome others excepted) and the bruifed parts cut away; but sparing the fibrous, for they are the principal feeders; and those who cleanse them too much, are punish'd for the mistake.

12. In fpring rub off fome of the Collateral Buds, to cheek the exuberancy of fap in the Branches, till the Roots be well establish'd.

13. Transplant no more then you well Fence; for that neglected, Tree-culture comes to nothing: Therefore all young fet Trees should be defended from the winds, and Sun; especially the East, and North, till their roots are fixed; that is, till you perceive themshoot; and the not exactly observing of this Article is cause of the perishing of the most tender Plantations; for it is the invasion of these two assumes which does more mischief to our new set, and lefs hardy Trees, then the most severe and durable Frosts of a whole Winter.

14. The propereft *foil*, and moft natural, apply to diffinct species, Nec verò terræ ferre omnes omnia poffunt. Yet we find by experience, that moft of our Forest-trees grow well enough in the courfeft lands; provided there be a competent depth of mould: For albeit moft of our wild plants covet to run just under the furface, yet where there is not fufficient depth to cool them, and entertain the Moisture and Influences, they are neither lasting, nor prosperous.

15. Wood well planted will grow in Moorifh, Boggy, Heathy, and the *ftoniest* grounds : Only the white and blew Clay (which is commonly the beft Pafture) is the worft for wood'; and fuch gcod Timber as we find in any of these (Oaks excepted) is of an exces-

exceffive age, requiring thrice the time to arrive at their stature: 16. If the feafon require it, all new *Plantations* are to be plied with *waterings*, which is better pour'd into a *circle* at fome diftance from the *Roots*, that *percolating* through a quantity of *earth* it may carry the *nitrows* virtue of the *foil* with it; and by no means at the *stem*; because it washes the mould from the *Root*, comes too crude, and endangers their rotting: But,

17. For the cooling, and refreshing Tree-roots, the congesting of *Flints*, or *Pibbles* neer three foot of the *stem*, is preferable to all other; and fo the *Poet*,

Aut lapidem bibulum, aut squallenteis infode conchas, Inter enim labentur aquæ, tenuísque subibit Halitus — Georg. 2.

18: Cut no Trees when either beat, or cold are in extreams; nor in very wet, or fnowy weather; and in this work it is profitable to difcharge all Trees of unthriving, broaken, wind-fhaken, browfe, and fuch as our Law terms Cablicia, and to take them off to the quick,

## ne pars sincera trabatur.

Many more uleful Observations are to be collected, and added to these, from the diligent experience of *Planters*.

1010: 1 100 1

CC I

#### CHAP. XXXII.

## Of the Laws and Statutes for the Prefervation, and I Improvement of Woods, &c.

1. TO let pass the Laws; and civil Constitutions of great Antiquity, by which Servius informs us 'twas no less then Capital, alienas arbores incidere; the lex Aquilia, and those of the xii. Tabb. mention'd by Paulus, Cajus, Julianus and others of that Robe repeated divers more. The wile solon prescribed Ordinances for the very distances of Trees; as the divine Plato did against stealing of Fruit, and violating of Plantations : And the interdiction de Glande legenda runs thus in Ulpian, AIT PRÆ-TOR, GLANDEM, QUÆ EX ILLIUS AGRO IN TUUM CA-DIT, QUO MINUS ILLI TERTIO QUOQUE DIE LEGERE AUFERKE LICEAT; VIM FIERI VETO. But it is not here that I delign to enlarge, as those who have philologiz'd on this occasion de Sycophantis, and other curious Criticismes; but pass on, and confine my self to the prudent Sanctions of our own Parliaments, which I deduce in this Order.

2. From the time of Edward the fourth, were enacted many Q 2 excel" anoted by Ther in walder. p varient.

N.B

excellent Laws for the planting, fecuring, cutting, and ordering of Woods, Copfes, and Under-woods, as then they took cognizance of them; together with the feveral penalties upon the Infringers; especially from the 25. of Hen. 8. 17. &c. confirm'd by the 13. and 27. of Q. Eliz. cap. 25. 19. &c. which are diligently to be confulted, revived, put in execution, and enlarg'd where any defect is apparent; as in particular the At of exempting of Timber of 22 years growth from Tythe, for a longer period, to render it compleat, and more effectual to their Improvement: And that Law repealed, by which Willows, Sallows, Oziers, &c. which they term Sub-bois, are reputed but as Weeds.

3. Severer punishments have lately been ordain'd againft our Wood-stealers, destroyers of young Trees, &c. I cannot say they are sharp ones, when I compare the severity of our Laws against Mare-stealers; nor am I by inclination the least cruel; But I do affirm, we might as well live without Mares, as without Ships, which are our Wooden, but no less profitable Horses.

.4. I have heard, that in the great Expedition of 88, it was exprelly enjoyn'd the Spanish Commanders of that fignal Armada ; that if when landed they fhould not be able to fubdue our Nation, and make good their Conquest; they should yet be fure not to leave a Tree standing in the Forest of Dean : It was like the Policy of the Philistines, when the poor Israelites went down to their Enemies Smiths to tharpen every man his Tools ; for as they faid, left the Hebrews make them Swords, or Spears; fo thefe, left the English build them Ships, and Men of War : Whether this were fo, or not ; certain it is, we cannot be too jealous for the prefervation of our Woods; and especially of those eminent, and with care inexhaustible Magazines : I dare not suggest the encouragement of a yet farther restraint, that even Proprietors themselves should not prefume to make havock of fome of their own Woods, to feed their prodigality, and heap fuel to their vices ; but it is worthy of our observation, that (in that in-imitable Oration, the fecond Philippic ) Cicero does not fo fharply reproach his great Antagonist for any other of his extravagancies (which yet he there enumerates) as for his masteful disposure of certain Wood-lands belonging to the Commonwealth, amongst his jovial Bravo's, and leud companions ; tua ista detrimenta sunt (meaning his Debanches ) illa nostra ; speaking of the Timber.

improvable Woods, fhould not admit of Cattle, by any means, till they were quite grown out of reach; the Statutes which connive atit, in favour of Cuftom, and for the fatisfying of a few clamorous, and rude Commoners, being too indulgent; fince it is very evident that lefs then a 14 or 15 years enclofure is, in most places, too foon; and our most material Trees would be of infinite more worth and improvement, were the Standards fuffer'd to grow to Timber, and not fo frequently cut, at the next Felling of the Wood, as the general cuftom is. In 22. Edm. 4. the liberty arriv'd but to feven years after a felling of a Forest or Purlien; and but

but three years before, without special license: This was very narrow; but let us then look on England as an over-grown Country.

6. Wood in Parks was afterwards to be four years fenced upon felling : and yearling Colts, and Calves might be put into inclosed Woods after two: By the 13. Eliz. five years, and no other Cattle till fix, if the growth was under fourteen years; or untill eight, if exceeding that age till the last felling : All which Statutes being by the Ast of. Hen. 8. but temporal, this Parliament of Eliz. thought fit to make perpetual.

7. Then to prevent the deftructive razing and converting of Woods to Pasture : No wood of two Acres, and above two furlongs from the Mansion house, should be indulg'd: And the prohibitions are good against Assarts made in Forests, &c. without license: The penalties are indeed great; but how seldom inflicted; and what is now more easie, then compounding for such a license?

In fome parts of Germany, where a fingle Tree is obferv'd to be extraordinary fertile, a conftant, and plentiful Maft-bearer is there are Laws to prohibite their felling without fpecial leave: And it was well Enacted amongft us, that even the Owners of Woods within Chajes fhould not cut down the Timber without view of Officers; or if not within Chafes, yet where a Common-perfon had liberty of Chafe, &c. and this would be of much benefit, had the Regarders perform'd their duty, as 'tis at large defcrib'd in the Writ of the 12. Articles; and that the Surcharge of the Forefts had been honeftly infpected with the due Perambulations, and ancient Metes : Thus fhould the Justices of Eire difpole of no Woods without express Commiffion, and in convenient places : Minuti blaterones quercuum, culi, & curbi, as our Law terms wind-falls; dotterels, forags, &c. and no others.

8. Care is likewife by our Laws to be taken that no unneceffary Imbezelment be made by pretences of Repair of Paling, Lodges-Browfe for Deer, &c. Wind-falls, Root-falls; dead, and Sear-trees, all which is fubject to the Infpection of the Warders, Justices, &c. and even trefpafies done 'de Viridi on boughs of Trees, Thickets and the like; which (as has been fhew'd) are very great impediments to their growth and prosperity, be duly looked after, and punished: See Confuet. & Affis. Forest. Pannagium, or Pastura pecorum & de Glandibus, Fleta, &c. Man-woods Forest-Laws: Cook pla. fol. 266. li. 8. fol. 128.

9. Finally, that the exorbitance, and increase of devouring *tron-mills* were looked into, as to their distance, and number neer the seas, or navigable *Rivers*; And what if some of them were even remov'd into another *World*? 'twere better to purchase all our *Iron* out of America, then thus to exhaust our *Woods* at home, although (I doubt not) they might be so order'd, as to be rather a means of conferving them. There was a Statute made by Queen Eliz. to prohibite the converting of Tumber-trees. to Coal, or other Fuel for the use of Iron-mills; if the Tree were of one foot square, and growing within 14 miles of the the sea, or the greater Rivers, &c. 'tis pity fome of those places in Kent, Suffex and Surrey were excepted in the Proviso, for the reason express'd in a Statute made 23. Eliz. by which even the imploying of any under-wood, as well as great Trees, was prohibited within 22 miles of London, and many other navigable Rivers, Creeks, and other leffer distances from some parts of Suffex Downs, Cinque-ports, Havens, &c.

10. And yet to prove what it is to manage Woods difcreetly; I reade of one M<sup>1</sup> Christopher Darell a Surrey Gent. of Nudigate, that had a particular Indulgence for the cutting of his Woods at pleafure, though a great Iron-master; because he so order'd his Works, that they were a means of preferving even his Woods; notwithstanding those unfatiable devourers: This may appear a Paradox, but is to be made out; and I have heard my own Father (whose Estate was none of the least mooded in England) affirm, that a Forge, and some other Mills, to which he furnish'd much Fuel, were a means of maintaining, and improving his Woods; I suppose, by increasing the Industry of planting, and care; as what he has now left standing of his own planting, enclosing and cherissing in the possibility, does sufficiently evince; a most laudable Monument of his Industry, and rare Example.

11. The fame A& we have confirmed, and enlarg'd in the 17th of the faid Queen, for the preferving of Timber-Trees, and the penalties of impairing Woods much increased; the tops, and offals only permitted to be made use of for this imployment: But let us see what others do.

12. The King of Spain has neer Bilbao fixteen times as many Acres of Copfe-wood as are fit to be cut for Coal in one year; fo that when 'tis ready to be fell'd, an Officer first marks fuch as are like to prove Ship-timber, which are let stand, as so many faceed, and dedicate Trees: But by this means the Iron-works are plentifully fupplied in the fame place, without at all diminishing the stock of Timber. Then in Bifcay again, every proprietor, and other, plants three for one which he cuts down; and the Law obliging them is most feverely executed. There indeed are few, or no Copfes; but all are Pollards; and the very lopping (I am assure for intermiss the Iron-works with sufficient to support them.

13. What the practice is for the maintaining of these kind of *Plantations* in *Germany*, and *France*, has already been observed to this *Illustrious Society* by the learned D<sup>t</sup> Meret; viz. that the Lords and (for the *Crown-lands*) the Kings Commissioners, divide the *Woods*, and *Forests*, into eighty partitions; every year felling one of the divisions; so as no *Wood* is felled in less then fourscore years: And when any one partition is to be cut down, the Officer, or Lord contracts with the *Buyer* that he shall at the distance of every *twenty* foot (which is fornewhat neer) leave a good, fair, found and fruitful Oak standing. Those of 'twixt forty, and fifty years they reckon for the best, and then they are to fence these trees from all forts of Beasts, and injuries, for a competent time; which being

being done, at the *feafon*, down fall the *Acorns*, which (with the *Autumnal* rains beaten into the earth) take *root*, and in a fhort time furnish all the *Wood* again, where they let them grow for four, or five years; and then grub up fome of them for *Fuel*, or *transplantions*, and leave the most *provable* of them to continue for *Timber*.

14. The French King permits none of his Oak-woods, though belonging (fome of them) to Monsieur (his Royal Brother) in Appenage, to be cut down; till his own Surveyors, and Officers, have first marked them out; nor are any fell'd beyond such a circuit: Then are they sufficiently fenc'd by him who buys; and no Cattle whatfoever suffer'd to be put in, till the very feedlings which spring up of the Acorns are perfectly out of danger. And to these I might superadd divers others, but I hasten to an end.

#### The Parænefis, and Conclusion.

1. Since our Forefts are undoubtedly the greateft Magazines of the wealth, and glory of this Nation; and our Oaks the trueft Oracles of the perpetuity of our happiness, as being the only support of that Navigation which makes us fear'd abroad, and flourish at Home; it has been strangely wonder'd at by some good Patriots, how it comes to pass that many Gentlemen have frequently repair'd, or gain'd a sudden Fortune, with plowing part of their Parks, and setting out their fat grounds to Dutch-gard'ners, &.c. and very wild Wood-land parcels (as may be instanc'd in several places) to dreffers of Hop-yards, &.c. whiles the Royal portion lyes folded up in a Napkin, uncultivated, and neglected; especially, those great, and ample Forests; where though plowing, and soming has been forbidden, a Royal command, and Design, may well difpense with it, and the breaking up of those Intervals advance the growth of the Trees to an incredible Improvement.

2. It is therefore infifted on, that there is not a cheaper, eafier, or more prompt expedient to advance Ship-timber, then to folicit, that in all his Majefties Forefts, Woods, and Parks, the fpreading Oak. (which we have formerly defcribed) be cherifh'd, by plowing, and fowing Barley, Rye, &c. (with due fupply of culture, and foil, between them) as far as may (without danger of the Plow-fhare) be broken up. But this is only where thefe Trees are arriv'd to fome magnitude, and ftand at competent diftances; a hundred, or fifty yards (for their Roots derive relief far beyond the reach of any boughs) as do the Walnut-trees in Burgundy, which ftand in their beft plow'd-lands.

3. But that we may particularize in his Majesties Forests of Dean, sheremood, & c. and in some fort gratifie the Quaries of the Honourable the principal Officers and Commissioners of the Navy; I am advis'd by such as are every way judicious, and of long experience in those parts; that to enclose would be an excellent way: But it is to be consider'd, that the people, viz. Foresters and Bordurers, are not generally so civil, and reasonable, as might be wissed; and therefore fore to defign a folid Improvement in fuch places, his Majesty muft affert his power, with a firme and high Refolution to Reduce thefe men to their due Obedience, and to a neceffity of fubmitting to their own, and the publick utility; though they preferv'd their industry this way at a very tolerable rate upon that condition, whiles fome perfon of trust, and integrity did regulate, and fupervife the Mounds and Fences, and define fome portions frequently fet a part, for the raifing, and propagating of Woods, till the whole Nation were furnish'd for posterity.

4. And which work if his Majefty thall refolve to accomplifh, he will leave fuch an everlafting obligation on his people, and raife fuch a Monument to his Fame, as the Ages for a thousand years to come thall have caufe to celebrate his precious memory, and his Royal Succeffors to emulate his Virtue. For thus (befides the future expectations) it would in prefent be no deduction from his Majefties Treasure; but fome increase; and fall in time to be a fair, and worthy Acceffion to it; whiles this kind of propriety would be the most likely expedient to civilize those wild and poor Bordurers; and to fecure the vast and spreading heart of the Forest, which with all this Indulgence would be ample enough for a Princely Demeasures : And if the difficulty be to find out who knows, or acknowledges what are the Bordures; this Article were worthy, and becoming of as serious an Inquisition, as the Legislative power of the whole Nation can contrive.

5. The Sum of all is; get the Bordures well Tenanted, by long Terms, and eafie Rents, and this will invite and encourage Takers; whilf the middle, most fecure, and interiour parts would be a Royal portion. Let his Majesty therefore admit of any willing Adventurers in this vast Circle for such Enclosures in the Precincts; and rather of more, then of few, though an hundred, or two should joyn together for any Enclosure of five hundred Acres more, or lefs; that multitudes being thus engaged, the confideration might procure, and facilitate a full discovery of latter Encrochments, and fortifie the recovery by favourable Rents, Improvements and Reversions by Copy-hold, or what other Tennres and Services his Majesty shall please to accept of.

6. Now for the planting of *Woods* in fuch places (which is the only defign of this whole *Treatife*) the *Hills*, and *rough Grounds* will do well; but they are the rich fat *Vales*, and *flats* which do beft deferve the charge of *Walls*; fuch as that *fpot* affords; and the *Haw-thorn* well plafh'd (fingle or double) is a better, and more natural *Fence* then *unmorter'd walls*, could our indusfry arrive to the making of fuch, as we have defcrib'd: befides, they are lafting, and profitable; and then one might allow fufficient *bordare* for a *Mound* of any thicknefs, which may be the first charge, and well fupported, and rewarded by the culture of the Land thus *enclofed*.

7. For Example, fuppofe a man would take in 500 Acres of good Land, let the Mounds be of the wildest ground, as fittest for mood: Two hedges with their Valations, and Trenches will be requisite

requisite in all the Round; viz. one next to the Enclosure, the other about the Thicket to fence it from Cattle. This between the two hedges (of whatfoever breadth) is fittest for Plantation : In these hedges might be tryed the plantation of stocks; in the intervals all manner of mood-feeds lown (after competent plowings) as Acorns, Mast, Fir, Pine, Nuts, &c. the first year chaling away the Birds, because of the Fir and Pine feeds, for reasons given; the fecond year loofning the ground, and thinning the fupernumeraries, &c, this is the most frugal way : Or by another Method the Wafte places of Forefts and Woods (which by through experience is known and tried) might be perfectly extirpated; and then allowing two or three plowings, well-rooted ftocks be fet, cut and trimm'd as is requifite; and that the Timber-trees may be excellent, those after wards copfed, and the choicest stocks kept shreaded. If an Enclosure be fow'd, the seeds may be (as was directed) of all the species, not forgetting the best Pines, Fir, &c. whiles the yearly removal of very incumbrances only will repay the Work-men, who fell the Quick, or referve it to ftore other Enclofures, and foften the circumjacent grounds to the very great improvement of what remains.

9. And how if in fuch Fencing-works we did fometimes imitate what Quintus Curtius, lib. 6. has recorded of the Mardorum gens, neer to the Confines of Hyrcania, who did by the close planting of Trees alone upon the bordures give fo strange a check to the power of that great Conqueror 'Alexander ? They were a barbarous people indeed, but in this worthy our imitation; and the work to handfomly and particularly defcrib'd that I shall not grieve to recite it. Arbores densa sunt de industria consita, quarum teneros adhuc ramos manu flectunt, quos intortos rursus inserunt terræ: Inde velut ex alia radice lætiores virent trunci : hos, qua naturafert, adolescere non sinunt : quippe alium alii, quasi nexu conserunt : qui nbi multa fronde vestiti sunt, operiunt terram. Itaque occulti ramorum velut laquei perpetuâ sepe iter claudunt, &c. The Trees (faith he) were planted to neer and thick together of purpofe, that when the boughs were yet young and flexible, bent and wreath'd within one another, their tops were bowed into the earth (as we submerge our Layers) whence taking fresh roots, they shot up new stems, which not being permitted to grow as of themselves they would have done, they fo knit and perplex'd one within another, that when they were clad with leaves, they even cover'd the ground, and enclosed the whole Country with a kind of living net, and impenetrable hedge, as the Historian continues the defcription. fuch works as thefe would become a Cato, or Varro indeed, one that were Pater Patria, non sibi foli natus born for Po-Iterity; but we are commonly of another mould,

#### --- & fruges consumere nati.

10. A fair advance for fpeedy growth, and noble *Trees* (efpecially for Walks and Avenues) may be affuredly expected from the *Graffing* of young *Oaks*, and *Elms* with the belt of their kinds; and where the goodlieft of these *last* are growing, the ground would be *plom'd*, and finely *raked* in the feason when the *Scales* R fall; fall; that the flowers and dews faftning the Seed where the wind drives it, it may take root, and haften (as it will) to a fudden Tree; efpecially, if feafonable *floreading* be appli'd, which has fometimes made them arrive to the height of twelve foot by the first three years, after which they grow a main. And if fuch were planted as neer to one another as in the *Examples* we have alledg'd, it is almost incredible what a *paling* they would be to our most expos'd *Plantations* mounting up their wooden *malls* to the clouds: And indeed the flelving and natural declivity of the *Ground* more or lefs to our unkind *Afpets*, and bleak *Winds* does best direct to the thickming of these protections; and the benefit of *that* foon appear, and recompence our industry in the fmoothnefs and integrity of the *Plantations* fo defended.

11. That great care be had of the *seeds* which we intend to fow has been already advifed; for it has been feen that *Woods* of the fame age, planted in the fame *foil* difcover a vifible difference in the *Timber* and growth; and where this variety fhould happen if not from the *feed* will be hard to interpret; therefore let the *place*, *foil* and growth of fuch *Trees* from whence you have your *feeds* be diligently examin'd; and why not this, as well as in our care of *Animals* for our breed and ftore?

12. As to the Form, obey the natural fite, and fubmit to the feveral guizes; but ever declining to enclose High-ways and Common-roads as much as possible. For the reft, be pleased to reflect on what we have already faid to encourage the planting of the large foreading Oak above all that species; the amplitude of the distance which they require refigned to the care of the Verderer for grazing Cattle, Deer, Oc. and for the great, and masculine beauty which a wild Quincunx, as it were, of fuch Trees would present to your eye.

13. But to advance his Majesties Forests to this height of perfection, I should again urge the removal of fome of our most mifchievous plac'd Iron-mills ; if that at least be true which fome have affirm'd, that we had better Iron, and cheaper from Foreigners when those Works were strangers amongst us. I am inform'd that the New-English ( who are now become very numerous, and hindred in their advance and prospect of the Continent by their furfeit of the Woods which we want) did about twelve years fince begin to clear their High-ways by two Iron-mills : I am fure their zeal has sufficiently wasted our stately Woods, and Steel in the bowels of their Mother old England; and 'twere now but expedient their Brethren should hasten thither to supply us with Iron for the peace of our days; whilft His Majefty becomes the great sovereign of the Ocean, free Commerce, Nemorum Vindex & Instaurator magnus. This were the only way to render both our Countries habit able indeed, and the fittest facrifice for the Royal-Oaks, and their Hamadryad's to whom they ow more then a flight fubmiffion.

14. Another thing to be recommended (and which would prove no lefs then thirty years, in fome places forty, and generally twenty years advance) were a good, (if well executed A&) to

fave '

fave our Standards and borduring Trees from the Axe of the Neighbourhood: And who would not preferve Timber when within fo few years the price is almost quadrupl'd? I affure you standards of 20, 30, or 40 years growth are of a long day for the concernments of a Nation.

15. And though we have in our general *Chapter* of *Copfes* declar'd what by our *Laws*, and common ufage is expected at every *Fell* (and which is indeed most requisite till our store be otherwise fuppli'd) yet might much even of that rigor be abated by no unfrugal permissions to take down more of the *Standards* for the benefit of the *Under-woods* (especially where by over-dropping, and shade they interrupt the kindly dews, rains and influences which nouriss them) provided that there were a proportionable number of *Timber-trees* duly, and throughly planted, and preferved in the *Hedge-rows* and *Bordures* of our grounds: in which cafe even the total clearing of some *Copfes* would be to their great advance, as by fad experience has been taught some good *Hufbands*, whose necessities sometimes forced them to violate their *Standards*, and more grown Trees during the late *Tyranny*.

16: Nor will it be here unfeasonable to advife, that where Trees are manifestly perceiv'd to decay, they be marked out for the Axe that so the younger may coine on for a supply; especially, where they are chiefly Elms; because their fuccessors hasten to their height and perfection in a competent time; but beginning once to grow sick of age, or other infirmity, suddenly impair, and lose much of their value yearly: besides that the increase of this, and other speedy Timber would spare the more Oak for Navigation and the sturdier uses.

How goodly a fight were it if most of the Demession of our Country Gentlemen were crown'd and incircl'd with fuch stately rows of Limes, Firs, Elms and other ample, shady and venerable Trees as adorn New-Hall in Essex, the Seat of that Suffolk Knight neer Tarmouth, and our neighbouring Pastures at Barnes? Yet were these Plantations but of late years in comparison: It were a noble and immortal providence to imitate these good Husbands in larger and more august Plantations of such useful Trees for Timber and Fuel, as well as for shade and ornament to our dwellings.

17. But these incomparable undertakings will beft of all become the Infpection and care of the Honorable Lieutenants, and Rangers, when they delight themselves as much in the goodliness of their Trees, as other men generally do in their Dogs, and Horses, for Races and Hunting; neither of which Recreations is comparable to that of Planting, either for virtue or pleasure, were things justly consider'd according to their true estimation: Not yet that I am of so morese an humour, that I reprove any of those noble, and manly Diversions scalonably us'd; but because I would court the Industry of great, and opulent persons to prostable and permanent delights: For suppose that Ambition were chang'd into a laudable emulation who should best, and with most artifice, raise a Plantation of Trees that should have all the proper orna-R 2 ments, and perfections their nature is susceptible of by their direction and encouragement; such as *Ælian* sums up lib. 25. c. 14. doyersis oi unddow, winkoun monni, &c. kind and gentle Limbs, plenty of large leaves, an ample and fair body, profound or spreading roots, strong against impetuous winds (for so I affect to read it) extensive, and venerable shade, and the like: Methinks there were as much a subject of glory as could be phancied of the kind; and comparable, I duss pronounce, preferable, to any of their Recreations; and how goodly an Ornament to their Demessions and Dwellings, let their own eyes be the judges. But I now proceed to more general Concerns, in order to the Queries, and first to the proportion.

18. It were but just, and infinitely befitting the miferable needs of the whole Nation, that every twenty Acres of Pasture made an allowance for half an Acre of Timber, to be planted in a clump, well preferv'd, and fenc'd for 14; or 15 years : And where the young Trees fland too thick, there to draw, and transplant them in the Hedge-rows, which would also prove excellent shelter for the Cattle : This Husbandry would more especially become Northamptonshire, Lincolnshire, Cornwall, and fuch other of our Countries as are the most naked of Timber, Fuel, &c. and unprovided of covert : For it is rightly observ'd, that the most fruitful places least abound in wood, and do most fland in need of it.

19. Such as are ready to tell ye their Lands are fo met that their Woods do not thrive in them, let them be converted to Pafure; or beftow the fame industry on them which good husbands do in Meadows by draining: It is a floathfulness unpardonable; as if the pains would not be as fully recompene'd in the growth of their Timber, as in that of their graß: Where poor hungry Woods grow, rich Corn, and good Cattle would be more plentifully bred; and it were beneficial to convert fome Wood-land (where the proper vertue is exhausted) to Pasture and Tillage; provided that fresh land were improved also to mood in recompence, and to balance the other.

20. Where we find *uliginous* and ftarv'd places (which fometimes obey no Art or Industry to *drain*, and of which our pale and fading *Corn* is a fure indication) we are as it were courted to obey *Nature*; and improve them for the propagation of *Sallyes*, *Willows*, *Alders*, *Scycamore*, *Afpine*, *Birch*, and the like hafty and profitable grawers, by ranging them, casting of *Ditches*, *Trenches*, *Gc*. as before has been taught.

21. In the mean while 'tis a thing to be deplor'd, that fome perfons beftow more in grubbing, and dreffing a few Acres which has been excellent mood, to convert it into wretched pafture, not worth a quarter of what the Trees would have yielded, well order'd, and left ftanding; fince it is certain, that barren land planted with mood will trebble the expence in a flort time : This I am able to confirm by inftancing a noble perfon, who (a little before our unhappy Wars) having fown three or four Acres with Acorns, the fourth year transplanted them which grew too thick all about his Lordship

116

Lord/hip: These Trees are now of that ftature, and so likely to prove excellent Timber, that they are already judg'd to be almost as much worth as the whole Demess; and yet they take off nothing from other profits, having been discreetly dispos'd of at the first designment. The Prince Elector Fredric IV, in the year 1606. fow'd a part of that most barren Heath of Lambertheim with Acorns after plowing, as I have been inform'd; it is now likely to prove a most goodly Forest, though all this while miserably neglected by reason of the Wars.

The Right Honorable my Lord Viscount Mountague has planted many thousands of Oaks, which I am told he draws out of Copfes, big enough to defend themfelves; and that with fuch fuccefs as has exceedingly improv'd his poffeffions ; and it is a worthy example. To conclude, I can fhew an Avenue planted to a house standing in a barren Park, the foil a cold Clay; it confifts totally of Oaks, one hundred in number : The perfon who first fet them (dying very lately) lived to see them spread their branches 123 foot in compals, which at distance of 24 foot mingling their shady treffes for above 1000 in length, form themselves into one of the most venerable and stately Arbour-Walks that in my life I ever beheld : This is at Baynards in Surrey, and belonging to my most honour'd Brother (because a most industrious Planter of wood) Richard Evelyn Esq. The Walk is broad 56 foot, and one Tree with another containing by estimation three quarters of a load of Timber in each Tree, and in their lops three Cord of fire-wood : Their bodies are not of the talleft, having been topped when they were young to reduce them to an uniform height; yet is the Timber most excellent for its fcantling, and for their heads few in England excelling them : where fome of their contemporaries were planted fingle in the Park without cumber; they fpread above four fcore foot in arms.

22. I have produced these *Examples* because they are conficuous, full of encouragement, worthy our imitation; and that from these, and fundry others which I might enumerate, we have made this observation, that almost any *foil* is proper for some profitable *Timber-trees* or other which is good for very little else.

23. The bottoms of Downs and like places well plow'd, and fown will bear lufty Timber, being broken up, and let lye till Midfummer, and then ftirr'd again before fowing about November: fo likewife in most craggy, uneven, cold and exposed places, not fit for Arable, as in Bifcay, &c. And it is truly from these Indications, more then from any other whatfoever, that a broken, and decaying Farmer is to be distinguish'd from a substantial Freebolder, the very Trees speaking the conditions of the Masser: let not then the Royal Patrimony bear a Bankrupts reproach: But to descend yet lower;

24. Had every Acre but three, or four Trees, and as many of Fruit in it as would a little adorn the Hedge-rows, the Improvement would be of fair advantage in a few years; for it is a fhame that Turnep-planters fhould demolifh and undo hedge-rows neer London, London, where the Mounds and Fences are ftripp'd naked to give Sun to a few milerable Roots, which would thrive altogether as well under them being skilfully prun'd and lopp'd: Our Gard'ners will not believe me, but I know it to be true, though Pliny had not affirm'd it: As for Elms (faith hc) their *fhade* is fo gentle and benigne, that it nourifbes whatfoever grows under it: and (lib. 17. c. 22.) it is his opinion of all other Trees (very few excepted) provided their branches be par'd away, which being difcreetly done, improves the Timber as we have already fhew'd.

25. Now let us calculate a little at adventure, and much within what is both failible, and very possible; and we shall find, that four Fruit-trees in each Acre throughout England, the product fold but at fix pence the Bushel, will be worth above a Million yearly: What then may we reasonably judge of Timber, admit but at the growth of four pence per Acre yearly, (which is the lowess that can be estimated) it amounting to neer two Millions? if (as'tis suppos'd) there may be five or fix and twenty Millions of fquare Acres in the Kingdom (besides Fens, High-ways, Rivers, &.c. not counted) and without reckoning in the Mast, or loppings, which whofoever shall calculate from the annual Revenue the Mast only of Westphalia, a small and wretched Country in Germany does yield to that Prince, will conclude to be no despicable Improvement.

26. In this poor Territory, every Farmer does by ancient cuftom plant to many Oaks about his Farme as may fuffice to feed his swine : To effect this, they have been to careful, that when of late years the Armies infested the poor Country, both Imperialist, and Protestants, the only Bishoprick of Munster was able to pay eight hundred thousand Crowns per mensem (which amounts of our money to 25000 li. Starling) befides the ordinary entertainment of their own Prince and private Families. This being incredible to be practis'd in fo extream barren a Country I thought fit to mention either to encourage, or reproach us : General Melander was wont to fay, The good Husbandry of their Ancestors had left them this stock pro facea Anchora'; confidering how the People were afterward reduc'd to live even on their Trees when the Souldiers had devour'd their Hogs; redeeming themselves from great extremities by the Timber which they were at last . compell'd to cut down, and which, had it continu'd, would have proved the utter defolation of that whole Countrey. I have this Instance from my most worthy and honourable Friend Sir William Cursius (His Majesties Resident in Germany, ). who receiv'd this particular from the mouth of Melander himself : In like manner the Princes', and Freedoms of Hesse, Saxony, Thuringia, and diversother places there, make vast incomes of their Forest-fruit (besides the Timber) for Swine only. I fay then, whofoever shall duly confider this will finde planting of Wood to be no contemptible Addition; befides the Pasture much improv'd, the cooling of fat, and heavy Cattle, keeping them from injurious motions, disturbance and running as they do

223.

wre.

do in *summer* to finde *fbelter* from the *beat*, and vexation of *Flyes*. 27. But I have done, and it is now time for us to get out

of the Wood, and to recommend this, and all that we have propos'd to His most Sacred Majesty, the Honourable Parliament, and to the Principal Officers, and Commissioners of the Royal Navy; that where such Improvements may be made, it be speedily, and vigorously profecuted; and where any defects appear, they may be duly reformed.

28. And what if for this purpose there were yet some additional Office constituted, which should have a more universal Inspection, and the charge of all the Woods and Forests in His Majesties Dominions ? This might eafily be perform'd by Deputies in every County, Perfons judicious, and skilful in Hufbandry; and who might be repair'd to for advice and direction: And if such there are at present (as indeed our Laws seem to provide ) that their Power be sufficiently amplified where any thing appears deficient; and as their zeal excited by worthy encouragements; fo might neglects be encounter'd by a vigilant and industrious Checque. It should belong to their Province to fee that fuch proportions of Timber, O.c. were planted, and fet out upon every hundred, or more of Acres, as the Honorable Commissioners have suggest'd ; or, as might be thought convenient, the quality, and nature of the places prudently confider'd : It should be their Office also to take notice of the growth, and decay of Woods, and of their fitness for publick uses and fale, and of all these to give Advertisements, that all defects in their ill governing may be speedily remedied; and the Superiour Officer, or Surveyor should be accomptable to the Lord Treasurer, and to the principal Officers of His Majesties Navy for the time being: And why might not fuch a Regulation be worthy the establishing by some solemn, and publick Act of state becoming our glorious Prince SOVEREIGN OF THE SEAS, and his prudent Senate this present Parliament?

29. We find in Aristotles Politics the Constitution of Extraurban Magistrates to be Sylvarum Custodes, and such were the Confulares sylva which the great Cafar himself (even in a time when Italy did abound in Timber ) instituted ; and was one of the very first things which he did at the setling of that vast Empire after the Civil Wars had exceedingly wasted the Country : Suetonius relates it in the life of Julius; and Peter Crinitus in his fifth Book De honesta disciplina, c. 3. gives this reason for it, Ut materies (faith he) non deesset, qua videlicet Navigia publica possent à præfecturis Fabrum confici : True it is, that this Office was sometimes call'd Provincia minor; but for the most part annex'd and joyn'd to fome of the greatest Confuls themselves; that facetious farcasme of the Comædian (where Plantus names it Provincia caudicaria) referring onely to fome under-Officer fubfervient to the other : And fuch a charge is at this day extant amongst the noble Venetians, and other prudent States ; not to importune you with the express Laws which Ancus Martius the Nephew of Numa, and

and other Princes long before Cæfar did ordain for this very purpofe; fince indeed the care of fo publick and honourable an Enterprize as is this of Planting, and Impreving of Woods, is a right noble and royal undertaking; as that of the Foreft of Dean, &c. in particular (were it bravely manag'd) an Imperial defign; and I do pronounce it more worthy of a Prince who truly confults his glory in the higheft Intereft of his Subjects, then that of gaining Battels, or fubduing a Province : And if in faying fo, or any thing elfe in this ruftic Difcourfe, I have us'd the freedom of a plain Forefter; it is the perfon you command me to put on, and my plea is ready,

Theocrisi Sco.vide Adaginm.

#### Δευός παιέσης πας ανής ξυλεύείαι.

#### Præsente Quercu ligna quivis colligif.

for who could have spoken less upon so ample a subject? and therefore I hope my zeal for it in these Papers, will (besides your Injunctions) excuse the prolixity of this Digression, and all other the Impersections of my Services.

Si canimus Sylvas, Sylvæ sunt Confule dignæ.

FINIS.

could get a literation of the




## OR AN APPENDIX

## CONCERNING

# FRUIT-TREES,

In relation to


CIDER.





LONDON,

Printed by John Martyn and James Allestry, Printers to the Royal Society, and are to be fold at their Shop at the Bell in St Paul's Church-yard. MDCLXIV.



To the Right Honorable

# THOMAS

Earl of SOUTHAMPTON,

Lord HIGH TREASURER

OF

# ENGLAND, &c.

My Lord,



F great Examples did not fupport it, the dignity and greatnefs of your Perfon would foon have given cheque to this prefumption: But fince Emperours and Kings have not only gratefully accepted Works of this nature, but honor'd them likewife with their own facred hands, that Name of

yours (which ought indeed never to appear but in Instruments of State and fronts of Marble, confecrating your Wisdom and Vertues to Eternity) will be no way leffen'd by giving Patronage to these appendant Rusticities. It is from the Protection and Cherishment of fuch as your Lordship is, that these Endeavours of ours may hope one day to fucceed and be prosperous. The nobleft and most useful Structures have laid their-Foundations in the Earth : 'if that prove firme here (and firme I pronounce it to be, if your Lordship favour it) We shall go on and flourish. I speak now in relation to the Royal Society, not my felf, who am but a Servant of it only, and a Pioner in the Works. But be its fate what it will, Your Lordship, who is a Builder, and a lover of all Magnificences, cannot be displeas'd at these agreeable Accellories

## The Epistle Dedicatory.

forles of Planting, and of Gard'ning. But, my Lord, I pretend by it yet some farther service to the State then that of meerly profit, if in contributing to your divertifement I provide for the Publick health, which is fo precious and neceffary to it in your excellent Perfon. Vouchfafe POMONA your Lordships hand to kifs, and the humble Presenter of these Papers the honor of being efteem'd;

entral more tree to Galler and Mail of Mines of Mine and an a short with a transformer with a second where a set har a set to some I be a where and and the state of the second second

to a - 1 when the state of the state of the 1 - and and are also the source of a group of the ----beaution in a lot family it with go every only the second (a) where the second se the state of the second st 11 CONTRACTOR AND AND AND AND AND AND A THINK AND A TH

the base - manager in the second

to the first business of all of the little

anna in

HOMPLA JE

I THE I HAVE A MENT

even sport on public state on pala a sou 2 - CO, Lall Danne, and A. Hard and the the state of the second

- n Information of such as a Sale of the second second or the second state of the second

71,73.

## My Lord,

Your most humble, and most To reach that the second of obedient Servant

7. EVELTN.

Among a provide the state of the state POMONA

Or An APPENDIX Concerning

## RUIT-TREES.

In relation to

## The Making, and feveral ways of Ordering it.

## THE PREFACE:



At Quercus was the Proverb; and it is now time to walk "Anis Spice: out of the Woods into the Fields a little, and to confi- in eos, qui reder what Advancement may be there likewife made by litto vittu forthe planting of FRUIT-TREES. For after the dido, ad elethe planting of FRUIT-IREES. For after the gamiorem Earth is duly cultivated, and pregnant with a Crop of gamiorem lautiorémage Grain; it is onely by the Furniture of fuch Trees as digrediumbear Fruit, that it becomes capable of any farther Im-

provement. If then by discovering how this may best be effected I can but raife a worthy emulation in our Countrey-men; this addition of noble Ornament, as well as of Wealth and Pleasure, Food and Wine, may (I presume ) obtain some grateful admittance amongst all promoters of Industry.

But before I proceed, I must, and do ingenuously acknowledge, that I present my Reader here with very little of my own, save the pains of collecting and digesting a few differs'd Notes (but fuch as are to me exceedingly precious) which I have received; fome, from worthy, and most experienc'd \* Friends of mine; and others, from the well-fur- \* Especially; nish'd Registers, and Cimelia of the ROYAL SOCIETY. from the Effecially, those Aphorisms, and Treatises relating to the History of most excel-Cider, which by express commands they have been pleased to injour I lently learn-Cider, which by express commands they have been pleas'd to injoyn I ed Mr. Beale, should publish with my Sylva.

It is little more than an Age, since Hopps (rather a Medical, than Somerfet-Alimental Vegetable) transmuted our wholesome Ale into Beer; which shire, a Mem-. doubtless much alter'd our Constitutions : That one Ingredient ( by ber of the Some not unworthily suffected) preferving Drink indeed, and so by custom Royal Socia ety. made agreeable; yet repaying the pleasure with tormenting Diseases, and a shorter life, may deservedly abate our fondness to it; especially, if with this be confider'd likewife, the cafualties in planting it, as feldom succeeding more than once in three years; yet requiring constant charge and culture; Besides that it is none of the least devourers of Joung Timber.

And what if a like care, or indeed one quarter of it, were (for the future) converted to the propagation of Fruit-trees, in all parts of this Nation, as it is already in some, for the benefit of Cider? (one Shire alone

of Teavill in

CX

alone within twenty miles compass, making no less, yearly, than Fifty thousand Hogsheads) the commutation would (I personade my self) rob us of no great Advantage; but present us with one of the most delicious and wholesome Beverages in the World.

It was by the plain Industry of one Harris (a Fruiterer to King Henry the Eighth) that the Fields, and Environs of about thirty Towns, in Kent onely, were planted with Fruit, to the universal benefit, and general Improvement of that County to this day; as by the noble example of my Lord Scudamor, and of some other publick spirited Gentlemen in those parts, all Hereford-shire is become, in a manner, but one intire Orchard: And when his Majesty shall once be pleas'd, to command the Planting but of some Acres, for the best Cider-fruit, at every of his Royal Mansions, amongst other of his most laudable Magnificences; Noblemen, wealthy Purchasers, and Citizens will (doubtles) follow the Example, till the preference of Cider, wholesome, and more natural Drinks, do quite vanquis Hopps, and banish all other Drogues of that nature.

But this Improvement (fay fome) would be generally obstructed by the Tenant and High-fhoon-men, who are all for the prefent profit; their expectations feldome holding out above a year or two at most.

To this 'tis answer'd; That therefore should the Lord of the Mannour not onely encourage the Work by his own Example, and by the Applause of fuch Tenants as can be courted to delight in these kindes of Improvements; but should also oblige them by Covenants to, plant certain Proportions of them, and to preferve them being planted.

To fortifie this profitable Defign, It were farther to be defir'd, that an Act of Parliament might be procur'd for the Setting but of two or three Trees in every Acre of inclos'd Land, under the Forfeiture of Six-pence per Tree, for some publick and charitable Work, to be levy'd on the Defaulters. To what an innumerable multitude would this, in few years, infenfibly mount; affording infinite proportions, and variety of Fruit throughout the Nation, which now takes a Potion for a refreshment, and drinks its very Bread-corn !

I have seen a Calculation of twenty Fruit-trees to every Five-pounds of yearly Rent; fourty to Ten; fixty to Fifteen; eighty to Twenty; and fo according to the proportion. Had all our Commons, and Waste-lands, one Fruit-tree but at every hundred foot distance, planted, and fenc'd at the publick charge, for the benefit of the Poor, (whatever might dy and miscarry) enough would escape able to maintain a Stock, which would afford them a most incredible relief. And the Hedg-rows, and the Champion-grounds, Land-divisions, Mounds, and Head-lands (where the Plough not coming, 'tis ever abandon'd to Weeds and Briars) would add yet confiderably to these Advantages, without detriment to any man. As touching the Species, if much have been faid to the preference of the Red-strake before other Cider-Apples, this is to be added; That as the best Vines, of richest liquor, and greatest burden, do not spend much in wood and unprofitable branches; fo nor does this Tree: For though other Cider may seem more pleasant (since we decline to give Judgment of what is unknown to us) we yet attain our purpose, if This shall appear best to reward the Planter, of any in present practise; especially, for the generality; because it will fit the most parts which are addicted to these Liquors, but mils of the right kinds, and prove the most secure from external injuries and Invaders.

and the second

Not

#### The PREFACE.

- Not to refine upon the rare effects of Cider, which is above all the most eminent, foberly to exhilerate the Spirits of us Hypochondriacal Illanders, and by a fpecific quality to chafe away that unfociable Spleen, without excess; the very Bloffome of the Fruit perfumes, and purifies the Ambient Air, which (as M. Beale well observes in his Hereford-fhire. Orchards) is conceiv'd conduces fo much to the constant Health and Longævity, for which that Country has been always celebrated, fencing their Habitations and fweet Receffes from Winds, and Winter-invalions, the heat of the Sun, and his unsufferable darts : And if ( faith he ) Hereford fh. we may acknowledge grateful trifler, for that they harbour a conftant Orch. p. 8. Aviary of fweet Singers, which are here retain'd without the charge of Italian wires : To which I cannot but add his following option, That if at any time we are in danger of being hindred from Trade in Forreign Countries, our English Indignation may scorn to feed at their Tables, to drink of their Liquors, or otherwife to borrow or buy of Them, or of any their Confederates, fo long as our Native foyle does fupply us with fuch excellent Necellaries.

Nor is all this produc'd to redeem the Liquor from the superstition, prejudice, and opinions of those Men who do so much magnifie the juice of the Grape above it : If Experiments from undenyable success (in spite of Vintners, and Bauds to mens Palats) were sufficient to convince us; and reclaim the vitiated; or that it were pollible to diffute of the pleafantnefs, riches, and præcedency of Drinks and Diets, and fo to provide for fit, competent, and impartial Judges; when by Nature, Nation, or Climate (as well as by Custom and Education) we differ in those Extreams.

Most parts of Africa, and Asia prefer Coffee before our Noblest Liquors; India, the Roots and Plants before our best Cook'd Venison; Almost all the World crude water, before our Country Ale and Beer; and we English being generally more for insipid, luscious, and gross Diet, then for the fpicy, poignant, oylie, and highly relish'd, (witness our universal batred of Oyls, French-wine, or Rhenish without Sugar; our doating on Currans, Figgs, Plum-pottage, Pies, Pudding, and Cake) render yet the difficulty more arduous. But to make good the Experiment.

About thirty years since one M Taylor ( a person well known in Hereford-fhire ) challeng'd a London-Vintner (finding him in the Country) That he would produce a Cider which should excel his best Spanish or French-wine : The Wager being deposited, He brings in a good Redstrake to a private House : On that Scene, all the Vintner could call to be Judges pronounce against his Wine; Nor would any man there drink French-wine (without the help of Sugar) nor endure Sack for a full draught; and to Those who were not accustomed to either, the more racy Canaries were no more agreeable then Malaga, too luscious for the repetition.But this Wager being loft our Vintner renews his Chartel upon thefe express terms, of Competent and Indifferent Arbitrators: The Gentleman agrees to the Articles; and thus again after mutual engagements it must be debated who were Competent Judges, and absolutely Indifferent. M Taylor proposes Three, whereof the odd Number should by Vöte determine : They must be of the fittest Ages too, or rather the fittest of all Ages, and fuch as were inur'd neither to Cider nor any Wine; and so it was agreed. The Judges convene; viz. A Youth of ten years old, a Man of thirty, and a Third of fixty; and by All these also our Vintner loft

lost the Battel. But this is not enough ; 'Tis assay'd again by Nine Judges, the Ternary thrice over; and there 'tis lost alfo. And here I will conclude ; for I think never was fairer Duel; nor can more be reasonably pretended to vindicate this Blefling of God, and our Native Liquor from their contempt, and to engage our Propagators of it.

Tot veneficiis Plin.

the Adulterations of the Royal Society; and (with those other most Subjoyn'd) worthy to be publishcd.

To fum up all: If Health be more precious then Opinion,' I wish our placere cogi- Admirers of Wines, to the prejudice of Cider, beheld but the Cheat tur, & mira- themselves ; the Sophistications, Transformations, Transmutations, mur noxium Adulterations, Bastardizings, Brewings, Trickings, and Compassings of this sophisticated God they adore; and that they had as true an In-As 'tis most spection into those Arcana Lucifera, which the Priests of his Temples ingeniously (our Vintners in their Taverns) do practife; and then let them drink, cited by D' freely that will; 'Agusdy Wi 200p; - Give me good Cider.

It is noted in our Aphorisms how much this Beverage was esteemed by his excellent His late Majesty, and Court, and there referr'd to all the Gentry of the Discourse of invironing Country, (no strangers to the best Wines) when for several Summers in the City of Hereford (fo encompaß'd with store of it, and Wine, enter- brought thither without charge, or extraordinary fubductions ) it was ed into the fold for fixpence the Wine-quart, not for the fearcity, but the excellen-Register of cy of it : And for the Red-strake, that it has been feen there hundreds of times (with vehement and engaged competition) compar'd with the Cider of other the most celebrated Fruit, when after a while of vapour, no Man Stood for any other Liquor in comparison.

useful Pieces . But it is from these Instances (may some say) when the World shall have multiplied Cider-Trees, that it will be time enough to give Instru-Ctions for the right Preffing, and Preferving of the Liquor. The Objection is fair : But there are already more Persons better furnish'd with Fruit, then with Directions how to use it as they should; when in plentiful years fo much Cider is impair'd by the ignorant handling, and becomes dead and fowr; that many even surfeit with the Bleffing; it being rarely feen in most Countries, that any remains good, to supply the defects of another year; and the Royal Society would prevent all this hazard by this free Anticipation.

It now remains, that I should make some Apology for my felf, to extenuate the tumultuary Method of the ensuing Periods. Indeed it was not intended for a queint or elaborate piece of Art; nor is it the design of the Royal Society to accumulate Repetitions when as they can be avoyded; and therefore in an Argument fo much beaten as is that of dressing the Seminary, Planting, and modes of Graffing, it has been with Industry avoided ; such rude, and imperfect draughts being far better in their esteem (and according to my Lord Bacon's) then such as are adorn'd with more pomp, and oftentous circumstances, for a pretence to Perfection. The Time may come when the richness, and fullness of their Collections may worthily invite fome more Industrious Perfon to accomplish that History of Agriculture, of which these Pieces (like the limbs of Hippolytus) are but scattered parts : And it is their greatest ambition for the Publique Good, to provide such Materials, as may ferve to Raife, and Beautifie that most desirable Structure.

The second second second second

A REAL PLAN IN A REAL PLAN

11

EVELYN.

# POMONA

## CHAP. I.

## Of the Seminary.



C 10 (12)

E had not the least intention to enlarge upon this Title, after we had well reflected on the many and accurate Directions which are already published, as well in our French-Gardiner, as in fundry other Treatifes of that nature, had not a most worthy Member of the Royal Society Mr. Beale of (to whom we have infinite Obligations) fur-Yeavil in nish'd us with some things very particular and Somerset-

I an sat

in the states

remarkable, in order to the improvement of our seminaries, shire. stocks, &c. which are indeed the very Basis and Foundation of Cider-Orchards. It is from those precious papers of his, and of fome others (whofe Observations also have richly contributed to Mr. Buckthis Enterprize ) that we shall chiefly entertain our Planter in most land. of the following Periods.

Whofoever expects from the kernel of a rich or peculiar Apple or Pear to raile Fruit of the same kind, is likely to find many obstructions and difappointments : For the Wilding, (Crab or Pear) Pomus Sylvestris, being at the best the natural product of the foundest kernel in the firmest land, and therefore the gust of the Fruit more ftrongly auftere, fierce, and fharp, and alfo the Fruit lefs and more woody; and the pleafanter or plumper and larger Apple being the effect of some inteneration, which inclines to a kind of rebatement of the natural strength of the Tree; the best choice of kernels for stocks indefinitely, (and on which we may graff what we pleafe) should be from the soundest Wilding. For,

A kernel taken from any graffed-Apple, as Pepin, Pear-main, &c. does most naturally propend to the wildness of the stock on which 'twas inferted, as being the natural mother of the kernel, which is the very heart of the Apple; and also from a more deep and secret Reason, to be hereaster unfolded.

Apples and Pears requiring rather a vulgar and ordinary Field-, land, then a rich Garden-mould, (as has been often extracted by frequent Observations) it has been found that kernels fowed in a very high compost, and rank earth, have produced (large indeed) but insipid Fruit, hastily rotting on the Trees, before all the parts of it were mature. Vid. Aphor. 33.

And fometimes when they feemed in outward figure to bear the shape of graffed Apples, from whence the kernels came, yet the gust did utterly deceive, wanting that vivacity and pungent agreeablenefs. ·If

If the kernels of natural Apples (or of ungraffed Trees) fhould produce the fame, or fome other variety of Apples, (as fometimes it fucceeds) yet would this care be feldom opere pretium, and at beft but a work of Chance, the difappointment falling out fo often through the ficklenefs of the Soil: Or admit that the moft proper and conftant, yet would the very dews and rain, by various and mutable Seafons, and even by the Air it felf, (which operates beyond vulgar perception, in the very changes as well of the mould, as of the feeds and fruit) create almost infinite alterations: And the choice having been in all places (apparently for fome thonfands of years) by propagating the most delicate of Fruits by the Graffs, 'tis almost a desperate task to attempt the raising of the like, or better Fruit from the rudiments of the Kernel.

Yet fince our defign of relieving the want of Wine, by a Succedaneum of Cider; (as lately improv'd) is a kind of Modern Invention, We may encourage and commend their patience and diligence who endeavour to raife feveral kinds of Wildings for the tryal of that excellent Liquor; effectially fince by late experience we have found, that Wildings are the more proper Cider-Fruits; fome of them growing more speedily, bearing soner, more constantly, and in greater abundance in leaner Land, much fuller of *juice*, and that more masculine, and of a more Winy vigour.

Thus the famous Red-strake of Hereford-shire is a pure Wilding, and within the memory of some now living simamed the scudamores Crab, and then not much known save in the Neighbourhood, &c. Yet now it would be difficult to shew that Red-strake which grew from a kernel in that whole Trat, all being since become graffed Trees. Thus 'tis also believed, That the Blomsbery Crab (which carries the fame in some parts of Glocester-shire) and many of the White Musts, and Green Musts, are originally Savages; as now in Somersct-shire they have a generous Cider made of promiscuous kernels, or ungraffed Trees, which fills their confidence that no other Cider does exceed it; and 'tis indeed strong, and sufficiently heady.

Nor dare we positively deny, but that even the best of our Table-finit came also originally from the kernel: For though it be truly noted by my L. Bacon, That the Fruit does generally obey the Graff, and yields very little to the Stock; yet some little it does.

The famous Bezy de Hery, an excellent Musky Pear, was brought into the best Orchards of France from a Forest in Bretainy, where it grew wild, and was but of late taken notice of.

But now to the deep Reason we lately threatned: We have by an Experiment found some neer affinity between the Kernel of the Apple and the heart or interiour of the Stock: For I faw (fays M<sup>c</sup> Beale) an old rotten Kernel-Tree bearing a delicate Summer-fruit, yielding store of smooth Cider, ('tis call'd the French-Kernel-Tree, and is also a Dwarf, as is the Red-strake; ) and examining divers Kernels, many years successfuely, of that hollow and decayed Tree, I found them always very small of growth, and empty, meer skins of Kernels, not unlike to the emasculated Scrotum of an Eunuch; another

#### Or, An Appendix concer nimg Fruit-Trees, O.c.

ther younger Tree, issuing from the sounder part of a Root of the same old Tree, had full and entire Kernels.

And from fome fuch Observation might the production of Berberies, &c. without stones, be happily attempted; an Instrument fitted to take out the marrow or pith of the Branches, (as the fame Mr Beale perform'd them;) for from the numerical Bush of that Fruit he found fome Branches produce Berberies that had no stones, others which had; and in fearching for the cause of the effect, perceived, that the pith or heart was taken from the radicat, or main Branches, as the other was full of pith, and consequently the fruit in perfection; of all which (he writes me word) he made sevent. But he adds;

These many years (almost twenty) I have yearly tri'd Kernels in Bedds of clean Earth, Pots and Pans, and by the very leaves (as they appear'd in first springing for one moneth) I could discern how far my Eslays had civiliz'd 'em: The Wilder had shorter, stiffer, brown, or fox-colour'd leaves: The more ingenuous had more tender, more spreading leaves, and approaching the lighter verdure of the Berbery leaf when it first appears. He adds, Some Apples are call'd Rose-Apples, Rosemary-Apples, Gilly-

Some Apples are call'd Rofe-Apples, Rofemary-Apples, Gillyflower-Apples, Orange-Apples, with feveral other adjuncts, denominating them, from what Reafon I know not. But if we intended to try fuch infusions upon the Kernels (as fhould endeavour to alter their kinds) we fhould not approve of the bedabbling them with fuch infusions, (for over-moisture would rather enervate then ftrengthen them) but rather prepare the Earth the year before, with fuch infuccations, and then hinder it from producing any Weeds, till ready for the Kernels, and then in dewy times, and more frequently when our Climate were furcharg'd with rain, cover the Beds and Pots with the fmall leaves of Rosemary, Gillyslowers, or other oderiferous Blossomes, and repeat it often, to the end the dews may meteorize, and draw forth their finer Spirits,&c. And thus also we are in this Age of ours provided of more vigorous Ingredients for trials then were known to the Ancients. Finally,

From what has been deduc'd from the Wilding of feveral parts, it may manifeftly appear, how much more congeneal fome foil is then other, to yield the beft Cider-fruit from the Kernel; and the hazzle ground, or quicker mould, much better then the more obftinate clay or ranker earth.

#### CHAP. II.

## Of Stocks.

A PARTICIPAL DE LA PART

The former thus established, after all *humours* and *varieties* have been fufficiently wearied, we shall find the *Wilding* to be the hardiest and most proper *stock* for the most delicate *Fruit*: B 2 This

#### POMONA:

This confirm'd by Varro, lib. 1. cap. 40. In quamcunque arborem inferas, &c. and 'tis with reason : However they do in Herefordshire, both in practice, and opinion, limit this Rule; and to preferve the gust of any delicate Apple (as of the Pear-main, Quince-Apple, stockin, &c.) rather graff upon a Gennet Moyle or Cyder Stock, (as there call'd) then a Crab-flock; but then indeed they conclude the Tree lasts not fo long; and 'tis observ'd, That Apples are better tafted from a clean, light land, &c. then from ftiffer clay of the more pinguid and tuxurious foil.

Thus in like manner our Master Varro, loco citato concerning Pears; Siin Pyrum Sylvaticam, &c. The Wild-flock does enliven the dull and phlegmatic Apple, and the Stock of a Gennet-Moyle fweeten and improve the Pepin, &c. or may rather feem to abate at least some Apple over-tart and severe.

Your Crab-flock would be planted about October, at thirty two Foot distance, and not graffed till the third spring after, or at least, not before the second.

But if your defign be for Orchard only, and where they are to abide, an interval of fixteen Foot shall suffice, provided the ground be yearly turn'd up with the spade, and the distance quadrupled where the Plough has priviledge; this being the most expedite for such as have no Nursery ground.

Crab-flocks are better then Sets of Apple Kernels to graff on, because they impart a more juicy and tart relish, and so are to be preferred for most forts of Apples.

#### CHAP. III.

Conserves, was a conserve and a conserve a conserve of the serve

1 1 1

#### Of Graffs and Infitions.

Ake choice of your *Graffs* from a constant and well-bearing Branch.

And as the Stock hath a more verdant rind, and is capable to yield more plenty of *juice*, so let the Graff have more Eyes or Budds: Ordinarily three or four Eyes are sufficient to give issue to the Sap; but as well in Apples, and Pears, as in Vines, those Graffs or Cions are preferr'd in which the budds are not too far afunder, or distant from the foot thereof: And such a number of buds ufually determining the length of the Graff, there may divers Cions be made of one Branch, where you cannot procure plenty of them for feverals.

As to the fuccels of graffing, the main skill is, to joyn the inward part of the Cion to the Jappy part of the Stock, closely, but not too forceably; that being the best and most infallible way, by which most of the quick and juicy parts are mutually united, especially towards the bottome.

If the Stock be fobig as to endanger the pinching of your Graff, when

## Or, An Appendix concerning Fruit-Trees, &c.

0

when the wedge is drawn out of the *cleft*, let the inner fide of the *Graff*, which is within the wood of the *stock*, be left the thicker, that is the *woody* part of the *Cion* may bear the ftrefs, and the *fappy* part be preferved from bruifing.

Choofe the streightest and smoothest part of the stock for the place where you intend to graff: If the stock be all knotty (which some esteem no impediment) or crooked, rectifie it with the fittest posture of the Graff.

For a Graff covet not a Cions too flender; for the Sun and Wind will fooner enforce it to wither: Yet are we to diftinguifh, that for *Inoculation* we take the *Bud* from a fprig of the laft years fhoot; and most allow that the *Cions* fhould also have fome of the former with it, that it may be the ftronger to graff; and abide to be put close into the Stock, which is thought to advance it in bearing.

In Hereford-fhire they do frequently choofe a Graff of feveral years growth; and for the graffing of fuch large Stocks as are taken out of the Woods or Nurferies, and fitted into rows for Orchards; they choofe not the Graffs fo finall as in other Countries they require them; which has, it feems, occasion'd fome complaint from them that understand not the Reason of the first branch of this Note. Once for all, The stumpy Graff will be found much superiour to the flender one, and make a much nobler and larger Shoot. This upon experience.

Graff your *Cions* on that fide of the *Stock* where it may receive the leaft hurt from the *South-weft* Wind, it being the most common, and most violent that blows in *Summer*; fo as the *wind* may blow it to the *stock*, not from it: And when the *Zephyres* of the *Spring* are stirring, choose that *Season* before all others for this work.

Some there are who talk of removing the *stock* about *Christmas*, and then also *graff* it; which there be that glory they can succeffully do even by the fire fide, and so not be forc'd to expect a two or three years rooting of the *stock*; But in this *Adventure* 'tis adviseable to plunge the *Graff* three or four inches deep in the *stock*. Laftly,

Be careful that the *Rain* get not into the *clefts* of your young graffed *stocks*: Yet it has been noted, That many old Trees (quite decay'd with an inward hollownefs) have born as full burdens; and conftantly, as the very foundeft, and the Fruit found to be more delicate then ufually the fame kind from a perfect and more entire Stock.

Except fome former cafe requires it, leave not your Graffs above four, five, or (at most) fix inches of length above the stock; for by the length it draws more feebly, and is more exposed to the shocks of the Wind, or hurt by the Birds; and you shall frequently perceive the summities and tops of such young Graffs to be mortified and die.

Now for encouragment in transporting Graffs at great distance, we find that with little care (their tops uncut and unbruisd) they will

will hold good, and may support the transportation by Sea or Land from October or November to the very end of March : See Sir H. Plat's Offers, Paragr. 75. To which may be added, That if the Graff receives no hurt by lying in the Stock expos'd to all rain, dews, and feverities of Winter, frosts from December to spring, (as has been experimentally noted); then (by a ftronger prefumption) in oyled, or rather waxen Leather, it may undoubtedly escape. Some prescribe, That the ends shall be stuck in a Turnip : And many excellent Graffers (Gentlemen fome of very good credit) have assured us, That the Graffs which seemed withered, and fit to be caft away, have proved the beft when tri'd. Thus in honeft Barnaby Googes noble Heresbachius you will finde it commended to gather your Cions in the wane of the Moon, at least ten days before you graff them ; and Constantine gives this reason for it, That the Graff a little withered, and thirsty, may be the better received of the Stock: There are also other inducements for this practice, as Simon Harwood, pag. 4. has shew'd us; but none beyond our own experience, who have known Graffs gathered in December thrive and do perfectly well.

### CHAP. IV.

## Of Variety and Improvements.

F any man would have variety of unexpected and unknown Apples and Pears, for the improvement of Cider, or Palatefruit, there is more hope from Kernels rais'd in the Nurfery (as has already been directed) then from fuch tryals of graffings as we have yet feen in prefent use.

But if we would recover the patience, and the fedulity of the *Antient* (of which fome brief account will follow) or liften to fome unufual Propofals, then may we undertake for fome variety by *Infitions*.

To delude none with promifes, we do much rather recommend the diligence of inquiring from all *Countries* the best *Graffs* of fuch *Fruits* as are already found excellent for the purpose we defign: As from the *Turgovians* for that Pear of which Mr. *Pell* gives fo good and weighty informations.

But as fome forts are to be inquired after for the Palate and the Table, fo'tis now our main bufinels to fearch after fuch as are excellent for their Liquor, either as more pleafant, more winy, or more lafting; of which fort the Bosbury bare-land-Pear excels. The Red-ftrake, Bromebury-Crab, and that other much celebrated Wilding call'd the Oaken-pin, as the beft for Cider; though for fufficient reafons none of them comparable to the Red-ftrake.

But to pursue the diligence of the Antients, we direct the eye to a general expedient for all kinde of varieties imaginable, and which

#### Or, An Appendix concerning Fruit-Trees, &c.

which we hold far better then to prefent the World with a Lift of the particulars either known, or experimented: For who indeed but a Fool will dare to tell Wonders in this fevere Age, and upon an Argument which is fo environ'd with Imposture in most Writers, old or new ! Much less pretend to Experiments which may fail to fucceed by default of a happy Agent, when the conclusion must be, Penes Authorem sit fides !

And truly men receive no small discouragement from the ugly affronts of *Clowns*, and less cultivated perfons, who laugh and form at every thing which is above their understanding: For example; *I knew a man* (writes Mr. Beale to me) and he a most diligent Planter and Graffer, who for thirty or fourty years made innumerable Effays to produce fome change of an Apple by graffing: It feems he was ambitions to leave his Name on fuch a Fruit, if he could have obtain'd it; but always fail'd; for he perpetually made his Trials upon Crab-stocks, or such (at least) as did not greatly differ from the kind; and he ever found that the Graff would prædominate. And how infinitely fuch Men having lost their own aims, will despise better Advice, we leave to observation.

However, let us add, That where nothing is more facile then to raife new kinds of Apples (in infinitum) from Kernels: Yet in that Apple-Country (fo much addicted to Orchards) we could never encounter more then two or three perfons that did believe it : But in other places we meet with many that, on the other fide, repute Wildings, or (as they call them) Kernel-fruit, at all adventure, and without choice, to be the very beft of Cider-fruit, and to make the moft noble Liquor. So much does the common judgment differ in feveral Countries, though at no confiderable diftance, even in matters of vifible Fact, and epidemical experience.

It was our excellent Friend Mr. Buckland who fent us word of one in Somerfet-fhire, who by graffing any White Apple upon an Elm changes the Apple, and particularly to a red colour: He directs us where we may be eye-witneffes of the proof, and alfo to a Clergyman hard by, who loft his labour in the fame Attempt, by the perifhing of the Graffs; fo as by his Advice we are not over-haftily to erect Hercules's Pillars; and renders his Reafons, encouraging our Experiments.

To gratifie yet the Ingenious, instruct others, and emancipate us all from these bastinado-Clowns, we are furnish'd with many Arguments and proofs to assure a good success, at least for variety and change, if not for infinite choice: Two or three antient References being duly præmis'd; namely, First,

1. That 'tis in vain to expect change of Apples from graffing upon differing stocks of Crabs, or Apples.

2. In vain also are we to look for a kind Tree from a very much differing *stock*; as an altered *Pear* to grow kindly on a *Crab* or *Apple-ftock*, *O* contra. There go about indeed fome *jugglings*, but we difdain to name them.

It is one thing to finde the kindest stock for the Improvement of any Fruit; as the Crab-stock for the delicate Apple, the Wild or Black-

#### POMONA:

Black-Cherry-Stock, for the graffs of the faireft Cherries; the largeft Vine, (whole root makes beft fhift for relief) to accept the Graff of the more delicate Vine, &c. And another thing, it is to feek the Stock which begets the wonder, variety, and that fame transfendent and particular excellency we inquire after: For this must be at more remote distance; and we offer from the Ancients to flew, how it may be at any distance whatfoever: But this is falved by Sir H. Plat's expedient, Paragr. 72. viz. If two Trees grow together, that be apt to be graffed one into another, then let one branch into another, workmanly joyning Sap to Sap. This our Gardiners call Graffing by Approach.

But in this Rule he is too narrow for our purpose, and far short of old experience: As alfo in Parag. 62. where he affirms, We may not graff a contrary Fruit thereon. Against this we urge; That any contrary Fruit may be adventured, and any Fruit upon any fruitless stock growing neer in the fame Nurfery : If it be not only affirm'd, but ferioufly undertaken, and experimentally proved by the sober Columella, in several of his Treatises; Turn to the eleventh Chapter of his fifth Book, (stephens Edition :) sed cum Antiqui negaverint posse omne genus surculorum in omnem Arborem inseri, & illam quali finitionem, qua nos paulo ante uli sumus, veluti quandam legem sanxerint, eos tantúm surculos posse coalescere, qui sint cortice, ac libro, & fructu consimiles iis arboribus quibus inseruntur, existimavimus errorem hujus opinionis discutiendum, tradendàmque posteris rationem, qua possit omne genus surculi omni generi Arboris inferi. And the example follows in a Graff of an Olive into a Fig-flock by Approach (as we call it,) which he also repeates in the twenty feventh Chapter of his Book De Arboribus, without altering a fyllable. But poffibly in this check at the Ancient he might aim at old Varro, whom we finde threatning no lefs then Thunderbolts and Blasts to those who should attempt these strange Marriages, and did not fort the Graff with the Tree; confult lib. 1. cap. 40. Bu thus you fee this Art affum'd by Columella for his own invention (1500 years finde) to be no news to Varro 200 years older; where he goes on, Est altera species ex arbore in arborem inserendi nuper animadversa in arboribus propinquis, &c. Though here again we may question our Masters nuper animadversa too; fince before he was born Cato relates it as usual to Graff Vines in the manner by them prefcribed, cap. 41. Tertia infitio eft: Terebra vitem quam inferes,&c. Which makes us admire how the witty Walchins in his Discourse De vitibus fructuariis, pag. 265. could recount the graffing of Vines amongst the wonders of Modern Inventions.

But it feems Varro and his Contemporaries did extend the practice beyond Cato; and Columella proceeded further then Varro, even to all forts of Trees, however differing in nature, quality, barke, or feafon : And then Palladius affumes the refult, and gives us the particulars of the fuccels in his Poem, De Infitionibus. And to thefe four as in chief (no phantaftical or counterfeit perfons) we refer the Industrious.

But

#### Or, An Appendix concerning Fruit-Trees, O.c.

But be pleas'd to take this note also : As foon as your Graff hath prepar'd a fecond, or at fartheft a third years growth, take it off the stock, and then graff it upon a Stock of a more natural kind : For in our own Trials we have found a graff profper the fecond year exceeding well; yet the third the whole growth at once blafted quite to the very Stock, as if Varro's Augurs had faid the word.

To this add, the making use of such stocks as in this Experiment may contribute some special aid to several kinds of humane Infirmities: As suppose the Birch Tree for the Stone, the Elm for Fevers, &c.

Moreover, To graff rather the Wilding, or Crab, then the Pepin, because the Wilding is the more natural; and Nature does more delight in progress, then to be Retrograde and go backwards.

I should also expect far more advance from a more pungent sap, then from Inspid; as generally we see the best and vigorous juices to falute our Palats with a more agreeable piquancy and tartness; for so we find the rellish of the Stocking-Apple, Golden Pepin, Pearmain, Eliot, Harvy, and all (but Russerings and Greenings) to be more poignant then of others.

But we must note from Palladius, That the Ancients had the fuccels which we all, and particularly Sir H. Plat does fo frequently deny, as in the particular of graffing the Apple on the Pear, & contra. Let us hear him de Pomo.

> Infita proceris pergit concrefcere ramis, Et fociam mutat malus amica Pyrum: Séque feros fylvis hortatur linquere mores, Et partu gaudet nobiliore frui.

Pallad. de Infitionib. lib.14.

And this will fhew us, That Virgil, and Columella, in feveral of his wonderfull Relations of these kinds of mixture, (which but for the prolixity we might now recite) did not so far effect Wonders as to defert the truth.

You may also observe, That as well the French Gardiner, and our Modern Planters, have found more benefit from the stock of the Quince then old Palladius did, it seems, discern.

> Cum prastet cunctis se fulva cydonia pomis, Alterius nullo creditur hospitio. Roboris externi librum aspernata superbit, Scit tantum nullo crescere posse decus. Sed propriis pandens cognata cubilia ramis, Stat, contenta suum nobilitare bonum. Pallad. de Malo Cydonio.

Laftly, We did by unexpected chance find the facility of graffing the very youngeft stocks, even of one years growth, by the Root: At a fecond removal of the stocks (being then of two years C growth)

growth ) we observed some Roots so fast closed together into one. as not to be divorced : Hereupon we concluded, If cafualty, or negligence, chance of spade, or oppression of neighbourhood did this, by Art it might be done more effectually, and poffibly to fome defirable purpole; for that then the stock was more apt to receive a mastering Impression; and any Garden Plant whatfoever might by this process interchange and mingle their Roots.

And thus we have prefented our diligent Ciderift with what Obfervations and Arguments of Encouragement, grounded on frequent Experience, we have received from our most ingenious Correfondents, especially the Learned and truly Candid Mr Beale, in whofe Person we have so long entertain'd you : And to these we could add fundry others, were it not now time (whiles we discourse of politilities) to conclude with fomething certain, and to fpeak of what we have.

For the kinds then of Cider-Apples in being; Glocester-shire affects the Bromsbury Crab; It affords a fmart, winy Liquor, and is peculiarly hardy, but not fo proper for a cold and late-bearing Climate, it being not ripe in hot Land till the end of Autumn, nor fit to be ground for Cider till Christmas, lying to long in heaps and preparation.

It is in the fame shire that they likewife much efteem of the white and red Must-Apple, the fweetest as well as fowrest Pepin, and the Harvy-Apple, which (being boyl'd) fome prefer to the very beft of all Ciders.

But about London, and the more Southern Tracts, the Pepin, and especially the Golden, is esteemed for the making of the most delicious of that Liquor, most wholesom, and most restorative; and indeed it may (in my poor judgment) challenge those perfections with very good reafon.

By others the Pearmain alone is thought to come in competition with the best; but the Cider is for the most part found of the weakeft, unless encourag'd with some agreeable Pepin to inspirit it. Some commend the Fox-Whelp; and the Gennet-Moyle was once preferr'd to the very Red-strake, and before the Bromsbury-Crab; but upon more mature confideration, the very Criticks themfelves now Recant, as being too effeminate and foft for a judicious Palate.

The Redstrake then amongst these accurate Tasters hath obtained the absolute præeminence of all other Cider-fruit, especially in Hereford-fhire, as being the richeft and most vinous Liquor, and See Aph. 42. now with the more earnestness commended to our practice, for its celerity in becoming an Orchard, being ordinarily as full of Fruit at ten years growth as other Trees are at twenty; the Pepin or *Fearmain* at thirty: And lastly, from that no contemptible quality, That 'tis fo wicked a Fruit upon the Tree as needs no Priapus for protector, since (as beautiful as 'tis to the eye) it has so curfed a taste in the Month till it be converted into Cider.

> In lum, The Red-strake will at three years graffing give you'fair hopes, and last almost an hundred years: And the Gennet-Moyles haften

45.37.

### Or, An Appendix concerning Fruit-Trees, O.c.

haften to an Orchard for Cider without trouble of Art or Graffing: But note, That this Tree is very apt to contract a bur-knot neer See C. Tayits Trunk, where it begins to divide; and being cut off under lor's Dif-that half approach grown (if fo for) and becomes freedily course of Cithat boss, commonly grows (if so fet) and becomes speedily a der. Tree, except it encounter an extraordinary dry Summer the first year to give it check. And though the knack of graffing be fo obvious, yet this more appearing facility does fo pleafe the lazy Clowns, that in fome places they neither have nor defire any other Orchards ; and how this humour prevails you may perceive by the hasty progress of our Kentish Codlin in most parts of England.

But to advance again our Red-strake, even above the Pepin, and the reft (befides the celerity of the improvement and constant burthen) confider we the most incredible product, fince we may expect from each Apple more then double the quantity ; fo as in the fame Orchard, under the fame culture, thirty Red-strake Trees shall at ten years graffing yield more Cider then a hundred of those Pepins, and furmount them in proportion during their period at least fixty or feventy years: So that granting the Cider of the Golden-Pepin should excel, (which with some is precatious) yet 'tis in no wife proper for a Cider-Orchard, according to our general defign, not by half to foon bearing, nor to constantly, nor in that quantity, nor fulness or security.

Concerning Perry, the Horse-Pear and Bare-land-Pear are reputed of the best, as bearing almost their weight of spriteful and vinous Liquor. The Experienced prefer the tawny or ruddy fort, Aph. 43. as the colour of all other most proper for Perry : They will grow Aph. 34. in common-fields, gravelly, wild, and ftony ground, to that largenefs, as one only Tree has been ufually known to make three or four Hogsheads : That of Bosbury, and some others, are so tart and harsh that there is nothing more fafe from plunder, when even a Swine will not take them in his mouth. But thus likewife would the abundance preferve these Fruits, as we see it does in Normandy.

## CHAP. V.

### Of the Place and Order.

WE do ferioully prefer a very wild Orchard, as mainly intend-ed for the publick utility, and to our purpose of obliging the People, as with a speedy Plantation yielding store for Cider : Upon this it is that we do fo frequently inculcate, how well they thrive upon Arable, whiles the continuing it fo accelerates the growth in almost half the time: And if the Arable can be fo levell'd, (as commonly we fee it for Barly-land) then without detriment it may assume the Ornament of Cyrus, and flourish in the Quincunx.

If it be shallow Land, or must be rais'd with high Ridges, then 'tis C 2

tis neceffary to have more regard of planting on the tops of those eminencies, and to excuse the unavoydable breach of the decuss, as my Lord Verulam excuse the unavoydable breach of the decuss, as my Lord Verulam excuse the defect of our humane phansies in the Constellations, which obey the Omnipotent order rather then ours: Add to this the rigour of the Royal Society, which approves more of plainness and usefulness, then of niceness and curiosity; whiles many putting themselves to the vast chagre of levelling their grounds, oftentimes make them but the works; fince where the places are full of gastly inequalities, there may be planted some forts of Cider-Fruit, which is apt by the great burden to be press'd down to the ground, and there (whiles it hides Irregularities) to bear much better, and abundantly beyond belief; for so have been seen many such recumbent Pear-trees bear each of them tree, three, yea, even to fix or more Hogsheads yearly.

And for this Cider, whiles we prefer some forts of Wildings which do not tempt the palate of a Thief, by the caution we shall not provoke any man to repent his charge from the necessity of richer and more referv'd Enclosures; Though we have frequently feen divers Orchards fuccesfully planted on very poor Arable, and even in stony Gleab, gravel, and clay, and that pretty high, on the fides and declivities of Hills, where it only bears very thort grafs, like to the most ordinary Common, not worth the charge of Tillage : And yet even there the Tenants and Confiners fometimes enclose it for the Fruit, and find their reward, though not equally to fuch Orchards as are planted on better ground, and in the Vallies. Hence we fuggeft, That if there be no Statute for it, 'twere to be wished there were a Law which should allow endeavours of this nature out of the Common-field, to enclose for these Encouragements. fince both the Publick and the Poor (whatever the clamour is) are advantaged by fuch Enclosures, as Tuffer in his old Rhimes, and all indifferent observers apprehend with good reason.

True indeed it is, That all Land is not fit for Orcharding, fo as even where to form just Inclosures, being either too shallow and dry, or too wet and sterving: But this (faith the judicious M' Buckland) we may aver, That there are few Parishes or Hamlets in England where there are not some fat and deep Headlands capable of Rows of Trees; and that (as hath been said) the raised Banks of all Inclosures generally by the advantage of the depth, fatness, and health of their Mould, yield ready opportunitie for planting; (yea, and in many Countries multitudes of Crab-stocks sit to be graffed;) in which latter (faith he) I have frequently observed very goodly Fruit-bearing Trees, when in the same foil Trees in Orchards have been poor and worth nothing. To conclude,

If the foil be very bad and unkind, any other Fruit (which it may more freely yield without requiring much depth, and lefs Sun) may be planted in fread of Apples.

CHAP. VI.

Or, An Appendix concerning Fruit-Trees, &c.

## CHAP. VI.

## Of Transplanting, and Distance.

The most proper season for Transplanting is before the hard frosts of Winter surprize you, and that is a competent while before Christmas: And the main point is, to see that the Roots be larger then the Head; and the more ways that extends the better and firmer.

If the *stock* feems able to ftand on its own three or four legs (as we may call 'em), and then after fettlement fome ftones be heaped or laid about it, as it were gently wedging it faft, and fafe from winds, (which *ftones* may after the fecond or third year be removed) it will falve from the main danger: For if the *Roots* be much fhaken the first *Spring*, it will hardly recover it.

You may transplant a Fruit-Tree almost at any tolerable feason of the Tear, especially if you apprehend it may be spent before you have finish'd your work, having many to remove: Thus let your Trees be taken up about Allhallontide, (or as soon as the leas begins to fall); then having trimm'd and quickned the Roots, set them in a Pit, fourty, fifty, or a hundred together, yet so as they may be cover'd with mould, and kept very fresh: By the Spring they will be found well cured of their wounds, and so ready to strike root and put forth, that being Transplanted where they are to stand, they will take suddenly, and feldom fail, whereas being thus cut at Spring, they recover with greater hazard.

The very *Roots* of *Trees* planted in the ground, and buried within a quarter of an Inch, or little more, of the level of the *Bed*, will fprout, and grow to be very good *Stocks*. This and the other being Experiments of our own, we thought convenient to mention.

By the oft removal of a Wild-flock, cutting the ends of the Roots, and dif-branching fomewhat of the Head at every change of place, it will greatly abate of its natural wildnefs, and in time bring forth more civil and ingenuous Fruit: Thus Gillyflowers do (by oft removals, and at full-Moon effectially) increase and multiply the leaves,

Plant not too deep; for the over-turf is always richer then the next Mould. How material it is to keep the coaft or fide of the Stock, as well in Fruit-trees as in Forest, we have fufficiently difcuss'd; nor is the Negative to be prov'd.

For the distance in Fields, they may be set from thirty two to sixty See Aph. 35. Foot, so as not to hinder the Plough, nor the benefit of manure and soil; but in hedg-rows as much nearer as you please, Sun and Air confidered.

#### CHAP. VII.

#### CHAP. VII.

#### Of the Fencing.

S Eeing a Cider-Orchard is but a wild Plantation, beft in Arable S well enclos'd from Beafts, and yet better on the Tops, Ridges, and natural Inequalities, (though with fome loss of Order, as we fhew'd,) one of the greatest discouragements is the preferving of our Trees being planted, the raising of them so familiar.

We have in our *sylva* treated in particular of this, as of one of the most material *obstacles*; wherein yet we did purposely omit one *Expedient*, which came then to our hands from the very Industrious Mr. *Buckland* to the Learned Mr. *Beal*: You shall have it in his own words.

This of Fencing single Trees useth to be done by Rails at great charges; or by Hedges and Bushes, which every other year must be renew'd, and the materials not to be had in all places neither. I therefore prefer and commend to you the ensuing form of Planting and Fencing, which is more cheap and easic, and which hath other Advantages in it, and not commonly known. I never saw it but once, and that imperfectly perform'd; but have practis'd it my felf with fuccefs: Take it thus.

set your Tree on the Green-swarth, or five or fix inches under it if the foil be very healthy; if moift or weeping, half a foot above it; then cut a Trench round that Tree, two foot or more in the cleare from it : Lay a rank of the Turfs, with the grafs outward, upon the inner side of the Trench towards your Plant, and then a second rank upon the former, and so a third, and fourth, all orderly plac'd, (as in a Fortification) and leaning towards the Tree, after the form of a Pyramide, or larger Hop-hill: Always as you place a row of Turfs in compass, you must fill up the inner part of the Circle with the loofe Earth of the second spit which you dig out of your Trench, and which is to be two foot and half wide, or more, as you desire to mount the hillock, which by this means you will have rais'd about your Plant near three foot in heighth. At the point it needs not be above two foot or eighteen inches diametre, where you may leave the Earth in form of a Dish, to convey the Rain towards the body of the Tree; and upon the top of this hillock prick up five or fix (mall Briars or Thorns, binding them lightly to the body of the Plant, and you have finish'd the work.

The commodities of this kind of Planting are,

First, Neither Swine, nor Sheep, nor any other fort of Cattel can annoy your Trees.

Secondly, You may adventure to set the smaller Plants, being thus raised, and secur'd from the reach of Cattel.

Thirdly, Tour Trees fasten in the Hillock against violence of Winds, without Stakes to fret and canker them.

Fourthly,

#### Or, An Appendix concerning Fruit-Trees, &c.

Fourthly, If the foil be wet it is hereby made healthy.

Fifthly, If very dry, the hillock defends from the outward heat. Sixthly, It prevents the Couch-grafs, which for the first years infensibly robs most plants in sandy grounds apt to graze. And,

Lastly, The grazing bank will recompence the nigardly Farmer for the waste of his Ditch, which otherwise he will sorely bethink.

In the fecond or third year (by what time your Roots spread) the Trench, if the Ground be moift, or Seasons wet, will be neer fill'd up again by the treading of Cattel; for it need not be cleansed; but then you must renew your Thorns: Yet if the Planter be curious, I should advise a casting of some small quantity of rich Mould into the bottome of the Trench the second year, which may improve the growth, and invite the Roots to spread.

In this manner of Planting, where the foil is not rich, the exact Planter should add a little quantity to each Root of Earth from a frequented High-way, or Yard where Cattel are kept; One Load will suffice for fix or seven Trees; this being much more proper then rotted soil or loose Earth; the fat Mould best agreeing with the Apple Tree.

The broader and deeper your Ditch is, the higher will be your Bank, and the fecurer your Fence; but then you must add some good Earth in the second year, as before.

I must subjoyne, That only Trees of an upright growth be thus planted in open grounds; because spreading of low growing Trees will be still within reach of Cattel as they encrease : Nor have I met with any inconvenience in this kind of Transplanting, (which is applicable to all forts of Trees) but that the Mole and the Ant may find ready entertainment the first year, and sometime impairs a weak rooted Plant; otherwise it rarely miscarries. In sum,

This manner of Fencing is foon executed by an indifferent Workman, who will eafily fet and guard fix Trees in a Winter day. Thus far M<sup>r</sup> Buckland: To which we shall only add, That those which are planted in the Hedg-rows need none of these defences; for (I am told) in Hereford-shire in the Plantations of their Quick-sets, or any other, all men did so superstitiously place a Crab-stock at every twenty foot distance, as if they had been under some rigorous Statute requiring it.

#### CHAP. VIII.

#### Of Pruning, and Use of the Fruit-Trees.

The Branches are to be lopp'd in proportion to the bruifes of the Roots, whole fibres elfe fhould only be quickned, not altogether cut off nor intangled : For the Top, let a little of each arm be lopp'd in Cider-fruit only; but for the Pears, cut two or three buds deep at the fummities of their afpiring Branches, just above

#### POMONA:

above the eye flanting ; this will keep them from over-hasty mounting, reduce them into shape, and accelerate their bearing.

To this we add again out of Mr Beals Hereford-shire Orchards, pag. 23. In a graffed plant every Bough should be lopped at the very tops, in Apples and Pears, not in Cherries and Plums.

In a natural Plant the Boughs should not at all be lopped, but fome taken off close to the Trunk, that the Root at first Transplantation be not engag'd to maintain too many Suckers. And this must be done with such discretion; that the Top-branches be not too close together; for the natural Plant is apt to grow spiry, and thereby fails of fruitfulness. Therefore let the referved Branches be divided at a convenient roundness.

The Branches that are cut off may be fet, and will grow, though flowly.

If the Top prove spiry, or the fruit unkind, then the due remedy must be in re-graffing. See Chap. xxviij. in Sylva.

Besides the Perrys, dri'd and preferv'd Fruit, useful is the Pear-Tree (and best the most barren) for its excellent colour'd Timber, (seldom or never worm-eaten) especially for Stools, Tables, Chairs, Cabinets, and very many works of the Joyner and Sculptor : And so is likewise both the Black-cherry and the Plum-Tree.

fors and the strange of the state

APHORISMS


· · ·

#### 20

## ANIMADVERSIÓN.

F some of the following Discourses seem less constant, or (upon occasion) repugnant to one another, they are to be confider'd as relating to the several gusts, and guizes of perfons and Countries; and not to be looked upon as recommended Secrets, much less impos'd, farther then upon Tryal they may prove grateful to the Publick, and the different inclinations of those who affect these Drinks : nor in reason ought any to decry what is propos'd for the universal Benefit; fince it costs them nothing but their civility to so many obliging Persons. If the Title of Aphorisms (which indeed was intended but for the first Sheets of Mr Beale, though, by a mistake of the Printers, continu'd over the rest of the Discourses) seem to point at something more dogmatical, or arrogant; let the equal Reader please to know, that there is nothing less intended by the R. Society, then fo to pronounce concerning any their most accurate Experiments; These being but occasional Papers enter'd into their Register, and thrown into this form as Repositories more apt and at hand; and because (as I said) they do not pretend to fine, and elaborate Methods, but to the Things as they may be of use, and are in their kind confiderable.

J. E.



## PHORISMS

CONCERNING

## By M<sup>r</sup> B E A L E.



E , that would treat exactly of *Cider* and *Per*ry must lay his foundation so deep as to begin with the soyl: For as no Culture or Graffs will exalt the French Wines to compare with the Wines of Greece, Canaries, and Montefiasco ; so neither will the Cider of Bromyard and Ledbury equal that of Allenfmore, Ham-lacy, and Kings-Capell, in the

21

fame finall County of Hereford.

2. Yet the choice of the Graff or Fruit hath fo much of prevalency, that the Red-strake-Cider will every where excel common Cider, as the Grape of Frontignac, Canary, or Baccharach, excels the common French Grape; at least, till by time and traduction it degenerateth.

3. I cannot divine what Soil or what Fruit would yield the best Cider; or, how excellent Cider or Perry might be if all soils in common and all Fruit were tried; but for thirty years I have tried all forts of Cider in Hereford-shire, and for three years I have tried the best Cider in Somerset-shire; and for some years I have had the best Cider of Kent and Effex at my call; yet hitherto I have always'found the Cider of Hereford-shire the best, and so adjudged by all good Palates.

4. I cannot undertake to particularize all kind of Soil, no more than to compute how many fyllables may be drawn from the Alphabet; the number of Alphabetical Elements being better known then the Ingredients and Particles of Soil, as Chalk, Clay, Gravel, Sand, Marle, (the tenaciousness, colour, and innumerable other qualities, shewing endless diversities; ) and the Fruit of Crabs, Apples, and Pears, being as various as of Grapes, Figs, and Plums.

5. Yet in groß, this I note; That as Bacchi amant colles, and a light ground, so our best Cider comes from the hot Rie-lands: In fat Wheat-land it is more fluggift; and in white, ftiff Clayland (as in Woollhope in Hereford-shire) the common Cider retains a thick whey-colour, and not good : Only fuch as emergeth there (by

(by the diligence of fome Art of the Inhabitants) is bright and clear, and fo lively, that they are apt to challenge the best.

6. Some Cider mixeth kindly with Water in the Cider-mill, and will hold out a good finall Wine, and lefs inflaming, all the following Summer. Some Cider (as of Longhope, a kind of four Woodland Country of Hereford/hire) will not bear any mixture of Water, but foon decay, and turn more harfh and four: And thus we noted in France, fome courfe Wines fluck like paint on the Glafs, unwilling to incorporate with the Water : Vin d' Aye, and other delicate Wines, did fpread themfelves more freely, as gold is more dutiele then bafer metals.

7. Some would, for a fit, extol the Cider of Pearmains, fome of Pepins; (and of Pepins I have found a congenial Liquor, lefs afflicting fplenetick perfons, as in mine own experience I conceived : ) And S' Henry Lingen once extolled the Cider of Eleots (as richly bedewing the Glass like best Canaries ;) and full Hogsheads of the Stocking-Apple have been tried amongst us, but disappointing our expectation, though perhaps by evil ordering : Yet Mr Gritten highly boasted a Mixture of stocking-Apples and May-Pears, tried (as I take it) by himself: After many years trial of those and many other kinds, the Redstrake carried the common fame, and from most of those reduced admirers. The Gennet-Moyl Cider was indeed more acceptable to unskilful and tender Palats; and it will require Custom and Judgment to understand the preferrency of the Red-strake, whose mordicant sweetness most agreeably gives the farewel, endearing the rellifh to all understanding Palats; which both obliges, whets, and tharpens the stomach with its malculine and winy vigour; and many thousands extol it for exceeding the ordinary French-Wine : But grant it should not be fo strong as Wine; let me ask how many fober perfons abroad addict themfelves to meer Wine? Then compare this with diluted Wine, as ufually for temperate men, and then let the trial be made, whether the Pepin-Cider or Red-strake will retain the miny vigour in greater proportion of Water. Add to this, That they commonly mingle Water in the Prefs with Apples (a good quantity) whiles they grinde the Apple; and the Water thus mixed, at that time, does to pleafingly incorporate in the grinding, fermentation, and maturity of Veffelling, that 'tis quite another and far more pleafant thing then if fo much or half fo much Water were mingled in the Cup at the drinking time; as Salt on the Trencher will not give Beef, Porke, or Neats-tongue, half that fame rellifh which duly powder'd and timely feafon'd.

8. I did once prefer the Gennet-moyl Cider, but had only the Ladies on my fide, as gentler for their fugary palats, and for one or two fober draughts; but I faw caufe to recant, and to confess the Red-ftrake to warm and whet the Stomach, either for meat or more drink.

9. The fight Cider-fruit is far more fucculent, and the Liquor more eafily divides from the pulpe of the Apple, then in best Tablefruit, in which juice and the pulp seem friendly to disolve together on the tongues end. 10. The

10. The Liquor of best Cider-fruit in the Apple, in best seafon of ripeness, is more brisk and smart than that which proves duller Cider: And generally the secret Pears, and a kind of tamer Crabs, (and such was the Red-strake called in my memory) makes the more winy Cider.

11. Palladius denieth Perry to bear the heat of Summer; but there is a Pear in Bosbury, or thereabouts, which yields the Liquor richer the fecond year then the first, and fo by my experience very much amended the third year: They talk much higher; but that's beyond my account.

12. As Cider is for fome time a fluggard, fo by like care it may be retained to keep the Memorials of many Confuls; and thefe fmoaky bottles are the nappy Wine. My Lord Scudamore feldome fails of three or four years; and he is nobly liberal to offer the Trial.

13. As red Apples, fo red Pears (and amongst them the red Horfpear next to the Bosbury) have held out best for the stomach and durance: But Pears do less gratifie the stomach then Apples.

14. The feason of grinding these harsh Pears is after a full maturity, not till they have dropt from the Tree, and there lain under the Tree, or in heaps, a week, or thereabouts.

15. And fo of *Cider-Apples*, as of *Grapes*, they require full *maturity*, which is beft known by their natural *fragrancy*; and then alfo, as ripe *Grapes* require a few mellowing days, fo do all *Apples*, as about a week or little more, fo they be not bruifed, which foon turns to rottennefs; and better found from the Tree then rotten from the heap.

16. That due maturity, and fome reft on the heap, does make the *liquor* tafte rather of *Apples* then *winy*, hath no more truth, (if the *Cider* be kept to fit age) then that very *old cheefe* doth tafte of a *Poffet*.

17. The harsher the wild-fruit is, the longer it must lye on heaps; for of the same fruit, suddainly ground, I have tasted good Ver-juice; being on heaps till neer Christmas, all good fellows called it Rhenish-wine.

18. The Grinding is fomewhat confiderable, rather too much then too little; here I faw a Mill in Somersetsform which grinds half a Hogshead at a grist, and so much the better ground for the frequent rolling.

19. Soon after grinding it fhould be prest, and immediately be put into the Vessel, that it may ferment before the spirits be diffipated; and then also in fermenting time the Vent-kole should not be so wide as to allow a prodigal waste of the spirits; and as soon as the ferment begins to allay, the Vessels should be filled of the same, and well stopped.

20. Of late 'tis much commended, that before it be preft the Liquor and Must should for four and twenty hours ferment together in a Vat for that purpose, covered, as Ale or Beer in the Test-vat, and then tunned up. This is faid to enrich the liquor, and to give it somewhat of the tincture of some red Apples, as I have seen, and very well approved. D 2 21. As 21. As Sulphur hath fome use in Wines, so fome do lay Brimftone on a ragge, and by a wire let it down into the Cider-vessel and there fire it; and when the Vessel is full of the smoak the liquor speedily poured in ferments the better. I cannot condemn this, for sulphur is more kind to the Lungs than Cider, and the impurity will be discharged in the ferment.

22. Apples over-long hoarded before grinding will for a long time hold the liquor thick; and this liquor will be both pleafant, and as I think, wholefome; and we fee fome rich Wines of the later Vintage, and from Greece, retain a like craffitude, and they are both meat and drink.

23. I have feen thick harsh Cider the fecond Summer become clear and very richly pleasant; but I never faw clear acid Cider recover.

24. Wheat or Leven is good and kind in Cider, as in Beer; Juniper-berries agree well and friendly for Coughs, weak Lungs, and the aged, but not at first for every Palate: The most infallible and undifcerned improver, is Mustard a Pint to each Hogshead, bruised, as for fauce, with a mixture of the same Cider, and applied as soon as the Vessel is to be closed after fermenting.

25. Bottleing is the next improver, and proper for Cider; fome put two or three Raifins into every Bottle, which is to feek aid from the Vine. Here in Somersetshire I have feen as much as a Wal-nut of Sugar, not without cause, used for this Country Cider.

26. Crabs do not hasten the decay of Perry, but preserve it, as Salt preserves flesh. But Pears and Crabs being of a thousand kinds require more Aphorismes.

27. Neither Wheat, Leven, Sulphur, nor Mustard, are used but by very few; and therefore are not necessary to make Cider last well, for two, three or four years.

28. The time of drawing Cider into Bottles is best in March, it being then clarified by the Winter, and free from the heat of the Sun.

29. In drawing, the best is nearest the heart or middle of the Veffel, as the Telk in the Egge.

30. Red-straks are of divers kinds, but the name is in Herefordshire appropriated to one kind, which is fair and large, of a high purple colour, the smell Aromatical, the Tree a very shrub, some bearing a full burthen, and seldom or never failing till it decays, which is much sooner then other Apple-trees. 'Tis lately spread all over Herefordshire; and he that computes speedy return, and true Wine, will think of no other Cider-apple, till a better be found.

31. I faid the *Red-ftrake* is a fmall *fbrub*, 'tis of fmall growth where the *Cider* proves richeft; for ought we have yet feen in *Hereford/bire*, viz. in light quick land ; and if the *land* be very dry, jejune and fhallow, *that* and other *Cider-fruit* (effectively the *Gennet-moyle*) will fuffeend the ftore of fruit alternatively every other year; except fome *Blafts* or furprifing *Frofts* in the *Spring* alter that *Method*; for two bad years feldom come together, very hardly three. 22. In

32. In good foil, I mean of common field (for fat land is not beft for Cider fruit, but common arable) I have feen the Trees of good growth, almost equalling other Cider-trees, the Apple larger and feldom failing of a good burthen: thus in the Vales of Wheatlands, in strong Glebe or Clay, where the Cider is not so much extolled: but still sack is sack, and Canary differs from Claret; so does the Red-strake-Cider of the Vale excell any other Cider of the forcible foil.

33. Yet this diftinction of Soil requires much experience, and great heed, if we infift upon accurate directions; for as Laurenburg faith, in pingui folo non feruntur omnia recte, neque in macro nihil. And for Gardens, Flowers and Orchards, I would chufe many times fuch lands as do not pleafe the Husbandman, either for Wheat or fweet Pasture, which are his chief aims; and thus Laurenburg, In Arida & tenui terra falicius proveniunt Ruta, Allium, Petrofelinum, Crocus, Hysfopus, Capparis, Lupini, Satureia, Thymus; Arbores quoque tenue & macilentum folum amant; itemque fintices plerique Humidi arbores, scil. Pomi, Pyri, Cerasus, Prunus, Persica, Cotonea, Mori, Juglans, Coryli, Staphylodendrum, Mespilus, Ornus, Castanea, &c. Frutices, scil. Vitis, Berberis, Genista, Juniperus, Oxyacantha, Periclymenum, Rosa, Ribessum, Ova, Spina, Vaccinia, &c.

34. But here alfo we must diftinguish, that Pears will bear in a very stony, hungry, gravelly-land, such as Apples will not bear in; and I have seen Pears bear in a tough binding hungry Clay, when Apples could not so well bear it (as the smooth rinds of the Peartrees, and the Mossie and cankered rinds of the Apple-trees did prove) the root of a Pear-tree being it seems more able to pierce a stony and stiff ground. And Cherries, Mulberries and Plums, can rejoyce in a richer soil, though by the smallness of the Roots, the shallower soil will suffice them. And require a deeper ground, and will bear with some degrees of hungry land, if they be supplied with a due measure of succulency, and neighbouring moisture; and the other shrubs, according to the smalless of their roots, do generally bear a thinner land. I have seen a foil some too rank for Apples and Plums, that all their fruit from year to year were always worm-eaten, till their lives were forseited to the fire.

35. To take up from these Curiosities, the most useful refult to our purpose; we have always found these Orchards to grow best, last longest, and bear most, which are frequently tilled for Barley, Wheat or other Corn, and kept (by Culture and seasonable rest) in due strength to bear a full crop. And therefore, whereas the Redstrake might otherwise without much injury be planted at fifteen or twenty foot distance, and the best distance for other Cider-fruit hath heretofore been reputed thirty or two and thirty foot; very good husbands do now allow in their largest Inclosures (as of 20 40 or 100 Acres) fifty or fixty foot distance, that the Trees may not much hinder the Plow, and yet receive the benefit of Compost; and a Horse-teem well governed will (without any damage of danger) plow close to the Trees. 36. In fuch foil as is here required, namely of good *Tillage*, an Orchard of graffed Red-ftrakes will be of good growth, and good burthen, within ten or twelve years, and branch out with good ftore to begin an encouragement at three years graffing; and (except the land be very unkind) will not yield to any decay within fixty or eighty years, which is a mans age.

37. In fome fleets I rendered many Reafons against Mr. Auftin of Oxford, why we should prefer a peculiar Cider-fruit, which in Herefordshire are generally called Musts; (both the Apple and the Liquor, and the Pulpe together in the contulion) as from the Latine Mustum. White-musts of divers kindes, Red-check'd and Redstrak'd Musts of several kinds, Green-musts called also Green-fillet, and Blew-fpotted: Why, I fay, we should prefer them for Cider, before Table-fruit, as Pepins, Pearmains, &c. and I do still infist on them: 1. The Liquor of these Cider-fruits and of many kinds of austere fruit, which are no better than a fort of full fucculent Crabs, is more sprightful brisk and winy. For Essay, I sent up many bottles to London, that did me no difcredit. Secondly, One bushel of the Cider-fruit yields twice or thrice as much liquor. Thirdly, The Tree grows more in three or four years then the other in ten years, as I oft times remarked. - Fourthly, The Tree bears far greater store, and doth more generally escape Blasts and Frosts of the spring : I might add, that some of these, and especially fuch Pears as yield the best Perry, will best escape the hand of the Thief, and may be trusted in the open field.

38. By the first, second and fourth of these Reasons, I must exclude the Gennet-Moyle from a right Cider-fruit, it being dry and very apt to take frosty blasts; yet it is no Table-fruit, but properly a baking fruit, as the ruddy colour from the Oven shews.

39. I faid that the right Cider-fruit, generally called Musts, and deferving the Latine name Mustum, is of divers kinds; and I have need to note more expresly that there is a Red-strak'd Must (as I: have often feen) but not generally known, that is quite differing from the famous Red-strake, being much lefs, fomewhat oblong and like fome of the white Musts in shape, and full of a very good winy liquor. I could willingly name the perfons and place where the diftinct kinds are best known : it was first shewed me by John Nash of Asserton in Herefordshire; and for some years they did in fome places diftinguish a Red-strake, as yielding a richer Redstrak'd-cider of a more fulvous or ruddy colour; but this difference, as far as I could find, is but a choice of a better *infolated* or ruddy fruit of the best kind, as taken from the south-part of the Tree or from a foil that renders them richer. But my Lord Scudamore. is lately of the best fort; and M. Whingate of the Grange in Dimoc, and fome of King's-capel, do best know these and other differences, Straked, Must, right Red-strake, Red-red-strake, O.c.

40. The greenish Must, (formerly called in the Language of the Country, the Green-fillet) when the Liquor is of a kindly ripeness, retains a greeness equal to the Rhenish-glass; which I note for them that conceive no Cider to be fit for use till it be of the colour of old Sack. 41. To

41. To direct a little more cantion, for inquiry of the right Red-firake, I fhould give notice that fome Moneths ago, M. Philips of Mauntague in Somersetsform, fhewed me a very fair large Redfirake Apple, that by finell and fight feemed to me and to another of Herefordshire then with me to be the best Red-strake; but when we did cut it and taste it, we both denied it to be right (the other with much more confidence then my felf) but M. Philips making Cider of it, this week invited me to it, assure that already it excels all High-country-wines. It had not such plenty of juice as our Red-strakes with us, and it had more of the pleasantness of Tablefinit, which might be occasioned, for ought I know, by the richer foil.

42. I may now ask why we fhould talk of other Cider-fruit or Perry, if the best Red-strake have all the aforefaid pre-eminences of richer and more winy liquor, by half sooner an Orchard, more constantly bearing, &c. An Orchard of Red-strakes is commonly as full of fruit at ten years, as other Cider-fruit at twenty years, or as the Pepin and Pearmain at thirty or thereabout.

43. But all *foils* bear not Apples; therefore for Perry, which is the goodlier Tree for a Grove, to fhelter a house and walks from Summers heat and Winters cold winds, and far more lasting; the pleasantest Cider-pear of a known name amongst them, is the Horse-pear. And it is much argued, whether the White-honse-pear, or the Red-horse-pear be the better; where both are best, within two Miles they differ in judgement. The Pear bears almost its weight of sprightful miny liquor; and I always preferred the tamny or ruddy Horse-pear, and generally that colour in all Pears that are proper for Perry.

44. I rejected Palladius against the durableness of Perry; his words are, Hyeme durat, sed prima acescit astate, Tit.25.Febr. possibly so of common Pears, and in hotter Countries; but from good Cellars I have tasted a very brick lively and miny liquor of these Horse-pears during the end of Summer; And a Bosbury-pear I have named and often tried, which without bottleing, in common Hogsbeads of vulgar and indifferent Cellars, proves as well pleasanter as richer the second year, and yet also better the third year. A very honess worthy and witty Gentleman of that neighbourhood would engage to me that in good Cellars, and in careful custody, it passet any account of decay, and may be heightened to a kind of Aqua-vitæ. I take the information worthy the stile of our modern improvements.

I ne Pear-tree grows in common fields and wild stony ground, to the largeness of bearing one, two, three or four Hogsbeads each year.

45. This Bosbury-tree, and fuch generally that bear the most lasting Liquor and winy, is of fuch unsufferable taste, that hungry Swine will not smell to it; or if bunger tempt them to taste, at first crush they shake it out of their mouths; (Isay not this of the Horfe-pear) and the Clowns call other Fears, of best Liquor, Choakpears, and will offer money to such as dare adventure to taste them them, for their sport ; and their mouths will be more stupisied then at the root of Wake-robin.

46. A row of *Crab-trees* will give an improvement to any kind of *Perry*; and fince *Pears* and *Crabs* may be of as many kinds as there are kernels, or different kinds or mixtures of *foils*; in a general *Character* I would prefer the largest and fullest of all austere juices.

47. M. Lill of Marole (aged about 90 years) ever observed this Rule, to graff no wild Pear-tree till he faw the fruit; if it proved large, juicy and brisk, it failed not of good Liquor. But I fee cause to fay, that to graff a young tree with a riper graff, and known excellency, is a fure gain and hastens the return.

48. M. speke (last high sheriff of somersetshire) shewed me in his Park some store of Crab-trees, of such huge Bulk, that in this fertile year he offered a mager, that they would yield one or two Hogsbeads of Liquor • each of them; yet were they small dry Crabs.

49. I have feen feveral forts of *Crabs* (which are the natural *Apple*, or at worft but the *Wild-apple*) which are as large as many forts of *Apples*, and the Liquor *winy*.

50. I have difclaimed the Gust of Juniper-berries in Cider; I tried it only once for my felf, and drank it before Christmas: poffibly immore time the rellith had been fubdued or improved, as of Hops in stale Beer, and of Rennet in good Parmasan. Neither was the Gust to me otherwise unpleasant then as Annise-feeds in Bread, rather strange then odious; and by custom made grateful, and it did hasten the clarification, and increase the briskness to an endless sparkling: thus it indulgeth the Lungs, and nothing more cheap; where Juniper grows a Girl may speedily fill her lap with the Berries.

If Barbados Ginger be good, cheaper, and a more pleafant preferver of Beer, it muft probably be moft kind for Cider: For first, of all the improvers that I could name, bruifed Mustard was the best; and this Ginger hath the fame quick, mordicant vigor, in a more noble and more Aromatique fragrancy. Secondly, Cider (as I oft complain) is of a fluggiss and for mewhat windy nature; and for some Moneths the best of it is chain'd up with a cold ligature, as we phancie the fire to be lock'd up in a cold Flint. This will relieve the prisoner. And thirdly, will affiss the winy vigor for them that would use it in stand of a sparkling Wine. Fourthly, 'Tis a good sign of much kindness, and great friendship: it will both enliven the ferment for speedier maturity, and also hold it out for more duration, both which offices it performs in Beer.

51. Cider being windy before maturity, fome that must not wait the leifure of best Season do put sprigs of Rose-mary and Bays in the Vessel; the first good for the bead, and not unpleasant; the second, an Antidote against Infections; but less pleasant till time hath incorporated the Tastes.

52. And why may we not make mention of all these Mixtures, as well as the Ancients of their Vinum Marrubii, Vinum Abrotonites, Absynthites,

Absynthites, Hyssopites, Marathites, Thymites, Cydonites, Myrtites, Scillites, Violaceum, Sorbi, Oc.

. 53. And, for mixtures, I think we may challenge the Ancients, in naming the Red-raffy; of which there is in this County a Lady that makes a Bonella, the beft of Summer drinks. And more yet if we name the Clove-july-flower, or other July-flowers, a most gratefull Cordial, as it is infused by a Lady in Staffordshire, of the Family of the Devereux's, and by fome Ladies of this Country.

54. I could alfo give fome account of *Cherry-wine*, and Wine of *Plums*; their vaft ftore in fome places, under a *peny* the *pound*, and their expedite growth makes it cheap enough, and as in the other, fo in thefe, the large *Englifb* or *Dutch* fharp *Cherry*, and the full black, tawny *Plum*, as big as a *Walnut* (not the kind of *Heart-cherries*, nor the *Plum* which divides from the *ftone*) make the *Wine*. Their cheapnefs fhould recommend them to more general ufe at *Tables*, when *dryed* (an eafie art) and then wholefomer.

55. To return for Red-strake; 'tis a good drink as soon as well fermented, or within a moneth, better after some Frosts, and when clarified; rich Wine, when it takes the colour of old Sack. In a good Cellar it improves in Hogsbeads the second year; in Bottles and fandy Cellars keeps the Records of late revolutions and old Majoralties. Quere the manner of laying them up in sand-bouss.

56. I tried fome Bottles all a Summer in the bottom of a Fountain; and I prefer that way where it may be had. And 'tis fomewhat ftrange if the Land be neither dry for a fand-houfe, nor fountainous for this better expedient. When Cider is fetl'd, and altogether, or almost clarifi'd, then to make it fpriteful and winy, it should be drawn into well cork'd and well bound bottles, and kept fome time in fand or water; the longer the better, if the kind be good. And Cider being preferv'd to due age, bottl'd and kept in cool places, confervatories, and refrigerating springs) it does almost by time turn to Aqua-vita; the Bottles smoak at the opening, and it catches flame speedily, and will burn like spirit of Wine, with a fiery taste; and it is a laudable way of trying the vigour of Cider by its promptness to burn, and take fire, and from the quantity of Aqua-vita which it yields.

57. I must not prescribe to other Palates, by afferting how good Cider may be made, or to compare it with Wines: But when the late King (of bleffed memory) came to Hereford in his distrefs, and such of the Gentry of Worcestersbire as were brought thither as Prisoners; both King, Nobility and Gentry, did prefer it before the best Wines those parts afforded; and to my knowledge that Cider had no kind of Mixture. Generally all the Gentry of Herefordspire do abhor all mixtures.

Yet if any man have a defire to try conclusions; and by an harmlefs Art to convert Cider into rich Canary-wine; let the Cider be of the former year, Mafculine and in full body, yet pleafant, and well tafted of the Apple: into fuch Cider put a froonful, or fo, of the fpirit of Clary, it will make the Liquor fo perfectly to refemble the very beft Canary, that few good and exercis'd Palates will be able to diffinguifh it. E

## Sir PAUL NEILS DISCOURSE OF CIDER.

My Lord,



N obedience to the Commands of this Honourable Society, I have at length endeavoured to give this brief Aecount of that little which I know concerning the Ordering of Cider; and in that I fhall propound to my felf fix things.

First, To shew that Cider made of the best Eating-apples must needs be once the best; (that

is to fay) the pleafantest Cider.

secondly, That hitherto the general opinion hath been otherwife, and that the reason of that mistake was the not apprehending the true cause why the Pepin-cider, &c. did not retain its sweetness, when the Hard-apple-cider did.

Thirdly, What is the true caufe that Pepin-cider, used in the ordinary method, will not retain its sweetness.

Fourthly, How to cure that evil in Pepin-cider.

Fiftly, A probable conjecture, how in fome degree by the fame Method to amend the Hard-apple-cider, and French-wine.

sixthly, That what is here propounded cannot chufe but be wholfome, and may be done to what degree every mans Palate shall wish.

Having now told your Lordship, what I will endeavour to do before I enter upon it, I must declare what I will not in the least pretend to do.

1. I do not pretend to any thing concerning the planting and graffing of Trees, &c.

Nor what Trees will fooneft bear or last longest.

Nor what forts of Trees are the best bearers; and may with least danger grow in Common fields.

Nor what fort of fruit will yield the greatest store of Gider.

Nor what Cider will keep the longest, and be the strongest, and wholesomest to drink constantly with meat.

The

The only thing I shall endeavour, being to prefcribe a way to make a fort of *Cider* pleasant and quick of taste, and yet wholefome to drink, fometimes, and in a moderate proportion : For, if this be an *Heresse*, I must confess my felf guilty; that I prefer. *Canary-wine*, *Verdea*, the pleasantest Wines of Greece, and the *Highcountry-wines* before the *harsh Sherries*, *Vin de Hermitage*, and the *Italian* and *Portugal* rough Wines, or the best Graves-wines; not at all regarding that I am told, and do believe, that these harsh Wines are more comfortable to the state but with drinking greater quantities then can with fafety be taken of those other pleasant Wines : I statisfying my felf with this, that I like the pleasant Wines best; which yet are so wholesome that a man may drink a moderate quantity of them without prejudice.

Nor shall I at all concern my self, whether this sort of Cider I pretend to is so vinous a liquor; and consequently will yield so much spirit upon Distillation, or so soon make the Country-man think himself a Lord, as the Hard-apple-cider will do: nor whether it will last so long; for it is no part of my design to persuade the World to lay by the making of Hard-apple-cider; but rather in a degree to shew how to improve that in point of pleasantness, and that by the making and rightly ordering of Cider of the best Eating-apples; as Golden-pepins, Kentish-pepins, Pear-mains, &.c. there may be made a more pleasant liquor for the time it will last, then can be produced from those Apples which I call Hard-apples, that is to say, Red-strakes, Gennet-moyles, the Broomsbury-crab, &.c. which are so barsh that a Hog will hardly eat them.

Nor shall I at all meddle with the making of Perry, or of any mixed drink of the juyce of Apples and Pears; though possibly what I shall fay for Cider may be aptly applied to Perry also.

For the first particular, I asserted that the best Apples would make the pleasantest, which in my sence is the best Cider; (and I account those the best Apples, whose juyce is the pleasantest at the time when first pressed, before fermentation) I shall need (besides the experience of the last ten years) only to say, that it is an undeniable thing in all Wines, that the pleasantest Grapes make the richest and pleasantest Wines; and that Cider is really but the Wine of Apples, and not only made by the same way of Compression; but left to it fell hath the same measures in the choice of the materials.

To my fecond Affertion, that this truth was not formerly owned by reafon that in Herefordshire, and those Countries where they abound both with Pepins and hard-apples of all forts, they made Cider of both forts, and used them alike; that is, that as foon as they ground and pressed the Apples and strained the Liquor, they put it into their Vessel and there let it lye till it had wrought, and afterwards was setled again and fined; as not thinking it wholesome to drink till it had thus (as they call it) purg'd it felf,  $E_2$  and and this was the frequent use of most men in the more southerm and Western parts of England also. Now when Cider is thus used, it is no wonder that when they came to broach it, they for the most part found their Pepin-cider not so pleasant as their Moyle or Red-strake-cider; but to them it seemed a wonder, because they did not know the reason of it (which shall be my next work to make out) for till they knew the reason of this effect, they had no cause but to think it was the nature of the several Apples that produced it; and consequently to prefer the Hard-apple-cider, and to use the other Apples (which were good to eat ram) for the Table : which was an use not less necessary, and for which the hard-apples were totally improper.

To my third Affertion, which is, that in Hereford shire they knew not what was the true caufe why their Pepin-Cider (for by that name I shall generally call all forts of Cider that is made of Apples good to eat raw) was not, as they used it, fo good as the Cider made of hard-apples (for by that name, for brevities fake, I shall call the Gider of Moyle, Red-strake, and all other forts of harsh Apples, not fit to eat raw.) First, I fay, for all liquors that are Vinous, the cause that makes them sometimes harder or less pleasant to the tafte, then they were at the first prefling, is the too much fermenting : If Wine or Cider by any accidental caule do ferment twice it will be harder then if it had fermented but once ; and if it ferment thrice, it is harder and worfe then if it had fermented but twice : and fo onward, the oftner it ferments and the longer it ferments, it still grows the harder. This being laid as a foundation; before we proceed further we must first confider what is the caufe of fermentation in Wine, Cider, and all other Vinous Liquors. Which (in my poor opinion) is the groß part of the Liquor, which scapes in the straining of the Cider (for in making of Wine, I do not find that they use the curiosity of ftraining) and which is generally known by the name of the Lee of that (Wine or) Cider. And this Lee I shall, according to its thickness of parts, distinguish into the groß Lee, and the flying Lee.

- Now, according to the old method of making and putting up of Cider, they took little care of putting up only the clear part of the Cider into their Vessels or Cask; but put them up thick and thin together, not at all regarding this separation; for experimentally they found that how thick soever they put it up, yet after it had throughly wrought or fermented and was fetled again, it would still be clear; and perchance that which was put up the foonest after it was pressed and the thickest, would, when the fermentation was over, be the clearest, the brickest, and keep the longest. This made them confidently believe that it was not only not inconvenient to put it up quickly after the preffing, but in tome degree necessary alfo to put it up foon after the preffing, fo that it might have fo much of the Lee mixed with it, that it might certainly, foon, and strongly put it into a fermentation, as the only means to make it wholfome, clean and brisk; and when it either

ther did not (or that they had reason to doubt) that it would not work or *ferment* strongly enough, they have used to put in *Minstard* or some other thing of like nature to increase the *fermentation*.

Now that which in Cider of Pepins hath been a caufe of greater fermentation then in Cider of hard-apples, being both used after the former method, is this, that the Pepins being a fofter fruit are in the Mill bruifed into fmaller particles then the harder forts of Apples; and confequently more of those small parts pass the strainer in the Pepin-cider then in the Cider of hard-apples, which caufeth a stronger fermentation, and (according to my former principle) a greater loss of the native sweetness then in that of Hard-apple-cider ; and not only fo, but the Lee of the Hard-applecider being compounded of greater particles then the Lee of the Pepin-cider, every individual particle is in it felf of a greater weight then the particles of the Lee of the Pepin-cider ; and confequently lefs apt to rife upon small motions, which produceth this effect; that when the fermentation of the Hard-apple-cider is once over, unless the Vessel be stirred, it feldom falls to a second fermentation; but in Pepin-cider it is otherwife : For if the groß Lee be still remaining with the Cider, it needs not the motion of the Veffel to caule a new fermentation, but every motion of the Air by a change of meather from dry to moist will cause a new fermentatis on, and confequently make it work till it hath deftroyed it felf by losing it's native sweetness. And this alone hath been the cause, why commonly when they broach their Pepin-cider they find it fo unpleasant, that generally the Hard-apple-cider is preferred be-. foreit, although at first it was not so pleasant as the Pepin-cider. Yet after this mifchief hath prevailed over the Pepin-cider, it is no wonder to find the Hard-apple-cider remaining not onely the stronger, but even the more pleasant tasted. This to me seems fatisfactory for the discovery of the cause, why in Herefordshire the Hard-apple-cider is preferred before the Pepin-cider. But perhaps it may by fome be objected, that they have before the ten years, in which you pretend you found this to be the caufe of spoiling the Pepin-cider, been in Herefordshire, and tasted the best Cider that Country did afford; and yet it was not like the Pepin-cider they had before then tasted in other parts. To this I do answer, at prefent, briefly, that by fome mistake, or chance, the maker of this Pepin-cider, which proved good, had done that, or fomewhat like that, which under the next Affertion I shall set down, as a Method to cure the inconveniences which happen to Pepin-cider, by the fuffering it to ferment too often, or too ftrongly; but till that be explained it would be improper to fnew more fully what these particular accidents might possibly be, which (without the intention of those perfons which made the Cider) caused it to prove much better then their expectation, or indeed better then any could afterwards make : they possibly affigning the goodness of that Cider to somewht that was not really the cause of that effect. the second s

2

To

. To justifie my fourth Affertion, and shew a Method how to cure the incoveniency which happens to Pepin-cider by the over working, I must first take notice of some things which I have been often told concerning Wine, and which indeed gave me the light to know what was the caufe which had made Pepin-cider that had wrought long, hard when it came to be clear again. The thing I mean, is, that in diversparts, and even in France they make three forts of Wine out of one and the fame Grapes; that is, they first take the juice of the Grapes without any more preffing then what comes from their own weight in the Vat, and the bruifing they have in putting into Vessel, which causeth the ripest of those Grapes to break, and the juice without any prefling at all makes the pleafantest and most delicate Wine : And if the Grapes were red, then is this first Wine very pale. The second fort they press a little, which makes a redder Wine, but neither fo pleafant as the first, nor fo harsh as the last, which is made by the utmost preffing of the very skins of the Grapes, and is by much more harfh, and of deeper colour then either of the other two. Now I prefume the canfe of this (at least in part) to be, that in the first fort of Wine, which hath little of the substance, beside the very jnice of the Grape, there is little Lee, and confequently little fermentation; and because it doth not work long, it loseth but little of the original fweetness it had : The second fort being a little more pressed hath fomewhat more of the fubstance of the Grape added to the juice; and therefore having more of that part which caufeth fermentation put with it, ferments more strongly, and is therefore, when it hath done working lefs pleafant then the first fort, which wrought lefs. And for the fame reason the third fort being most of all preffed, hath most of the substance of the Grape mingled with the Liquor, and worketh the longest: but at the end of the working when it fettles and is clear, it is much more harfh then either of the two first forts. The thought of this made me first apprehend that the substance of the Apple mingled with the juice, was the caufe of fermentation, which is really nothing elfe but an endeavour of the Liquor to free it felf from those Heterogeneous parts which are mingled with it : And where there is the greatest proportion of those diffimilar parts mingled with the Liquor, the endeavour of Nature must be the stronger, and take up more time to perfect the feparation : which when finished leaves all the Liquor clear, and the gross parts setled to the bottom of the Vessel; which we call the Lee. Nor did this apprehension deceive me; for when I began (according to the Method which I shall hereafter fet down) to separate a considerable part of the Lee from the Cider before it had fermented, I found it to retain a very great part of its original sweetness, more then it would have done if the Lee had not been taken away before the fermentation; and this not once, but constantly for feven years.

Now the Method which I used, was this: When the Cider was first strained, I put it into a great Vat, and there let it stand twenty four hours at least (sometimes more, if the Apples were more ripe then

then ordinary) and then at a tap before prepared in the Veffel three or four inches from the bottom I drew it into pails, and from thence filled the Hogfhead (or leffer Veffel) and left the greateft part of the Lee behind; and during this time that the Cider ftood in the Vat, I kept it as close covered with hair-clothes or facks as I could; that fo too much of the fpirits might not Evaporate.

Now poffibly I might be afked why I did not, fince I kept it fo clofe in the Vat, put it at first into the Veffel ? To which I answer, that had I put it at first into the Veffel, it would possibly (especially if the meather had chanced to prove wet and warm) have begun to ferment before that time had been expired ; and then there would have been no poffibility to have separated any part of the groß Lee, before the fermentation had been wholly finished; which keeping it only covered with these clothes was not in danger : For, though I kept it warm in fome degree, yet fome of the firits had still liberty to evaporate; which had it been in the Hog fhead with the Bung only open, they would not fo freely have done; but in the first 24 hours it would have begun to ferment, and fo my defign had been fully loft : For those spirits if they had been too strongly reverberated into the Liquor, would have caused a fermentation before I could have taken away any part of the groß Lee. For the great mystery of the whole thing lyes in this, to let fo many of the fpirits evaporate, that the liquor shall not ferment before the groß Lee be taken away ; and yet to keep fpirits enough to cause a fermentation when you would have it. For if you put it up as foon as it is strained, and do not let some of the fpirits evaporate, and the groß Lee by its weight only to be separated without fermentation, it will ferment too much and lose its fweetnefs; and if none be left, it will not ferment at all; and then the Cider will be dead, flat and fowre.

Then after it is put into the Veffel, and the Veffel fill'd all but a little (that is, about a Gallon or thereabout) I let it frand (the Bunghole being left only covered with a paper, to keep out any dust or filth that might fall in) for 24 hours more; in which time the groffeft part of the Lee being formerly left in the Vat, it will not ferment, but you may draw it off by a Tap fome two or three inches from the bottom of the Vessel, and in that second Vessel you may stop it up, and let it stand fafely till it be fit to Bottle; and poffibly that will be within a day or more : but of this time there is no certain measure to be given ; there being fo many things that will make it longer, or lefs while before it be fit to bottle. As for Example, If the Apples were over-ripe when you stamped them, or ground them in the Mill, it will be the longer before it will be clear enough to Bottle; or if the meather prove to be warmer or moilter then ordinary : or that your Apples were of fuch kinds, as with the fame force in the ftamping or grinding they are broken into imaller particles then other Apples that were of harder kinds. .1

Now, for knowing when it is fit to Bottle, I know no certain Rule that can be given, but to broach the Veffel with a fmall Piercer, and in that hole fit a peg, and now and then (two or times in a day) day) draw a little, and fee what fineness it is of; for when it is bottled it must not be perfectly fine; for if it be so, it will not fret in the bottle, which gives it a fine quickness, and will make it mantle and sparkle in the glass when you pour it out : And if it be too thick when it is bottled, then, when it hath ftood fome time in the bottles it will ferment fo much that it may possibly either drive out the corks, or break the bottles, or at least be of that fort (which fome call Potgun-drink) that when you open the bottles it will fly about the houfe, and be fo windy and cutting that it will be inconvenient to drink : For the right temper of Bottle-Cider is, that it mantle a little and parkle when it is put out into the glas; but if it froth and fly it was bottled too foon : Now the temper of the Cider is fo nice, that it is very hard when you bottle it to foretell which of these two conditions it will have : but it is very case within a few days after (that is to fay, about a meek, or so) to find its temper as to this point. For first, if it be bottled too foon; by this time it will begin to ferment in the Bottles, and in that cafe you must open the Bottles, and let them stand open two or three minutes, that that abundance of pirits may have Vent, which otherwife kept in would in a fhort time make it of that fort I called before Pot-gun-drink; but being let out, that danger will be avoided, and the *Cider* (without danger of breaking the *bottles*) will keep and ferment, but not too much. Now this is so calie a remedy, that I would advise all men rather to erre on the hand of bottling it too foon, then lot it be too fine when they bottle it; for if fo, it will not fret in the bottle at all; and, confequently, want, that briskneß which is defireable.

Yet even in this cafe there is a Remedy, but fuch a one as I am always very careful to avoid, that fo I may have nothing (how little soever) in the Cider but the juice of the Apple : But the remedy is, in cafe you be put to a necessity to use it, that you open every bottle after it hath been bottled about a week or fo, and put into each bottle a little piece of white Sugar, about the bignefs of a Nutmeg, and this will fet it into a little fermentation, and give it that briskneß which otherwife it would have wanted. But the other way being full as easie, and then nothing to be added but the juice of the Apple to be fimply the fubstance of your Cider, I chuse to prefer the errour of being in danger to bottle the Cider too foon, rather than too late: Nay fometimes in the bottling of one and the fame Hoghead (or other Veffel) of Cider, there may the first part of it be too fine; the second part well; and the last not fine enough : 'and this happens when it is broached first above the middle, and then below; and then when it begins to run low, tilted or raifed at the further end, and fo all drawn out. But to avoid this inconvenience, I commonly fet the *bottles* in the order they were filled, and fo we need not open all to fee the condition of the Cider; but trying one at each end, and one in the middle, will ferve the turn : And to prevent the inconveniency, broach not at all above the middle, nor too low; and when you have drawn all that will run at the Tap, you may be fecure 

fecure it is to far of the fame temper with the first bottle. And then tilt the Veffel; but draw no more in three or four hours at the leaft after, and fet them by themfelves, that fo, if you pleafe, you may three or four days after pour them off into other bottles, and leave the groß behind : And by this means though you have a less number of bottles of Cider then you had, yet this will continue good, and neither be apt to fly, nor have a fediment in the bottle, which after the first glaß is filled will render all the rest of the bottle thick and muddy.

By all this which I have faid, I think it may be made out that those persons which I mentioned in the end of the last Parragraph, that sometimes had Pepin-cider better then ordinary, and indeed then they could make again, were beholding to chance for it; either that their Apples were not fo full ripe at that as at other times, and so not bruised into so small parts ; but the fermentation was ended in the Veffel, and the Lee being then groß fetled before the Cider had fermented fo long as to be hard.

Or elfe, by some Accident they had not put it so soon into the Veffel, but that in part it was fetled before they put it up, and the groffelt part of the Lee left out of the Veffel.

Or elfe, the Bung being left open some part of the fpirits evaporated; and that made the fermentation the weaker, and to laft the lefs time.

Or elfe, they put it up in fuch a feason that the weather continued cold and frosty till the fermentation was quite over; and then it having wrought the lefs time, and with the lefs violence, it remained more pleafant and rich then otherwife it would have done.

Now for the time of making Pepin-cider, I chufe to do it in the beginning of November, after the Apples had been gathered and laid about three weeks or more in the loft, that fo the Apples might have had a little time to fweat in the house before the Cider was made, but not too much; for if they be not full ripe before they be gathered, and not fuffered to lye a while in the heap, the Cider will not be so pleasant; and if they be too ripe when they are gathered, or lye too long in the heap, it will be very difficult to separate the Cider from the groß Lee before the fermentation begins: and in that cafe it will work fo long that when it fines the Cider will be hard; for when the Apples are too mellow, they break into fo fmall particles, that it will be long before the Lee fettles by its weight only : and then the fermentation may begin beforeit be separated, and so destroy your intention of taking away the groß Lee. And if the Apples be not mellow enough; the Cider will not be fo pleafant as it ought to be.

This being faid for the time of making the Pepin-cider, may (mutatis mutandis) serve for all other forts of Summer-fruit; as the Kentish-codling, Marigolds, Gilly-flowers, Summer-pearmains; Summer-pepins, Holland-pepins, Golden-pepins, and even Winterpearmains. For though they must not be made at the same time of the year, yet they mult be made at the time when each refpective

1 m 1 m 1

fpective fruit is in the fame condition that I before directed that the Winter-pepin fhould be. Nay, even in the making of that Cider, you are not tied to that time of the year to make your Cider; but as the condition of that particular year hath been, you may make your Cider one, two, three or four weeks later; but it will be very feldom that you fhall need to begin to make Kentisppepin-cider before the beginning of November, even in the most southern parts of England.

The next thing I shall mention, is, the ordering of your bottles after they are filled; for in that confifts no finall part of caufing your Cider to be in a just condition to drink : For, if it does ferment too much in the bottle, it will not be fo convenient to drink, neither for the tafte, nor wholfomnefs; and if it ferment not at all, it will want that little fret which makes it grateful to most Palates. In order to this, you must observe, first, whether the Cider were bottled too early, or too late, or in the just time : If too early, and that it hath too much of the flying Lee in it, then you must keep it as cool as you can, that it may not work too much, and if fo little that you doubt it will not work at all, or too little; you must by keeping it from the inconvenience of the external air, endeavour to haften and increase the fermentation. And this I do, by fetting it in fand to cool, and by covering the bottles very well with straw, when I would haften or increase the fermentation.

And if I find the *Cider* to have been *bottled* in its just time, then I use *neither*, in ordinary weather; but content my felf that it stands in a close and coole *Cellar*, either upon the ground, or upon *shelves*; faving in the time that I apprehend *frost*, I cover it with *straw*, which I take off as foon as the *meather* changeth; and confequently about the time that the cold *East winds* cease; which usually, with us, is in the beginning of *April*; I fet my *bottles* into *fand* up to the necks. And by this means I have kept *Pepin-cider* without change till *September*, and might have kept it longer, if my ftore had been greater : For by that time the *heats* were totally over, and confequently, the *canfe* of the *turn* of *Cider*.

Having now declared what is (according to my opinion) to be done to preferve *Cider*, if not in it's original fweetnefs, yet to let it lofe as little as is possible; I shall now fall upon my fifth Affertion, which is, that it is probable that somewhat like the former Method may in some degree mend Hard-apple-cider, Perry, or a drink made of the mixtures of Apples and Pears; and not imposfible that somewhat of the same nature may do good to Frenchwines also.

First, for French-wines, I think what I have in the beginning of this discourse declared, as the hint which first put me upon the conceit, that the over-fermenting of Cider: was the cause that it lost of its original fweetness (viz. the making of three forts of Wine, of one fort of Grapes) is a testimony that the first fort of Wine hath but little of the groß Lee, and confequently, ferments but little, nor loseth but little of the original fweetness; which makes

makes it evident that the fame thing will hold in Wine which doth in Cider; but the great difficulty is (if I be rightly informed) that they use to let the Wine begin to ferment in the Vat before they put it into the Hog sheads or other Veffels; and thus they do, that the Husks and other Filth (which in the way they use, must neceffarily, be mingled with the Wine) may rife in a skum at the top, and to be taken off: Now if they pleafe, as foon as it is pressed, to pass the Wine through a strainer, without expecting any fuch purgation, and then use the same Method formerly prefcribed for Cider, I do not doubt but the gross part of the Lee of Wines, being thus taken away, there will yet be enough left to give it a fermentation in the bottles, or fecond veffel, where it shall be left to stand, in case you have not bottles enough to put up all the Wine from which you have thus taken away the groß Lee.

This Wine I know not whether it will laft fo long as the other used in the ordinary way, or not; but this I confidently believe, it will not be fo harfh as the fame would have been if it had been used in the ordinary way; and the pleasantness of Taste, which is not unwholfome, is the chief thing which I prefer both in Wine and Cider.

Now for the Hard-apple-cider, that it will receive an improvement by this way of ordering, hath been long my opinion; but this year an accident happened, which made it evident that I was not mistaken in this conjecture. For there was a Gentleman of Herefordshire, this last Autumn, that by accident had not provided Caskenough for the Cider he had made; and having fix or feven Hogsheads of Cider for which he had no Cask, he fent to Worcester, Glocester, and even to Bristol, to buy some, but all in vain ; and when his fervants returned the Cider that wanted Cask had been fome five days in the Vat uncovered; and the Gentleman being then dispatching a Barque for London with Cider, and having neer hand a conveniency of getting Glas-bottles, resolved to put some of it into bottles; did so, and filled seven or eight Hampers with the clearest of this Cider in the Vat, which had then never wrought, not been put into any other Veffel but the Vat ; the Barque in which his Cider came had a tedious paffage; that is, it was at least feven weeks before it came to London, and in that time most of his Cider in Cask had wrought fo much that it was much harder then it would have been if it had according to the ordinary way lain still in the Country, in the place where it was first made and put up, and confequently, wrought but once.

But the other, which was in Bottles, and escaped the breaking, that is, by accident, had lefs of the Lee in it then other bottles had, or was not fo hard stopped, but either before there was force enough from the fermentation to break the bottle, or that the Cork gave way a little, and fo the air got out; or that the bottles were not originally well corked, was excellent good, beyond any Cider that I had tafted out of Herefordshire; so that from this Experience I dare confidently fay, that the using Hard-apple-cider after the former Method, prescribed for Pepin-cider, will make it retain

-39

F 2

tain a confiderable part of fweetness more then it can do after the Method used hitherto in Herefordshire. Nor do I doubt but my Method will in a degree have the same effect in Perry, and the drink (as yet without a name that I do know of) which is made of the juice of Wardens, Pears and Apples, by several perfons, in several proportions; for the Reason being the same, I have no cause to doubt, but the effect will follow, as well in those Drinks, as in Cider and Wines:

I am now come to my last Assertion; that Cider thus used cannot be unwholsome, but may be done to what degree any mans Palate defires.

First, it cannot be unwholsome, upon the same measure that stummed Wine is so; for that unwholsomeness is by leaving the cause of fermentation in the Wine, and not suffering it to produce its effect before the Wine be drank, and it ferments in mans body : and not only so, but sets other humours in the body into fermentation; and this prejudiceth their health that drink such Wines.

Now though Cider used in my method should not ferment at all, till it come into the *bottle*, and then but a little; yet the cause of fermentation being in a great degree taken away, the rest can do no considerable harm to those which drink it, being in it felf but little, and having wrought in the *bottle* before men drink it; nor indeed do I think, nor ever find, that it did any inconvenience to my felf, or any person that drank it when it was thus used.

secondly, because the difference of menspalates and constitutions is very great; and that accordingly men like or diflike drink that hath more or lefs of the fret in it; and that the confequences in point of health are very different, in the method by me formerly prefcribed : it is in your power to give the Cider just as much fret as you please, and no more; and that by severall ways : for either you may bottle it sooner or later, as you please : or you may bottle it from two Taps in your Veffel, and that from the higher Tap will have less fret, and the lower more : or you may bottle your Cider all from one Tap, and open fome of the bottles about a week after for a few minutes, and then ftop them up again; and that which was thus ftop'd will have the lefs fret : or, if your Cider be bottled all from one Tap, if you will (even without opening the bottles) you may make fome difference, though not fo confiderable as either of the former ways, by keeping part of the bottles warmer, for the first two moneths, then the rest; for that which is kept warmeft will have the most fret.

the second s

and the second sec

and the second second

**OBSER-**

# Sir PAUL NEILE'S fecond Paper.

#### My Lord,



He Paper which by the Command of the Royal society I delivered in the last year, concerning the order-ing of Cider, I have by this years experience found defective in one particular, of which I think fit by this to give you notice, which is thus: Whereas in

the former Paper I mention, that after the Pepin-cider hath stood 24 hours in the Vat, it might be drawn off into pailes, and for put into the Vessel; and that having stood a second 24 hours in that Veffel, it might be drawn into another Veffel, in which it might stand till it were fit to Bottle; for the particulars of all which proceeding I refer to the former Paper; and fhall now only mention, That this last year we were fain to draw it off into feveral Vessels, not only as is there directed, twice, but most of our Cider five, and some fix times; and not only so, but we were after all this fain to precipitate the Lee by some of those ways mentioned by D' Willis in the 7th Chap. of his Treatife De fermentatione. Now though this be more of trouble then the Method by me formerly mentioned; yet it doth not in the least destroy that Hypothesis which in the former Discourse I laid down, (viz.) That it was the leaving too much of the Lee with the Cider, which upon the change of air, fet it into a new fermentation, and confequently made it lofe the fweetnefs; for this change by the indifpolition of the Lee to fettle this year more then others, hath not hindred the goodness of the Cider; but that when it was at last mastered, and the Cider bottled in a fit temper, it was never more pleafant and quick then this year : but I find that this year our *Cider* of Summer-Apples is already turned fowre, athough it be now but the first of *January*; and the last year it kept very well till the beginning of *March*; which makes me fear that our Pepin-cider will not keep till this time twelve moneth, as our Pepin-cider of the last year doth till this day, and still retains its original pleafantness without the least turn towards fowrenefs.

And I am very confident, the difference of time and trouble, which this year we found in getting the Cider to fine and be in a condition to Bottle, was only the effect of a very bad and wet Summer, which made the Fruit not ripen kindly; and to make it yet worfe, we had just at the time when we made our Cider, this year, extream wet and windy weather, which (added to the unkindliness of the Fruit) was the whole cause of this alteration : And however my Hypothesis as yet remains firm, for if by taking any part of the Lee from the Cider you can preserve it in its original fweetness, it is not at all material whether it be always to be done by twice drawing off from the Lee, or that it must fometimes

times be done with more trouble, and by oftener repeating the fame Work; fo' that finally it be done, and by the fame means, that is, by taking away part of the Lee, which otherwife would have caufed too much fermentation; and confequently have made the *Cider* lofe part of its original fweetnefs.

My Lord, Ishould not have prefumed to have given you and the society the trouble of perusing this Paper, but that, if poffible, I would have you fee, that what I think an errour in any opinion that I have held; I am willing to own; and yet I defire not that you should think my mistake greater then in Reality it is.

and the second sec

the second contract of the second sec the second se

and the second s The second of the second secon and the second sec the start and the start of the and or subserved and and a state of the second provide straining the monorary has a set of the set of and an how on the parent of production of the second second second second second second second second second se 

and a stand one of the stand of the and a second she was a second se

and the second and the second s and the state of the second state of the secon and a new second s and to prove find to maple as the first state of the to the to save does not be for an the time when we consider on a day and the house and the house of the second of the second se the closer of rescarded and a first at the second and to of What and an another in a station in the other in the The second second as a set more second as a second commentations in the state of a state of a state of the s Industriation of the second sec

the second P

# OBSERVATIONS

# Concerning the Making and Preferving

OF

JOHN NEWBURGH Elq;

BY



F the Apples are made up immediately from the Tree, they are observed to yield more, but not fo good Cider, as if hoarded the space of a month or fix weeks; and if they contract any unpleasing taste (as sometimes 'tis confess'd they do) it may be imputed to the Room they lye in, which, if it hath any thing in it either of too sweet or

unfavoury fmell, the Apples (as things most fusceptible of impreffion) will be easily tainted thereby.

First, therefore, 'Tis observed by prudent Fruiterers to lay their Apples upon clean mere made Reeds, till they grind them for Cider, or otherwise make use of them : And if, notwithstanding this caution, they contract any rottenness before they come to the Ciderpress, the dammage will not be great, if care be had ere the Apples be grownd to pick out the finowed and the black-rotten; the rest, though somewhat of putrefaction hath put them into a perishing condition, will not render the Cider ill conditioned, either in respect of taste or duration.

secondly, If the Apples be abortive, having been (as it ufually happens) thaken down before the time by a violent wind, it is obferved to be fo indifpentably neceffary that they lye together in hoard, at leaft till the ufual time of their maturity, that the Cider otherwife is feldome or never found worth the drinking.

Thirdly, It matters not much whether the Cider be forc'd to purge it felf by working downward in the Barrel, or upwards at the ufual vent, fo there be matter fufficient left, on the top for a thick thick *skin* or *film*, which will fometimes be drawn over it, as well when it works after the vulgar manner, as when 'tis prefently ftop'd up, with fpace left for fermentation, to be performed altogether within the Veffel.

Fourthly, No Liquor is observed to be more easily affected with the favour of the Vessel then Cider; therefore singular care is taken by discreet Cider-Masters, that the Vessel be not only tasteless, but also well prepared for the Liquor they intend to fill it with. If it be a new Cask, they prepare it by scalding it with Water, wherein a good quantity of Apple-pomice hath been boyled: If a tainted Cask, they have divers ways of cleansing it: Some boyl an ounce of Pepper in so much Water as will fill an Hogshead, which they let stand in a Vessel of that capacity two or three days; then wash it with a convenient quantity of fresh water, scalding hot, which (they say) is an undoubted cure for the most dangerously infected Vessel.

Fifthly, Others have a more easie, and perhaps less effectual remedy. They take two or three stones of quick lime, which with fix or seven Gallons of Water they set on work in the Hogsbeads, being close stop'd, and tumbling it up and down till the commotion cease, it doth the set. Of Vessels that have been formerly used, next to that which hath been already acquainted with Cider, a White-wine or Vinegar Cask is esteemed the best; Claret or Sack not so good. A Barrel to which small Beer hath been tennant suits better with Cider then a strong Beer Vessel.

Half a peck of un-ground Wheat put to Cider that is harfh and eager will renew its fermentation, and render it more mild and gentle: Sometimes it happens, without the use of any such means, to change with the *Season*, and becomes of sharp and sour, unexpectedly benign and pleasant.

Sixthly, Two or three eggs put into an Hogshead of Cider that is become sharp, and near of kin to Vinegar, sometimes rarely lenefies and gentilizes it.

One pound of broad figgs flit is sufficient to dulcifie an Hogshead of such Cider. A little quantity of Mustard will clear an Hogshead of muddy Cider. The same virtue is ascribed to two or three rotten Apples put into it.

The latter running of the *Cider*, bottled immediately from the wring, is by fome efteemed for a pure, clear, finall, well-relifh'd Liquor; but fo much undervalued by them who defire ftrong drinks more then wholefom, that they will not fuffer it to incorporate with the first running.

Seventhly, Cider is found to ferment much better in mild and moift then in cold and dry weather; every ones experience hath taught him fo much in the late frofty feafon; if it had not wrought before, it was in vain to expect its working or clearing then, unlefs by fome of the artificial means præ-mentioned, which alfocould not be made ufe of in a more unfeafonable time.

The best Cider-fruit with us in this part of Dorset-shire (lying neer to Bridport) next to Pepin and Pearmain, is a bitter-sweet, or,

A2

as

as we vulgarly call them *bitter' fcale*, of which for the first years *Cider* very good is made unboyld, for two years keeping; being boyled about an *Hogshead* to half, it's exceedingly strong, but not fo pleasant.

. Eighthly, We have few Apples, befides this, that yield good Cider alone; the next to it is a Deans Apple; and the Pleasantine I think may be mentioned in the third place; neither of which need the addition of other Apples to set off the relliss, as do the rest of our choicest fruits; Pepins, Pearmains and Gilly-flowers commixt are faid to make the best Cider in the world. In fersey 'tis a general observation, that the more of red any Apple hath in his rind, the more appropriate to this use; pale-fac'd Apples they exclude as much may be from their Cider Vat. With us 'tis an observation, that no sweet Apple that hath a tough rind is bad for Ciders.

Mustard made with fack preferves boiled Cider, and fpirits it egregiously: If you boil Cider especial care must be had to put it into the furnace immediately from the wring; otherwise, if it be let stand in Vats, or vessels, two or three days after the preffure, the best and most spiritness part will ascend and fly away in the vapours when fire is put under it; and the longer your boiling continues, the less of goodness, or vertue, will be left remaining in the Cider.

1. One of mine Acquaintance, when a Child, hoarding Apples in a box where Rofe-cakes, and other fweet wares were, their Companions found them of fo unfavory tafte, and of fo rank a rellifh derived from that perfumed gear which lay too neer, that even a childifh palate (that feldom diflikes any thing that looks like an Apple) could not difpenfe with it.

2. A Friend of mine having made provision of Apples for Cider, whereof fo great a part of them were found rotten when the time of grinding them came, that they did as 'twere wash the room with their juice, through which they were carried to the wring, had Cider from them not only passable, but exceeding good; but not without previous use of the prementioned caution; I am alfo affured by a Neighbour of mine, that a Brother of his, who is a great Cider Merchant in Devonshire, is by frequent experience fo well fatisfied with the harmlessness of rotten Apples, that he makes no fcruple of exchanging with any one that comes to his Cider-preß, a Bushel of found-apples for the same measure of the other. Herein I suppose (if in other respects they are not prejudicial) he may be a gainer by the neer compression of the tainted Fruit; which, as we speak in our Country Phrase, will go neerer together then the other : His advantage may be the greater, if the conceit which goes currant with them, be not a bottomless fancy; that a convenient quantity of rotten Apples mixt with the found is greatly affiftant to the work of fermentation, and notably helps to clarifie the Cider.

3. A Neighbour told me, that making a quantity of Cider with wind-falls, which he let ripen in the hoard, neer a moneth interceding the time of their decuffion, and that which nature intended ded for their maturity; his *Cider* proved very good, when all his *Neighbours* (who made up their untimely fruit) as foon as it fell, had a crude, auftere undigefted *liquor*, not worth the name of *Cider*.

4. The thick skin, or leathern-coat, the Cider oftentimes contracts as well after it hath purged it felf after the ufual manner, as otherwife, is the furest prefervative of its spirits, and the best fecurity against other inconveniences incident to this and other like vinous liquors, of which the Devonshire Cider Merchants are fo fensible, that besides the care they take, that matters be not wanting for the Contexture of this upper garment by ftopping up the vefiel as foon as they have filled it (with the allowance of a Gallon or two upon the fcore of fermentation ) they caft in Wheatenbran, or duft, to thicken the coat, and render it more certainly air proof. And I think you will believe their care herein not impertinent, If you can believe a ftory which I have to tell you of its wondrous efficacy: A neer Neighbour of mine affures me, that his Wife having this year filled a barrel with Mead, which being fom what ftrong wrought fomwhat boifteroully in the veffel, that the good-woman cafting her eye that way accidentally, found it leaking at every chink, which afcribing to the ftrength of the liquor, the thought immediately by giving it vent to fave both the liquor and the veffel; but in vain, both the stopples being pulled out the leakage still continued, and the veffel not at all relieved : till cafually, at length putting in her finger at the top, the brake the prementioned film; which done, a good part of the Mead immediately flying out, left the refidue in peace, and the leakage ceased. It may feem incredible that fo thin a skin should be more coercive to a mutinous liquor then a Barrel with Oaken ribs, and stubborn boops. But I am fo well affured of the veritablness of my Neighbours relation, that I dare not question it. The reason of it let wife men determine.

5. A Friend, and Neighbour of mine, herewith cured a vefice of fo extream ill favour as it was thought it would little lefs then poyfon any liquor that was put into it.

6. A Neighbour of my acquaintance affured me, upon his credit, that coming into a Parfonage houfe in Devonshire, where he found eleven Hogsbeads of Cider, being unwilling to fell what he ne're bought, he was three years in spending that store which the former Incumbent had laid in for him: and it greatly amazed him (as well it might, if he remembred the old Proverb, He mends as source Ale in Summer) to find the same Cider which in Winter was almost as sharpe as Vinegar, in the Summer become potable, and good natured liquor.

7. In Devonshire, where their wrings are so hugely great that an Hogshead or two runs out commonly before the Apples suffer any confiderable pressure, they value this much what before the other, after the rate which we set upon life-honey (that which after the same manner drops sweetly out of the Comb?) above that which renders not it self without compression. In Jersey they value

value it at a crown upon an Hogsbead dearer then the other. (This I take from the relation of one of my Neighbours which sometimes lived in that Island, which (for Apples, and Cider) is one of the most famous of all belonging to his Majesties Dominions) yet even upon this, and their choicest Ciders, they commonly bestow a pail of mater to every Hogsbead, being so far (it seems) of Pindars mind, that they fear not any prejudice to their most excellent liquors by a dash of that most excellent Element. Infomuch that it goes for a common faying among them, that if any Cider can be found in their Island which can be provid to have no mixture of water, 'tis clearly forfeited. It seems they are strongly conceited that this addition of the most useful Element doth greatly meliorate their Cider, both in respect of colour, taste, and clarity.

8. About feven years fince I gave my felf the experience of bitter *fcale-cider*, both crude, and boiled; I call'd them both to an account at *twelve moneths* end: I then found the crude *Cider* feemingly as good, if not better then the boiled: But having ftop'd up the *boiled*, I took it to task again about *ten moneths* after; at which time I found it fo exceffively ftrong, that five perfons would fcarcely venture upon an ordinary glassfull of it. My *Friends* would hardly believe but I had *heightened* it with fome of my *fpirits*: the truth is, I do not remember that I ever drunk any *liquor*, on this fide *fpirits*, fo highly ftrong and fpirituous: But wanting pleafantnefs anfwerable to its ftrength, I was not very fond of my *experiment*.

9. A Neighbour having a good provent of *Purelings* (an Apple of choice account with us) making up a good part of them to Cider, expected rare *liquor*; but it proved very mean and pitiful Cider, as generally we find that to be which is made without mixture.

10. My Distillations sufficiently instruct me, that the fame liquor which (after fermentation hath past upon it) yields a plentiful quantity of spirit, drawn off unfermented yields nothing at all of spirit. And upon the same, it is undoubtedly certain, that Cider boiled immediately from the wring hath his spirits compress, and drawn into a narrow compass, which are for the most part wasted and evaporated by late unscale boiling.

; G

the first of the state of the

and the second second

CON

# CONCERNING

# IDER. By Doctor SMITH.



HE best time to grind the Apples is immediately from the Iree, fo foon as they are throughly ripe : for, fo they will yield the greater quantity of Liquor, the Cider will drink the better, and last longer then if the Apples were hoarded : For Cider made

of hoarded Apples will always retain an unpleasing taste of the Apples, especially if they contract any rottennes.

The Cider that is ground in a Stone-cafe is generally accused to taste unpleasantly of the Rinds, Stems and Kernels of the Apples ; which it will not if ground in a Cafe of Wood, which doth not bruife them fo much.

So foon as the Cider is made, put it into the Veffel (leaving it about the space of one Gallon empty) and prefently stop it up very close: This way is observed to keep it longer, and to preferve its fpirits better then the usual way of filling the Veffel quite full, and keeping it open till it hath done fermenting.

Cider put into a new Vessel will often taste of the Wood, if it be pierced early; but the fame ftopped up again, and referved till the latter end of the year, will free it felf of that tafte.

If the *Cider* be tharp and thick it will recover it felf again : But if sharp and clear, it will not.

About March (or when the Cider begins to sparkle in the glass) before it be too fine, is the best time to bottle it.

Cider will be much longer in clearing in a mild and moift, then in a cold and dry Winter.

To every Hogshead of Cider, defigned for two years keeping, it is requisite to add (about March, the first year) a quart of Wheat unground.

The best Fruit (with us in Glocestersbire) for the first years Cider, are the Red-strake; the White and Red Must-apple, the fweet and foure Pepin, and the Harvey-apple.

Pearmains alone make but a fmall liquor, and hardly clearing of it felf; but, mixed either with fweet or foure Pepins, it becomes very brisk and clear.

Must-apple-cider (though the first made) is always the last ripe; by reason that most of the pulp of the Apple passeth the strainer in preffing, and makes it exceeding thick.

The Cider of the Bromsbury-Crab, and Fox-whelp, is not fit for drinking, till the fecond year, but then very good.

The Cider of the Bromsbury-crab yields a far greater proportion of pirits, in the distillation, then any of the others.

Crabs and Pears mixed make a very pleafing Liquor, and much fooner ripe then Pears alone. OF

#### By Capt. TAYL R.



Erefordshire affords several forts of Cider-apples. as the two forts of Red-strakes, the Gennetmoyle, the summer-violet or Fillet, and the Winter-fillet; with many other forts which are used only to make Cider. Of which fome use each fort fimply; and others mix many forts together. This County is very well fored with other forts of Apples; as Pepins, Pear47

mains, O.c. of which there is much Cider made, but not to be compared to the Cider drawn from the Cider-apples; among which the Red-strakes bear the Bell ; a Fruit in it felf scarce edible; yet the juice being pressed out is immediately pleasant in taste, without any thing of that restringency which it had when incorporated with the meat, or fleft of the Apple. It is many times three moneths before it comes to its clearnes, and fix moneths before it comes to a ripenels fit for drinking; yet I have tafted of it three years old, very pleafant, though dangeroufly ftrong. The colour of it, when fine, is of a sparkling yellow, like Canary, of a good full body, and oyly : The tafte, like the Flavour or perfume of excellent Peaches, very grateful to the Palate and Stomach.

Gennet-moyles make a Cider of a smaller body then the former, yet very pleafant, and will laft a year. It is a good eating pleafant sharp fruit, when ripe, and the best Tart-apple (as the Redstrake also) before its ripenes. The Tree grows with certain knotty extuberancies upon the branches and boughs; below which knot we cut off boughs the thickness of a mans wrift, and place the knot in the ground, which makes the root 3 and this is done to raise this fruit; but very rarely by graffing.

Of Fillets of both forts (viz. Summer and Winter) I have made Cider of that proportionate tafte and strength, that I have deceived feveral experienced Palates, with whom (fimply) it hath paffed for White-wine; and dashing it with Red-wine, it hath passed for Claret; and mingled with the Syrupe of Rafp'yes it makes an excellent momans wine : The fruit is not fo good as the Gennetmoyle to eat : The Winter-fillet makes a lasting Cider, and the Summer

Summer-fillet an early Cider, but both very ftrong; and the Apples mixt together make a good Cider.

mixt together make a good Cider. These Apples yield a liquor more grateful to my Palate (and so esteemed of in Hereford/bire by the greater Ciderists) then any made of Pepins and Pearmains, of which some have very good in that Country; and those also both Summer and Winter of both forts, and of which I have drank the Cider; but prefer the other.

Grounds feparated only with a Hedge and Ditch, by reafon of the difference of Soils have given a great alteration to the Cider, notwithstanding the Trees have been graffed with equal care, the fame Graffs, and laftly, the fame care taken in the making of the Cider. This as to the Red-strake; I have not observed the fame niceness in any other fruit; for Gennet-moyles and Fillets thrive very well over all Herefordshire. The Red-strake delights most in a fat foil : Hamlacy is a rich intermixt foil of Red-sta-clay and sand; and Kings-capel a low hot fandy ground, both well defended from noxious Winds, and both very famous for the Redstrake-cider.

There is a Pear in Hereford and Worcestershires, which is called Bareland-pear, which makes a very good Cider. I call it Cider (and not Perry) because it hath all the properties of Cider. I have drank of it from half a year old to two years old. It keeps it felf without Roping (to which Perry is generally inclined) and from its tafte : M. Beal, in his little Treatife called the Herefordshire-Orchard, calls it defervingly a Masculine Drink; because in taste not like the fweet Insciences feminine juice of Pears. This Tree thrives very well in barren ground, and is a fruit (with the Redstrake) of which Smine will not eat; therefore fittes to be planted in Hedge-rows.

Red-ftrakes and other Cider-apples when ripe (which you may know partly by the blacknefs of the Kernels, and partly by the colour and fmell of the fruit) ought to be gathered in Baskets or Bags, preferved from bruifing, and laid up in heaps in the Orchard to fweat; covered every night from the dew: Or elfe, in a Barnfloor (or the like) with fome Wheat or Rye-ftraw under them, being kept fo long till you find, by their mellowing, they are fit for the Mill.

They that grind, or bruife their Apples prefently upon their gathering, receive fo much liquor from them, that between twenty or twenty two Buschels will make a Hogschead of Cider: but this Cider will neither keep fo well, nor drink with such a fragrancy as is defired and endeavoured.

They that keep them a moneth or fix meeks hoarded, allow about thirty bufhels to the making of a Hogfhead; but this hath alfo an inconvenience; in that the Cider becomes not fine, or fit for drinking, fo conveniently as a mean betwixt thefe two will afford.

Keep them then about a fort-night in a hoard, and order them to be of fuch a cast by this Mellowing; that about twen-

ty

ty five Bushels may make a Hogshead, after which mellowing proceed thus.


1. Pick and clear your Apples from their stalks, leaves, moazinefs, or any thing that tends toward rottennefs or decay.

2. Lay them before the *stone* in the *Cider-mill*, or elfe beat them finall with *Beaters* (fuch as *Paviers* use to fix their pitching) in deep troughs of Wood or Stone, till they are fit for the *Prefs*.

3. Having laid clean wheat-ftraw in the bottome of your Prefs, lay a heap of bruifed Apples upon it, and fo with finall handfuls or wiffs of ftraw, which by twifting takes along with it the ends of the straw laid first in the bottome, proceed with the bruifed Apples, and follow the heaps with your twifted ftraw, till it comes to the height of two foot, or two foot and a halfs and fo with fome straw drawn in by twifting, and turned over the top of it (fo that the bruifed Apples are fet as it were into a deep Cheef-vat of ftraw, from which the Country people call it their Cider-cheefe) let the board fall upon it even and flat, and fo engage the force of your skrew or Prefs fo long as any Liquor will run from it. Instead of this Cheefe others use baggs of Hair-cloth.

4. Take this Liquor thus forced by the Prefs, and strain it thorow a strainer of hair into a Vat, from whence straight (or that day) in pails carry it to the Cellar, tunning it up presently in such Vessels as you intend to preserve it in; for I cannot approve of a long evaporation of spirits, and then a disturbance after it settles.

5.Let your Vessels be very tight and clean wherein you put your Cider to fettle : The best form is the stund or stand, which is fet



upon the lefter end, from the top tapering downwards; as fuppofe the head to be thirty inches diametre, let then the bottome be but eighteen or twenty inches in diametre; let the Tun-hole or Bung-hole be on the one fide outwards, toward the top. The reafon of the goodnefs of this form of Veffel is, becaufe Cider (as all ftrong Liquors) after fermentation and working, contracts a cream or skin on the top of them, which in this form of Veffel is as it finks

contracted, and fortified by that contraction, and will draw fresh to the last drop; whereas in our ordinary Vessels, when drawn out about the half or middle, this skin dilates and breaks, and without a quick draught decays and dies.

6. Referve a Pottle or Gallon of the Liquor to fill up the Veffel to the brim of the Bung-hole, as oft as the fermentation and working leftens the Liquor, till it hath done its work.

7. When it hath compleated its work, and that the Veffel is filled up to the *bung-kole*, ftop it up clofe with well mix'd *clay*, and well tempered, with a handful of *Bay-falt* laid upon the top of the *clay*,

clay, to keep it moift, and renewed as oft as need shall require; for if the clay grows dry it gives vent to the spirits of the Liquor, by which it suffers decay.

I am against either the boyling of Cider, or the hanging of a bag of spices in it, or the use of Ginger in drinking it; by which things people labour to correct that *windiness* which they fancy to be in it: I think Cider not windy; those that use to drink it are most free from *windiness*; perhaps the *virtue of* it is such, as that once ripened and mellowed, the drinking of it in such, as that combates with that wind which lies infensibly latent in the body. The Cider made and fold here in London in Bottles may have that windiness with it as Bottle-beer hath, because they were never suffered to ferment: But those that have remarked the strength and vigour of its fermentation, what weighty things it will cass up from the bottome to the top, and with how many bubbles and bladders of wind it doth work, will believe that it clears it felf by that operation of all such injurious qualities.

To preferve Cider in Bottles I recommend unto you my own Experience, which is, Not to bettle it up before fermentation; for that incorporates the windy quality, which otherwife would be ciected by that operation : This violent suppression of fermentation makes it windy in drinking, (though I confess brisk to the taste, and sprightly cutting to the Palate : ) But after fermentation, the Cider refting two, three, or four Months, draw it, and bottle it up, and fo lay it in a Repository of cool springing water, two or three foot, or more, deep; this keeps the fpirits, and the best of the shirits of it together: Thismakes it drink quick and lively; it comes into the glass not pale or troubled, but bright yellow, with a fpeedy vanishing nittines, (as the Vintners call it) which evaporates with a Sparkling and whizzing noise; And than this I never tasted either Wine or Cider that pleased better : Infomuch that a Noble-man tafting of a Bottle out of the mater (himfelf a great *Ciderift*) protested the excellency of it, and made with much greater charges, at his own dwelling, a mater Reposifitory for his Cider, with good fuccefs.

and a second and a second a second as

Contraction of the second se

the well that and the

e Navi a di la constante di a constante di la cons

Personal and the second

and the second

. .

# Kalendarium Hortense:

OR, THE.


# Gard'ners Almanac;

Directing what He is to do

# MONETHLY,

THROUGHOUT THE

R.




H

Invigilate viri, tacito nam tempora greffu Diffugiunt, nullóque sono convertitur annus.



# LONDON,

Printed by J. Macock, for John Martin, and James Allestry, and are to be fold at their Shop, at the fign of the Bell in St Paul's Church-yard. MDCLXIV.



# INTRODUCTION

# TO THE

# KALENDAR.



been Paradife (though of Gods own Planting) had not been Paradife longer then the Man was put into it, to Gen. 2. 15. Drefs it and to keep it; so, nor will our Gardens (as neer as we can contrive them to the resemblance of that bleffed Abode) remain long in their perfection, unles

they are also continually cultivated. For when we have so much celebrated the life and felicity of an excellent Gard'ner; it is not because of the leifure which he enjoys above other men; ease and opportunity which ministers to volupty, and insignificant delights; such as Fools derive from sensual objects : We dare hardily pronounce it : there is not amongst Men a more laborious life then is that of a good Gard'ners; but a labour full of tranquillity, and fatisfaction; Natural and Instructive, and fuch as (if any) contributes to Piety and Contemplation, Experience, Health and Longævity. In fum, a condition it is, furnish'd with the most innocent, laudable and purest of earthly felicities, and such as does certainly make the neerest approaches to that Bleffed state, where only they enjoy all things without pains; as those who were lead only by the light of Nature, because they could phansie none more glorious, thought it worthy of entertaining the Souls of their departed Heroes, and most deferving of Mortals.

But to return to the Labour; because there is nothing excellent which is to be attain'd without it : A Gard'ners work is never at an end: It begins with the Year, and continues to the next: He prepares the Ground, and then he Sows it; after that he Plants, and then he gathers the Fruits; but in all the intermedial spaces he is carefulto dreß it 3 so as Columella, speaking of this continual assiduity, tells us, a Gard'ner is not only to confider prætermiffas duodecim De R. R. horas, sed annum periisse, nisi sua quaque quod instat effecerit : li.ix. Quare, necessaria est (says he) Menstrui cujusque officii monitio ca, quæ pendet ex ratione fyderum cœli : for so with the Poet,

- tam funt Arcturi Sydera nobis, -Hœdorûmque dies servandi, & lucidus anguis ; Quam quibus in patriam ventosa per æquora vectis Pontus, & Oftriferi fauces tentantur Abydi.

Geor. 1.

55

All which duly weigh'd, how precious the time is, how pracipitous the occasion, how many things to be done in their just Season, and. H 2

and how intolerable a confusion will succeed a small neglect, after once a Ground is in order, we thought we should not attempt an unacceptable Work, if here we endeavour to present our Gard'ners with a compleat Cycle of what is requisite to be done throughout every Moneth of the Year : We fay, each Moneth ; because by dividing it into Parts fo distinct, the Order in which they shallfind each particular difpos'd, may not only render the work more facile and delightsome; but redeem it from that extream confusion, which for want of a constant, and uniform Method, we find does jo universally distract our ordinary fort of Gard'ners. They know not (for the most part) the Seafons when things are to be done; and when at any time they come to know, there often falls out so many things to be done on the . . . Judden, that some of them must of necessity be neglected for that whole Year, which is the greatest detriment to this Mystery, and frequently irrecoverable. Well therefore did the experienc'd Columella put his Gard'ner in mind of the fugaciousness of the Seasons, and the necessity of being Industrious, where he thus be speaks the men of our. Profession.

#### Invigilate viri, tacito nam tempora greffu Diffugiunt, nulloque sono convertitur annus. Colum. de cult. Hort. lib. 10.

Be watchful Sirs, the Seafons hafte them out, And without noise the Year is whirl'd about.

. . . . . .

2.0

111

We are yet far from imposing (by any thing we have alledg'd concerning these Menstrual Periods) those nice and hypercritical Puntillos which some Astrologers, and such as pursue their Rules, seem to oblige our Gard'ners to ; as if, for footh, all were lost, and our pains. to no purpole, unless the Sowing and the Planting, the Cutting and the Pruning, were perform'd in such and such an exact minute of the Moon: In hac autem Ruris disciplina non desideratur ejusmodi scrupulositas. There are indeed some certain Seasons, and suspecta tempora, which the prudent Gard'ner ought carefully (as much as in him lies) to prevent : But as to the reft, it shall be sufficient that he diligently follow the Observations which (by great Industry). we have collected together, and here prefent him, as fo many Synoptical Tables calculated for his Monethly use, to the end he may. pretermit nothing which is under his Inspection, and is necessary ; or distract his Thoughts and Employment before the Seafons require it.

And now, however This may feem but a Trifle to some who esteem Books by the bulk, and not the benefit; let them not yet despife these few enfuing Pages: For never was any thing of this pretence fo fully and ingenuously imparted, I shall not say to the regret of all our Mercenary Gar'dners, because I have much obligation to some above that Epithete; Mr Rofe, Gard'ner at Effex-House to Her Grace the Duchels of Somerset, and Mr Turner, formerly of Wimbleton in Surrey; who being certainly amongst the most expert of their Proteffion in England, are no lefs to be celebrated for their free communications · · · ·

Col. de R. R. lib.9.ca.364.

# Introduction to the Kalendar.

munications to the Publick, by divers Notes of theirs, which have furnish'd to this Design. And it is from the Result of very much Experience, and an extraordinary inclination to cherish so innocent and landable a diversion, and to incite an Affection in the Nobles of this Nation towards it, that I begin to open to them so many of the Secrets, and most precious Rules of this Mysterious Art, without Imposture, or invidious Referve. The very Catalogue of Fruits, and Flowers, for the Orchard and the Parterre, will gratistie the most innocent of the Senses, and whoever else shall be to seek a rare and universal choice for his Plantation : But this is enough.

Touching the Method, it is so obvious that there needs no farther direction; and the Confequent will prove so certain, that a Work of the busieft pains is by this little Instrument rendred the most facile and agreeable, as by which you shall continually preferve your Garden in that perfection of beauty and lustre, without confusion or prejudice: Nor indeed could we think of a more comprehensive Expedient, whereby to affift the frail and torpent Memory through so multifarious and numerous an Employment (the daily subject of a Gard'ners care) then by the Oeconomy and Discipline into which, we have here resolv'd it, and which our Industrious Gard'ner may himself be continually Improving from his own Observations and Experience.

This Kalendar might be confiderably augmented, and recommend it felf to a more Universal use, by taking in the Monethly Employments of all the parts of Agriculture, as they have been begun to us in Columella, Palladius, de Serres, Augustino Gallo, our Mark-Col. de R. R. ham, and others; especially if well and judiciously applied to our lib.11.ca.11. Climate and several Countries: but it were here besides our Insti-Pall. lib. 1. tution, nor would the Pages contain them; what is yet found Tit.1. vacant has been purposely left, that our Gard'ner may supply as he finds cause; for which reason likewise we have rang'd both the Fruits and Flowers in Prime after somewhat a promiscuous Order, and not after the letters of the Alphabet, that the Method might be pursu'd with the least disorder. Lastly,

1 2 , 10

· · · · · ·

The Fruits and Flowers in Prime are to be as well confidered in relation to their lasting and continuance, as to their maturity and beauty.

TF

# Kalendarium Hortense.

Sun { rifes-081-00m } fets -04 -00 }

# JANUARY

# Hath Days long-8h-00m

### To be done

### In the Orchard, and Olitory-Garden.

Rench the Ground, and make it ready for the Spring: prepare alfo soil, and use it where you have occasion: Dig Borders, &c. uncover as yet Roots of Trees, where Ablaqueation is requisite.

Plant Quick-fets, and Transplant Fruit-trees, if not finish'd: Set Vines; and begin to prune the old: Prune the branches of Orchard-fruit-trees; Nail, and trim your Wall-fruit, and Espaisers.

Cleanse Trees of Mos, &c. the Weather moist.

Gather Cyons for Graffs before the buds fprout; and about the later end, Graff them in the stock: Set Beans, Peafe, &c.

Sow also (if you please) for early Colly-flowers.

all the second share the second s

So Chervil, Lettuce, Radish, and other (more delicate) salletings; if you will raise in the Hot-bed.

In over wet, or hard weather, cleanse, mend, sharpen and prepare Garden-tools.

Turn up your Bee-hives, and sprinkle them with a little warm and sweet Wort; do it dextrously.

# Fruits in Prime, and yet lasting.

1

# Apples.

K Entifh-pepin, Russet-pepin, Golden-pepin, French-pepin, Kirtonpepin, Holland-pepin, John-apple, Winter-Queening, Marigold, Harvey-apple, Pome-water, Pome-roy, Golden-Doucet, Reineting, Lones-pearmain, Winter-Pearmain, &c.

#### Pears.

Winter-Musk (bakes well) Winter-Normich (excellently baked) Winter-Bergamot, Winter-Bon-crestien, both Mural: the great Surrein, &c.

the Rifing and Setting of the Sun, and Length of the Days, I compute from the first of every Moneth, London Elevation.

Note that for

58

# KALENDARIUM HORTENSE.

Sun { rifes-08<sup>b</sup>-00<sup>m</sup> } fets -04 -c0 }

# JANUARY

# Khath Days Jong-8h-00h

# To be done

# In the Parterre, and Flower-Garden.'

Set up your Traps for Vermin; especially in your Nurseries of Kernels and Stones, and amongst your Bulbous-roots: About the middle of this Moneth, plant your Anemony-roots, which you will be secure of, without covering, or farther trouble: Preserve from too great, and continuing Rains (if they happen) Snow, and Frost, your choicest Anemonies, and Ranunculus's sow'd in September or Ottober for earlier Flowers: Also your Carnations, and such Seeds as are in peril of being wash'd out, or over chill'd and frozen; covering them with shuts and scaler, and striking off the Snow where it lies too weighty; for it certainly rots, and bursts your early-fet Anemonies and Ranunculus's, S. c. unless planted now in the Hot-bed; for now is the Season, and they will flower even in London. Towards the end, earth-up, with fresh and light mould, the Roots of those Auriculas which the frosts may have uncover'd; filling up the chinks about the fides of the Pots where your choicest are fet: but they need not be hows'd; it is a hardy Plant.

# Flowers in Prime, or yct lasting.

and the state of t

1 11 1

and the state of the second seco

WInter-Aconite, some Anemonies, Winter-Cyclamen, Black-Hellebor, Brumal-Hyacinth, Oriental-Jacynth, Levantine-Narciss, Hepatica, Prim-roses, Laurus-tinus, Mezercon, PræcoceTulips, &c. 'especially, if rais'd in the (Hot-bed.) Note,

That both these Fruits, and Flowers, are more early, or tardy, both as to their prime Seasons of eating, and perfection of blowing, according as the soil, and situation are qualified by Nature, or Accident. Note also,

That in this Recension of Monethly Flowers, it is to be understood for the whole period that any flower: continues, from its first appearing, to its final withering.

111

and the second sec

59

# KALENDARIUM HORTENSE.

¥

 $Sun \left\{ \begin{array}{c} rifer-0.7^{b}-1.5^{m} \\ fets-0.4-4.5 \end{array} \right\}$ 

60

# FEBRUARY

Kath Days long-09<sup>h</sup>-24

## To be done

#### In the Orchard and Olitory-Garden.

PRune Fruit-trees, and Vines, as yet. Remove Graffs of former years Graffing. Cut and lay Quick-fets. Yet you may Prune fome Wall-fruit (not finish'd before) the most tender and delicate: But be exceeding careful of the now turgid buds and bearers; and trim up your Palisade Hedges, and Espaliers. Plant Vines as yet, other Shrubs, Hops, &c.

Set all forts of Kernels and stony Seeds. Alfo fow Beans, Pease, Radish, Parfneps, Carrots, Onions, Garlick, &c. and plant Potatoes in your worst ground.

Now is your Seafon for Circumposition by Tubs or Baskets of Earth, and for laying of Branches to take root. You may plant forth your Cabbage-plants.

Rub Moss off your Trees after a soaking Rain, and scrape and cleanse them of Cankers, &c. draining away the met (if need require) from the too much moistned Roots, and earth up those Roots of your Fruit-trees, if any were uncover'd. Cut off the Webbs of Caterpillars, &c. (from the Tops of Twigs and Trees) to burn. Gather Worms in the Evenings after Rain.

Kitchen-Garden herbs may now be planted, as Parfly, Spinage, and other hardy Pot-hearbs. Towards the middle or latter end of this Moneth, till the Sap rifes briskly, Graff in the Clift, and fo continue till the last of March; they will hold Apples, Pears, Cherries, Flums, &c. Now also plant out your Colly-flowers to have early; and begin to make your Hot-bed for the first Melons and Cucumbers; but trust not altogether to them. Sow Asparagus. Lastly,

Half open your passages for the Bees, or a little before (if meather invite ;) but continue to feed weak Stocks, &c.

others, assister, and and

in spiration of the second

# Fruits in Prime, or yet lasting.

### Apples.

Kentifh, Kirton, Russet, Holland Pepins; Deux-ans Winter Queening, Harvey, Pome-water, Pome-roy, Golden Doucet, Reineting, Lones Pearmain, Winter Pearmain, &c.

Pears.

Eon-Chrestien of Winter, Winter Poppering, Little Dagobert, &c.

College, Simon and Statement Product of the

# KALENDARIUM HORTENSE.

¥

Sun { rifes-07

FEBRUARY

CHath Days Jong-09b-24

6t

To be done

# In the Parterre and Flower-Garden.

Ontinue Vermine Trapps, &c. Sow Alaternus feeds in Cafes, or open beds; cover them with thorns; that the Poultry fcratch them not out.

Now and then air your Carnations, in warm days efpecially, and mild fhomers. . Furnish (now towards the end) your Aviarys with Birds before they couple, O.c.

1.155 1

THE PERSON NEW YORK AND ADDRESS TO A DECK

and the second of the state of the second se

ber warden Stephenter States and and

services and and a service and a service of the

and Alerthan Alerthan and a start of the second

. . . .

# Flowers in Prime, or yet lasting.

7 Inter Aconite, fingle Anemonies, and some double, Tulips pracoce, Vernal Crocus, Black Hellebore, fingle Hepatica, Persian Iris, Leucoium, Dens Caninus three leav'd, Vernal Cyclamen white and red, Yellow Violets with large leaves, early Daffodils, &c.

Sun { rifes-06<sup>h</sup>-19<sup>m</sup> }

#### Y.

MARCH

Hath Days' long-11<sup>b</sup>-22<sup>b</sup>

## To be done

### In the Orchard, and Olitory-Garden.

Et Stercoration is seasonable, and you may plant what Trees are left, though it be something of the latest, unless in very backward or moist places.

Now is your chiefelt and best time for raising on the Hot-bed Melons, Cucumbers, Gourds, &c. which about the fixth, eighth or tenth day will be ready for the Seeds; and eight days after prick them forth at distances, according to the Method, &c.

If you will have them later, begin again in ten or twelve days after the first; and so a third time, to make *Experiments*.

Graff all this Moneth, unless the spring prove extraordinary forwards.

You may as yet cut Quick-sets, and cover such Tree-roots as you laid bare in Autumn.

Slip and fet Sage, Rosemary, Lavender, Thyme, &.c.

Sow in the beginning Endive, Succory, Leeks, Radifh, Beets, Chard-Beet, Scorzonera, Parsnips, Skirrets, Parsley, Sorrel, Bugloss, Borrage, Chervil, Sellery, Smalladge, Alisanders, &c. Several of which continue many years without renewing, and are most of them to be blanch'd by laying them under litter and earthing up.

Sow alfo Lettuce, Onions, Garlick, Orach, Purflan, Turneps (to have early), monethly Peafe, &c. thefe annually.

Transplant the Beet-chard which you fow'd in August, to have most ample Chards.

Sow also Carrots, Cabbages, Creffes, Fennel, Majoran, Bafil, Tobacco, &c. And transplant any fort of Medicinal Hearbs and the former of the second

Mid-March drefs up and string your Stramberry-beds, and uncover your Afparagus, spreading and loofning the Mould about them, for their more easie penetrating: Also may you now transplant Afparagus roots to make new Beds.

By this time your Bees fit ; keep them close Night and Morning, if the weather prove ill.

Turn your Fruit in the Room where it lies, but open not yet the mindows.

# Fruits in Prime, or yet lasting.

Apples.

Golden Ducket, [Doucet] Pepins, Reineting, Lones Pearmain, Winter Pearmain, John Apple, & c.

Pears.

Later Bon-Chrestein : Double Blossom Pear, &c.

62.

§ rifes-06h-19 Sun R lets--05--41

# MARCH

KHath Days Jong-11h-22m

# To be done

### . In the Parterre and Flower-Garden.

CTake, and binde up your weakest Plants and Flowers against the Windes, before they come O too fiercely, and in a moment prostrate a whole years labour.

Plant Box, Oc. in Parterres. Sow Pinks, Sweet-Williams, and Carnations, from the middle 'Sow Pinc-kernels, Firr-feeds, Bays, Alaternus, Philyrea, and most to the end of this Moneth. perennial Greens, Oc. Or you may ftay till fomwhat later in the Moneth. Sow Auriculafeeds in pots or cafes, in fine willow earth, a little loamy; and place what you fow'd in October now in the shade, and water it.

Plant fome Anemony roots to bear late, and fucceffively; especially in, and about London, where the Smoak is any thing tolerable ; and if the Seafon be very dry, water them well once in two or three days. Fibrous roots may be transplanted about the middle of this Moneth; fuch as Hepatica's, Primeroses, Auricula's, C. mmomile, Hyacinth Tuberose, Matricaria, Hellebor and other Summer Flowers; and towards the end Convolvulu's, Spanish or ordinary Jasmine.

Towards the middle, or latter end of March fow on the Hot-bed fuch Plants as are late bearing Flowers or Fruit in our Climate; as Balfamine, and Balfamum mas, Pomum Amoris, Datura, Æthiopic Apples, some choice Amaramibus, Daciyls, Geranium's, Hedyfarum Clipeatum, Humble, and Sensitive Plants, Lentiscus, Myrtle-berries (steep'd a while), Capsicum Indicum, Canna Indica; Flos Africanus, Mirabile Peruian: Nasturtium Ind: Indian Phaseoli, Volubilis, Myrrb, Carrobs, Maracoe, five Flos Paffionis, and the like rare and exotic Plants which are brought us from hot Countries. Note, That the Nafturtium Ind. African Mary golds, Volubilis and fome others, will come (though not altogether fo forwards) in the Cold-bed without Art : But the rest require much, and constant heat, and therefore several Hot-beds, 'till the common earth be very warm by the advance of the Sun, to bring them to a due flature, and perfect their Sceds.

About the expiration of this Moneth carry into the shade fuch Auriculas, Seedlings, or Plants as are for their choiceness referv'd in Pots.

Transplant also Carnation feedlings, giving your Layers fresh earth, and setting them in the shade for a week, then likewife cut off all the fick and infected leaves.

Now do the faremell-frosts, and Easterly-minds prejudice your choicest Tulips, and for them; therefore cover fuch with Mus or Canvas to prevent freckles, and fometimes deftructi-on. The fame care have of your most precious Anemonies, Auricula's, Chame-iris, Brumal Jacynths, early Cyclamen, &c. Wrap your thorn Cypress tops with Straw mills, if the Eastern . blasts prove very tedious. About the end uncover some Plants, but with Cantion; for the tail of the Frosts yet continuing, and tharp windes, with the fudden darting heat of the Sun, forch and deftroy them in a moment; and in fisch weather neither fow, nor transplant.

Sow Stock-gilly-flower-feeds in the Full to produce double flowers.

Now may you fet your Oranges, Lemmons, Mertils, Oleanders, Lentifes, Dates, Alocs, Amomums, and like tender Trees and Plants in the Portico, or with the windows, and doors of the Green-boufes and Confervatories open for eight or ten days before April, or earlier, if the Seafon invite, to acquaint them gradually with the Air; but truft not the Nights, unless the weather thorowly setled. Lastly, Bring in materials for the Birds in the Aviary to build their Nests withall. be thorowly fetled.

#### Flowers in Prime, or yet lasting.

A Nemonies, Spring Cyclamen, Winter Aconite, Crocw, Bellis, white and black Hellebor, fin-gle, and double Hepatica, Leucoion, Chama-iris of all colours, Dens Caninus, Violets, Fritillaria, Chelidonium finall with double Flower, Hermodaciyls, Tuberous Iris, Hyacinib Zeboin, Brumal, Oriental, Gc. Junquils, great Chalic'd. Dutch Mezervon, Perfian Iris, Auricula's, Narciflus with large tufts, common, double and fingle. Primerofes, Pracoce Tulips, Spanish Trumpets or Junquilles; Violets, yellow Dutch Violets, Crown Imperial, Grape Flowers, Almonds and Peach-bloffoms, Rubus odoratus, Arbor Jude, Oc.

APRIL

# APRIL

Hath Days Jong-13h-23n

# To be done

# In the Orchard, and Olitary-Garden.

COw fweet Majoran, Hyffop, Bafile, Thyme, Winter-Savory, Scurvey-graf, ) and all fine and tender Seeds that require the Hot-bed. Sow alfo Lettuce, Purflan, Caully-flower, Radifb, &c. Plant Artichock-flips, &c.

Set French-beans, &c.

{ rifes-05<sup>h</sup>-18<sup>th</sup> } { fets--05 -42<sup>i</sup> }

You may yet flip Lavander, Thyme, Rofe-mary, &c.

Towards the middle of this moneth begin to plant forth your Melons, and Cucumbers, and so to the later end; your Ridges well prepar'd. Gather up Worms, and Snails, after evening showers, continue this also af-

ter all Summer-rains.

Open now your Bee-bives, for now they hatch; look carefully to them, and prepare your Hives, G.c.

# Fruits in Prime, and yet lasting. Apples.

Epins, Deuxans, West-berry-apple, Russeting, Gilly-flowers, flat Reinet, &c.

Pears.

Later Bon-crestien, Oak-pear, &c. double Blossom, &c.

Sun

# Sun { rifes-05<sup>b</sup>-18<sup>m</sup> } (fets -05 -42

APRIL

§ Hath Days } {long-13"-23" XXXI:

### To be done

# In the Parterre, and Flower-Garden.

SOw divers Annuals to have Flowers all Summer; as double Mari-golds, Cyanus of all forts, Candy-tufis, Garden Panfy, Muscipula, Scabious, &c.

Continue nem, and fresh Hot-beds to entertain such exotic plants as arrive not to their perfection without them, till the Air and common-earth be qualified with sufficient warmth to preferve them abroad : A Catalogue of these you have in the former Moneth.

Transplant such Fibrow-rvots as you had not finish'd in March; as Violets, Hepatica, Primroses, Hellebor, Matricaria, &c.

Sow Pinks, Carnations, Sweet-Williams, &c. to flower next year : this after rain. Set Lupines, &c.

Sow alfo yet Pine-kernels, Firr-feeds, Philyrea, Alaternus, and most perennial Greens.

Now take out your Indian Tuberofes, parting the Off-fers (but with care, left you break, their fangs) then pot them in natural (not fore'd) Earth; a layer of rich mould beneath, and about this natural earth to nourifh the fibers, but not fo as to touch the Bulbs: Then plunge your pots in a Hit-bed temperately warm, and give them no water till they firing, and then fet them under a South-wall: In dry weather water them freely, and expect an incomparable flower in August: Thus likewife treat the Narciffus of Japan, or Garnfey-Lilly for a later flower, and make much of this precious Direction.

Water Anemonies, Ranunculus's, and Plants in Pots and Cafes once in two or three days, if drouth require it. But carefully protect from violent storms of Rain, Hail, and the too parching darts of the Sun, your Pennach'd Tulips, Ranunculus's, Anemonies, Auricula's; covering them with Mattreffes supported on cradles of hoops, which have now in readines. Now is the Seafon for you to bring the choice and tender shrubs, &c. out of the Confervatory; such as you durft not adventure forth in March : let it be in a fair day; only your Orange-trees may remain in the house till May, to prevent all danger.

may remain in the house till May, to prevent all danger. Now, towards the end of April, you may Transplant, and Remove your tender shruhs, &c. as Spanish Jasmines, Myrtils, Oleanders, young Oranges, Cyclamen, Pomegranats &c. but first let them begin to sprout; placing them a fort-night in the shade: but about London it may be better to defer this work till mid-August, Vide also May: Prune now your Spanish Jasmine within an inch or two of the stock; but first see it begin to shoot. Mow Carpet-walks, and ply Weeding, &c.

Towards the end (if the cold winds are past) and especially after showers, Clip Philyrea, Alaternus, Cypreß, Box, Myrtils, Barba Jovis, and other tonfile shrubs, Gro.

# Flowers in Prime, or yet lasting.

A Nemonies, Ranunculus's, Auricula Ursi, Chamæ-Iris, Crown Imperial, Caprifolium, Cyclamen, Dens Caninus, Fritillaria, double Hepatic's, Jacynth starry, double Daisies, Florence-Iris, tusted Narciss, white, double and common, English double: Prime-rose, Cow-slips, Pulsatilla, Ladies-smock, Tulips medias, Ranunculus's of Tripoly, white Violets, Musk-Grape-flower, Parietaria Lutea, Leucoium, Lillies, Pæonies, double Jonquils, Muscaria revers'd, Cochlearia, Periclymenum, Acanthus, Lilar, Rose-mary, Cherries, Wall-pears, Almonds, Abricots, Peaches, White-thorn, Arbor Jude blossoning, &c.

# п

# MAY

6 Hath Days Slong-15h-09 xxviii.

1.0

## To be done

#### . In the Orchard, and Olitory-Garden.

COw Sweet-Majoran, Basil, Thyme, hot and Aromatic Herbs and Plants Which are the most tender.

Sow Purslan, to have young : Lettice, large-fided Cabbage, painted Beans, O.c.

Look carefully to your Mellons; and towards the end of this Moneth, forbear to cover them any longer on the Ridges either with Straw, or Mattreffes, O.c.

Ply the Laboratory, and distill Plants for Waters, Spirits, O.c. Continue Weeding before they run to Seeds.

Now fet your Bees at full Liberty, look out often, and expect Swarms, &c.

the second

The state of the s

# Fruits in Prime, or yet lasting.

PEpins, Deuxans or John-apples, West-berry-apples, Russeting, Gilly-flower-apples, the Maligar, &c. Codling

## Pears.

Great Kairville, Winter-Bon-Cretienne, Double-Bloffom-pear, &c. Cherries, &.c. Stram-berries, &c.. The May-Cherry.

:

66

Sun

2 .

Grifes-04 - 25 " 2

Cfets -07--35 9.

and the second s

IN

Grifes-04h-25th J

Ciets -07 -35 . 9

Sun

MAY

## To be done

# In the Parterre, and Flower-Garden.

Now bring your Oranges, &c. boldly out of the Confervatory; 'tis your only Seafon to Iransplant, and Remove them: let the Cases be fill'd with natural-earth (such as is taken the first half spit, from just under the Turf of the best Pasture ground) mixing it with one part of rotten Cow-dung, or very mellow Soil-screen'd and prepar'd some time before; if this be too stiff first a little Lime discreetly with it: Then cutting the Roots a little, especially at bottom, set your Plant; but not too deep; rather let some of the Roots appear: Lastly, settle it with temperate water (not too much) having put some rubbish of Brick-bats, Limestrong, shells, or the like at the bottom of the Cases, to make the moisture passage, and keep the earth loofe: Then set them in the shade for a fort-night, and afterwards expose them to the Sun.

Give now also all your hous d-plants fresh earth at the farface, in place of some of the old earth (a hand-depth or so) and loofning the rest with a fork without wounding the Roots : let this be of excellent rich foil, such as is throughly consum d and will sift, that it may mash in the versue, and comfort the Plant : Brush, and cleanse them likewise from the dust contracted during their Enclosure : These two last directions have till now been kept as considerable Secrets amongst our Gard'ners : vide August and September.

Shade your Carnations and Gilly-flowers after mid-day about this Seafon : Plant also your Stock-gilly-flowers in beds, full Moon.

Gather what Anemony-feed you find ripe, and that is worth faving, preferving it very dry. Cut likewife the Stalks of fuch Bulbous-flowers as you find dry.

Towards the end take up those Tulips which are dri'd in the stalk; covering what you find to lie bare from the Sun and showers.

# Flowers in Prime, or yct lasting.

L Ate fet Anemonies and Ranunculus omn.gen. Anapodophylon, Chame-iris Angustifol. Cyanin, Columbines, Caltha palustris, double Cotyledon, Digitatis, Fraxinella, Gladiolus, Geranium, Horminum Creticum, yellow Hemerocallis, strip'd Jacynth, early Eulbows Iris, Alfhodel, yellow Lilies, Lychnis, Jacea, Bellis double, white and red, Millefolium Inteum, Lilium Convallium, Span.pinkes, Deptford-pinke, Rosa common, Cinnamon, Guelder and Centifol. &c. Syringa's, Sedum's, Tulips Serotin, &c. Valerian, Veronica double and single, Musk Violets, Ladies Slipper, Stock-gilly-flowers, Spanish Nut, Star-flower, Chalcedons, ordinary Crow-foot, red Martagon, Bee-flowers, Campanula's white and blew, Persian Lilly, Hony-suckles, Buglosse, Hamers Moly, and the white of Dioscorides, Pansy, Prunella, purple Thalicirum, Sisymbrium double and simple, Leucoium bulbosum ferotinum, Rose-mary, Stachas, Barba Jovis, Laurus, Satyrion; Oxyacanthus, Tamariscus, Apple-blosses, &c.

g Hath Days Jong-15 -09 th

0	§ rifes-03*-51"	ð
Sun	l sets -0809	Š

**9**T

# JUNE

6 Hath Days Slong-16-17 -0 C 2", XXX

1.1

#### To be done

#### In the Orchard, and Olitory-Garden.

Sow Lettuce, Chervil, Radifb, &c. to have young, and tender Salleting. About the midst of June you may Inoculate Peaches, Abricots, Cherries, Plums, Apples, Pears, &c.

You may now also (or before) cleanse Vines of exuberant branches and tendrels, cropping (not cutting) and stopping the joynt immediately before the Blossome, and some of the under branches which bear no finit; especially in young Vineyards when they first begin to bear, and thence forwards.

Gather Herbs in the Full, to keep dry; they keep and retain their virtue, and fiveet fmell, better dry'd in the Sun, then shade, whatever some pretend.

Now is your Season to distill Aromatic Plants, Ge.

Water lately planted Trees, and put moist, and half rotten Fearn, &c. about the foot of their Stems.

Look to your Bees for Swarms, and Casts; and begin to destroy Insets with Hoofes, Canes, and tempting baits, &c, Gather Snails after Rain, &c.

a sector of the sector alternation

# Fruits in Prime, or yet lasting.

Apples.

JUniting (first ripe) Pepins, John-apples, Robillard, Red-Fennouil, &c. French

The Maudlin (first ripe) Madera, Green-Royal, St. Laurence-pear, &c.

Cherries, O.c.

#### SBlack. Red.

Duke, Flanders, Heart ?Red.

White.

Luke-ward; early Flanders, the Common-cherry, Spanish-black, Naples Cherrics, &c.

Rasberries, Corinths, Straw-berries, Melons, &c.

68

5

Sun { rifes-03<sup>h</sup>-57<sup>m</sup> j fets -08 -09 j

# JUNE

# To be done

## In the Parterre, and Flower-Garden.

Ransplant Autumnal Cyclamens now if you would change their place, otherwife let them stand.

Gather the ripe feeds of Flowers worth the faving, as of choicest Oriental Jacynth, Narciffus (the two lesser, pale spurious Daffodels of a whitish green, often produce varieties) Auriculas, Ranunculus's, &c. and preferve them dry: Shade your Carnations from the afternoons Sun.

Take up your rarest Anemonies, and Ranunculus's after rain (if it come feafonable) the *stalk* wither'd, and dry the roots well : This about the end of the moneth : In mid June Inoculate Jasmine, Roses, and some other rare shrubs. Sow now also some Anemony feeds. Take up your Tulip-bulbs, burying such immediately as you find naked upon your beds; or elfe plant them in fome cooler place's and refresh over parched beds with water. Plant your Narciffus of Japan (that rare flower) in Pots, dec. Alfo may you now take up all fuch Plants and Flower-roots as endure not well out of the ground, and replant them again immediately : fuch as the early Cyclamen, Jacynth Oriental, and other bulbous Jacynths, Iris, Fritillaria, Crown-Imperial, Martagon, Muscaris, Dens Caninus, &.c. The flips of Myrtil fet in fome cool and moist place do now frequently take root : Alfo Cytifus lunatus will be multiplied by flips, fuch as are an handful long of that Spring. Look now to your Aviary; for now the Birds grow fick of their Feathers; therefore affift them with Emulsions of the cooler feeds bruis'd in their water, as Melons, Cucumbers, O.c. Alfo give them Succory, Beets, Groundfell, Chick-weed, &c.

# Flowers in Prime, or yet lasting.

A Maranthus, Antirrhinum, Campanulla, Clematis Pannonica, Cyanus, Digitalis, Geranium, Horminum Creticum, Hieracium, bulbous Iris, and divers others, Lychnis var. generum, Martagon white and red, Millefolium white and yellow, Nafturtium Indicum, Carnations, Pinks, Ornithogalum, Panfy, Phalangium Virginianum, Larks-heel early, Pilofella, Rofes, Thlassi Creticum, &c. Veronica, Viola pentaphyl. Campions or Sultans, Mountain Lilies white, red: double Poppies, Stock-gilly-flowers, Jasmines, Corn-flag, Hollyboc, Muscaria, Serpyllum Citratum, Phalangium Allobrogicum, Oranges, Rose-mary, Lentiscus, Pome-Granade, the Lime-tree, &c:

Hath Days

69

# N'

# JULY

Hath Days long-15<sup>h</sup>-59<sup>m</sup> xxxi.

A REAL PROPERTY AND INCOME.

# To be done

## In the Orchard, and Olitory-Garden.

COw Lettuce, Radish, &c. to have tender falleting.

1 . . . . .

Sow later Pease to be ripe fix weeks after Michaelmas.

Water young planted Trees, and Layers, &c. and prune now Abricots, and Peaches, faving as many of the young likelieft fhoots as are well placed; for the now Bearers commonly perifh, the new ones fucceeding: Cut close and even. Let fuch Olitory-herbs run to feed as you would fave.

Towards the latter end, visit your Vineyards again, &c. and stop the exuberant shoots at the second joynt above the fruit; but not so as to expose it to the sun.

Now begin to streighten the entrance of your Bees a little; and help them to kill their Drones if you observe too many; setting Glasses of Beer mingled with Hony to entice the Wass, Flyes, &c. which waste your store: Also hang Bottles of the same Mixture neer your Red-Roman-Nectarines, and other tempting fruits, for their destruction; else they many times invade your best Fruit.

Look now also diligently under the *leaves* of *Mural-Trees* for the *Snails*; they flick commonly somewhat *above* the *fruit*: pull not off what is *bitten*; for then they will certainly begin a *fresh*.

# Fruits in Prime, or yet lasting.

#### Apples.

DEux-ans, Pepins, Winter Ruffeting, Andrew-apples, Cinnamon-apple, red and white Juniting, the Margaret-apple, &c.

Pears.

The Primat, Ruffet-pears, Summer-pears, green Chefil-pears, Pearl-pear, &c. Cherries.

Carnations, Morella, Great-bearer, Moorocco-cherry, the Egriot, Bigarreaux, &c. Peaches.

Nutmeg, Ifabella, Persian, Newington, Violet-muscat, Rambouillet. Plums, &c.

Primordial, Myrobalan, the red, blew, and amber Violet, Damasc. Denny Damasc. Pear-plum, Damasc. Violet, or Cheson-plum, Abricot-plum, Cinnamon-plum, the Kings-plum, Spanish, Morocco-plum, Lady Eliz. Plum, Tawny, Damascene, &c. Rasberries, Goose-berries, Corinths, Straw-berries, Melons, &c.

70

 $Sun \begin{cases} rifes-04^{h}-00^{m} \\ fets-08--00 \end{cases}$ 

# ລ

# **ULY**

Hath Days long-15<sup>b</sup>-59<sup>m</sup>

## To be done

# In the Parterre, and Flower-Garden.

CLip Stocks, and other lignous Plants and Flowers : From henceforth to Michaelmas you may I also lay Gilly-flowers and Carnations for Increase, leaving not above two, or three spindles for flowers, with supports, cradles and hoofes, to establish them against winds, and destroy Earwigs.

The Layers will (in a moneth or fix weeks ) strike root, being planted in a light loamy earth mix'd with excellent rotten foil and fiefted : plant fix or eight in a pot to fave room in Winter : keep them well from too much Rains : But shade those which blow from the afternoons Sun, as in the former Moneths.

Yet also you may lay Myruls, and other curious Greens.

Water young planted Shrubs and Layers, Gc. as Orange-trees, Myrtils, Granads, Amo-mum, Gc. clip Box, Gc. in Parterres, Knots, and Compartiments, if need be, and that it grow out of order ; do it after Rain.

Graff by Approach, Inarch or Inoculate Jasmines, Oranges; and other your choicest shrubs.

Take up your early autumnal Cyclamen, Tulips and Bulbs (if you will Remove them, &c.) before mention'd; Transplanting them immediately; or a Moneth after if you please, and then cutting off, and trimming the fibres, spread them to Air in some dry place.

Gather now also your early Cyclamen-feeds, and sow it presently in Pots. Likewise you may take up some Anemonies, Ranunculus's, Crocus, Crown Imperial, Persian Iris, Fritillaria, and Colchicums, but plant the three last as foon as you have taken them up, as you did the Cyclamens.

Remove now Dens Caninus, Oc.

Sun { rifes-04<sup>h</sup>-00<sup>m</sup> } fets-08--00<sup>°</sup> }

Latter end of July fieft your Beds for Off-fets of Julips, and all Bulbous-roots, also for Anemonies, Ranunculus's, Ge. which will prepare it for re-planting with fuch things as you have ready in pots to plunge, or fet in naked earth till the next feafon; as Amaranths, Canna Ind. Mirabile Peruv. Capficum Ind. Nafturt. Ind. &c. that they may not lie empty, and dil-furnish'd.

Continue to cut off the wither'd flalks of your lower flowers, &c. and all others, covering with earth the bared roots, Oc.

Now (in the drieft feason ) with Brine, Pot-ashes and meter, or a decosiion of Tobacco refuse, water your Gravel-malks, Oc. to deftroy both Worms and Weeds, of which it will cure them for some years.

# Flowers in Prime, or yet lasting.

Maranthus, Campanula, Clematis, Sultana, Veronica purple and odoriferous; Digitalia, Eryngium Planum, Ind. Phaseolus, Geranium triste, and Creticum, Lychnis Chalcadon. Facea white and double, Nasturi. Ind. Millefolium, Musk-role, Flos Africanus, Iblapfi Creticum, Veronica mag. & parva, Volubilis, Balfam-apple, Holy-bock, Snapdragon, Corn-fle. Alkekengi, Lupines, Scorpion-graß, Caryophyllata om. gen. Stock-gily-flo. Indian Tuberous Jacynth, Limonium, Linaria Cretica, Pansia, Prunclla, Delphinium, Phalangium, Periploca Virgin. Flos Paffionis, Flos Cardinalis, Oranges, Amomum Plinii, Oleanders red and white, Agnus Caftus, Arbutus, Tucca, Olive, Ligustrum, Tilia, &c. Sun'S rifes-04h-43"

mp

AUGUST

**6** Hath Days flong-14"-33" XXXI

To be done

### In the Orchard, and Olitory-Garden.

Noculate now early, if before you began not.

Prune off yet also superfluous Branches, and shoots of this second spring; but be careful not to expose the fruit, without leaves sufficient to skreen it from the Sun; furnishing, and nailing up what you will spare to cover the defects of your Walls. Pull up the Suckers.

Sow Raddish, tender Cabages, Canly-flowers for Winter Plants, Corn-fallet, Marygolds, Letuce, Carrots, Parsneps, Turneps, Spinage, Onions; also curl'd Endive, Angelica, Scurvy-grafs, Oc. Likewife now pull up ripe Onions and Garlic, Orc.

Towards the end fow Purflan, Chard-Beet, Chervile, Oc.

Transplant fuch Letuce as you will have abide all Winter. Gather your Olitory Seeds, and clip and cut all fuch Herbs and Plants within one bandful of the ground before the full. Laftly,

Unbind and release the Buds you inoculated if taken, Oc.

Now vindemiate and take your Bees towards the expiration of this Moneth; unlefs you fee caule (by reason of the Weather and Season) to defer it till mid-September: But if your Stocks be very light and weak, begin the earlier.

Make your Summer Perry and Cider.

# Fruits in Prime, or yct lasting.

Apples.

"He Ladies Longing, the Kirkham Apple, John Apple; the Seaming Apple, Cushion Apple, Spicing, May-flower, Sheeps fnout.

Pears.

Windsor, Soveraign, Orange, Bergamot, Slipper Pear, Red Catherine, King Catherine, Denny Pear, Prusia Pear, Summer Poppering, Sugar Pear, Lording Pear, Oc.

Peaches.

Roman Peach, Man Peach, Quince Peach, Rambouillet, Musk Peach, Grand Carnation, Porrugal Peach, Crown Peach, Bourdeaux Peach, Lavar Peach, the Peach De-Spot, Savoy Malacoton, which lasts till Michaelmas, Oc.

Nectarines.

The Muroy Nectarine, Tawny, Red-Roman, little Green Nectarine, Cluster Nectarine, Tellow Nectarine.

Plums.

Imperial, Blew, White Dates, Yellow Pear-plum, Black Pear-plum, White Nutmeg, late Pear-plum, Great Anthony, Turkey Plum, the Jane Plum.

Other Fruit.

Clufter-grape, Muscadine, Corinths, Cornelians, Mulberies, Figs, Filberts, Melons, Oc.

72

§ rifes-04"-43" l sets-07--17

## AUGUST

Hath Days long-14<sup>h</sup>

### To be done

### In the Parterre, and Flower-Garden.

Om (and not till now if you expect success) is the just Season for the budding of the Orange Tree: Insculate therefore at the cost of the season for the budding of the Orange Tree: Inoculate therefore at the commencement of this Moneth.

Now likewife take up your bulbous Iris's; or you may fow their feeds, as allo those of Larksbeel, Candi-tufts, Columbines, Iron-colour'd Fox-gloves, Holly-bocks, and fuch Plants as endure Winter, and the approaching Seafons:

Plant fome Anemony roots to have flowers all Winter, if the roots escape.

You may now fow Narciffus, and Oriental Jacynths, and re-plant fuch as will not do well out of the Earth, as Fritillaria, Iris, Hyacinths, Martagon, Dens Caninus.

Gilly-flowers may yet be flipp'd. Continue your taking up of Bulbs, Lilies, &c. of which before.

Gather from day to day your Alaternus feed as it grows black and ripe, and spread it to freat and dry before you put it up; therefore move it iometimes with a broom that the feeds clog not together.

Most other Seeds may now likewise be gathered from Shrubs, which you find ripe.

About mid-Aug. transplant Auricula's, dividing old and lusty roots; also prick out your Seedlings : They best like a loamy fand, or light moist Earth.

Now you may fow Anemony feeds, Ranunculus's, &c. lightly cover'd with fit mould in Cafes, fhaded, and frequently refresh'd: Allo Cyclamen, Jacynths, Iris, Hepatica, Primroses, Fri-tillaria, Martagon, Fraxinella, Tulips, Gc. but with patience; for some of them, because they flower not till three, four, five, fix, and feven years after, especially the Tulips, therefore difurb not their beds, and let them be under some warm place, shaded yet, till the heats are past, left the feeds dry; only the Hepaticas, and Primerofes may be fow'd in fome lefs expos'd Beds.

Now, about Birtholomew-tide, is the only fecure feafon for removing and laying your perennial Greens, Oranges, Lemmons, Myrtils, Philyreas, Oleanders, Jasmies, Arbutus, and other rare Shrubs, as Pome-granads, Roses, and whatever is most obnoxious to frosts, taking the shoots and branches of the past Spring and pegging them down in very rich earth and soil per-fectly confum'd, water them upon all occasions during the Summer; and by this time twelvemoneth they will be ready to remove, Transplanted in fit earth, fet in the shade, and kept moderately moift, not over wet, left the young fibers rot; after three weeks fet them in fome more airy place, but not in the Sun till fifteen days more; Vide our Obfervations in April, and May, for the reft of these choice Directions.

## Flowers in Prime, or yet lasting.

Maranthus, Anagallis Lusitanica, After Atticus, Blattaria, Spanish Bells, Belvedere, Campanula, Clematis, Cyclamen Vernum, Datura Turcica, Eliochryson, Eryngium planum & Amethystinum, Geranium Creticum, and Trifte, Yellow Stocks, Hieracion minus Alpestre, Tuberofe Hyacinch, Limonium, Linaria Cretica, Lychnis, Mirabile Peruvian. Yellow Millefol. Nafturt. Ind. Yellow mountain Hearts-eafe, Maracoc, Africanus flos, Convolvulus's, Scabieus, Afphodils, Lupines, Colchicum, Leucoion, Autumnal Hyacinth, Holly-boc, Star-wort, Heliotrop, French Mary-gold, Daifies, Geranium noëte olens, Common Panfies, Larks-heels of all colours, Nigella, Lobells Catch-ft, Thlasfi Creticum, Rosemary, Musk-Rose, Monethly Rose, Oleanders, Spanish Jasmine, Yellow Indian Jasmine, Myrtils, Oranges, Pome-granads double, and fingle flowers, Agnus Caftus, Oc.

Sun { rifes-05<sup>h</sup>-41<sup>m</sup> } (rets -06-19 }

74

## SEPTEMBER

Hath Days long-12"-37"

## To be done

#### In the Orchard, and Olitory-Garden.

Ather now (if ripe) your Winter Fruits, as Apples, Pears, Plums, &c. to prevent their falling by the great Winds : Also gather your Wind-falls from day to day : do this work in dry weather.

Sow Lettuce, Radifb, Spinage, Parsneps, Skirrets,&c. Cauly-flowers, Cabbages, Onions, &c. Scurvy-graß, Anis-seeds, &c.

Now may you Transplant most forts of Esculent, or Physical plants, &c. Alfo Artichocks, and Asparagus-roots.

Sow alfo Winter Herbs and Roots, and plant Straw-berries out of the Woods. Towards the end, earth up your Winter Plants and Sallad herbs; and plant forth your Cauly-flowers and Cabbages which were fown in August.

No longer now defer the taking of your Bees, streightning the entrances of fuch Hives as you leave to a small passage, and continue still your hostility against Wasps, and other robbing Insets.

Cider-making continues.

## Fruits in Prime, or yet lasting.

Apples.

THe Belle-bonne, the William, Summer Pearmain, Lording-apple, Fearapple, Quince-apple, Red-greening ribb'd, Bloody-Pepin, Harvey, Violetapple, &c.

#### Pears.

Hamdens Bergamot, (first ripe) Summer Bon Chrestien, Norwich, Black Worcester, (baking) Green-field, Orange, Bergamot, the Queen hedge-pear, Lewes-pear (to dry excellent) Frith-pear, Arundel-pear (allo to bake) Brunswick-pear, winter Poppering, Bings-pear, Bishops-pear, (baking) Diego, Emperours-pear, Cluster-pear, Melsire Jean, Rowling-pear, Balsam-pear, Bezy d'Hery, &c.

Peaches, &c.

Malacoton, and some others, if the year prove backwards, Almonds, &c. Quinces.

Little Blew-grape, Muscadine-grape, Frontiniac, Parsley, great Blew-grape, the Verjnyce-grape excellent for fauce, &c. Berberries, &c. Sun { rifes-05<sup>b</sup>-41<sup>m</sup> } { fets--06--19 }

## SEPTEMBER

GHath Days long-12h-37"

### To be done

## In the Parterre and Flower-Garden.

Plant fome of all the forts of Anemonies after the first Rains, if you will have flowers very forwards; but it is surer to attend till October, or the Moneth after, less the over moisture of the Anumnal seasons give you cause to repent.

Begin now also to plant some Tulips, unless you will stay till the later end of October, to prevent all hazard of rotting the Bulbs.

All Fibrous Plants, fuch as Hepatica, Hellebor, Cammomile, &c. Alfo the Capillaries; Matricaria, Violets, Prim-rofes, &c. may now be transplanted.

Now you may also continue to fow Alaternus, Philprea (or you may forbear till the Spring) Iris, Crown Imper: Martagon, Tulips, Delphinium, Nigella, Candy-tufts, Poppy; and generally all the Annuals which are not impair'd by the Frosts.

Your Inberoses will not endure the wet of this Season; therefore set the Pots into your Conserve, and keep them very dry.

Bind now up your Autumnal Flowers, and Plants to stakes, to prevent fudden Gusts which will elfe prostrate all you have so industriously rais'd.

About Michaelmas (fooner, or later, as the Seafon directs) the weather fair, and by no means foggy, retire your choice Greens, and rareft Plants (being dry) as Oranges, Lemmons, Indian, and Span. Jasmine, Oleanders, Barba-Jovis, Amonum Plin. Citysus Lunatus, Chamelæa tricoccos, Cistus Ledon Clussi, Dates, Aloes, Sedum's, & c. into your Conservatory; ordering them with fresh mould, as you were taught in May, viz. taking away some of the upmost exhansted earth, and stirring up the rest, fill the Cases with rich, and well consum'd foil, to wash in, and nourish the Roots during Winter; but as yet leaving the doors and windows open, and giving them much Air, so the Winds be not sharp, nor weather foggy; do thus till the cold being more intense advertife you to enclose them all together : Myrtils will endure abroad neer a Moneth longer.

The cold now advancing, fet fuch plants as will not endure the Houfe into the earth; the pots two or three inches lower then the furface of fome bed under a Southern exposure: Then cover them with glasses, having cloath'd them first with sweet and dry Moss; but upon all warm, and benigne emissions of the Sun, and sweet showers, giving them air, by taking off all that covers them: Thus you shall preferve your costly and precious Marum Syriacum, Cistus's, Geranium notice olens, Flos Cardinalis, Maracocs, feedling Arbutus's (a very hardy plant when greater) choicest Ranunculus's and Anemonies, Acacia Egypt. &c. Thus governing them till April. Secrets not till now divulg'd.

Note that Cats will eat, and deftroy your Marum Syriae. if they can come at it.

### Flowers in Prime, or yet lasting.

A Maranthus tricolor, and others; Anagallis of Portugal, Antirrbinum, African flo. Amomum Plinii, After Atticus, Belvedere, Bellis, Campanulla's, Colchieum, Antumnal Cyclamen, Chryfanthemum angustifol. Eupatorium of Canada, Sun-flower, Stock.gill. flo. Geranium Creticum, and noëte olens, Gentianella annual, Hieracion minus Alpestre, Tuberous Indian Jacynth, Linaria Cretica, Lychnis Constant. fingle and double; Limonium, Indian Lilly Narcisf. Pomum Aureum, and Amoris, & Spinosum Ind. Marvel of Peru, Mille-folium yellow, Narsturtium Indi. cum, Persian autumnal Narcisfus, Virginian Phalangium, Indian Phaseölus, Scarlet Beans, Convolvulus divers. gen. Candy Tusts, Veronica, purple Volubilis, Afshodill. Crocus, Garnsey Lily, or Narcisfus of Japan, Poppy of all colours, single, and double, Malva arborescens, Indian Pinks, Æthopic Apples, Capsicum Ind. Gilly-flowers, Passion-flower, Dature double and sing. Portugal Ranunculus's, Spanish Jasmine, yellow Virginian Jasmine, Rhododendron white and red, Oranges, Myrtils, Muske Rose, and Monethly Rose, &cc.

4 × ..

Sun { rifes-06<sup>b</sup>-26<sup>m</sup> }

# OCTOBER

SHath Days Flong-10h-47m

## To be done

## In the Orchard, and Olitory-Garden.

TRench Grounds for Orcharding, and the Kitchin-garden, to lye for a Win-. ter mellowing.

Plant dry Trees (i.) Fruit of all forts, Standard, Mural, or Shrubs which lofe their leafe; and that fo foon as it falls: But be fure you chufe no Trees for the Wall of above two years Graffing at the most.

Now is the time for Ablaqueation, and laying bare the Roots of old unthriving, or over hasty blooming trees.

Moon now decreasing, gather Winter-fruit that remains, weather dry; take heed of bruising, lay them up clean left they taint, Cut and prune Roses yearly.

Plant and Plash Quick-sets.

Sow all stony, and hard kernels and seeds, such as Cherry, Pear-plum, Peach, Almond-stones, &.c. Also Nuts, Haws, Ashen, Sycomor and Maple keys; Acorns, Beech-mast, Apple, Pear and Crab kernels, for Stocks; or you may dcfer it till the next Moneth towards the later end.

You may yet fow Letuce.

Make Winter Cider, and Perry.

## Fruits in Prime, or yet lasting.

#### Apples.

Belle-et-Bonne, William, Costard, Lording, Parsley-apples, Pearmain, Pearapple, Hony-meal, Apis, &c.

#### Pears.

The Caw-pear (baking) Green-butter-pear, Thorn-pear, Clove-pear, Rouffelpear, Lombart-pear, Ruffet-pear, Suffron-pear, and some of the former Moneth. Bullis, and divers of the September Plums and Grapes, Pines, &c.

6 riles-06h-26 Sun C fets -05--24

## OCTOBER

(Hath Days)

#### To be done

In the Parterre, and Flower-Garden.

Ow your Hyscinthus Tuberose not enduring the wet, must be set into the bouse, and preferved very dry till April.

Continue forming what you did in Sept. if you please : Alfo,

You may plant fome Anemonies, and Ranunculus's, in fresh fandish earth, taken from under the turf; but lay richer mould at the bottom of the bed, which the fibres may reach, but not touch the main roots, which are to be cover'd with the natural earth two inches deep: and fo foon as they appear, fecure them with Mats, or Straw, from the winds and frosts, giving them air in all benigne intervals; if possible once a day.

Plant also Ranunculus's of Tripoly, Oc.

Plant now your choice Tulips, Gre. which you feared to interre at the beginning of September; they will be more fecure, and forward enough : but plant them in natural earth fomewhat impoverish'd with very fine fand; else they will foon lose their variegations; fome more rich earth may lye at the bottom, within reach of the fibres : Now have a care your Carnations catch not too much wet; therefore retire them to covert, where they may be kept from the rain, not the air, trimming them with fresh mondd. All forts of Bulbows roots may now also be fafely buried; likewise Iris's, &c... You may yet fow Alaternus, and Philprea feeds: It will now be good to Beat, Roll, and

Mow Carpet-walks, and Camomile; for now the ground is supple, and it will even all inequalities : Finish your last Weeding, Oc.

Sweep and cleanse your Walks, and all other places, of Autumnal leaves fallen, left the Worms draw them into their holes, and foul your Gardens, Oc:

## Flowers in Prime, or yet lasting.

A Maranthus tricolor, &c. After Atticus, Amomum, Antirrhinum, Colchicum, Heliotrops, Stock-Gilly-flo. Geranium trifte, Ind. Tuberose Jacynth, Limonium, Lychnis white and double, Pomum Amoria and Æthiop. Marvel of Peru, Millefol. luteum, Autumnal Narciff. Panfies, Aleppo Narciff. Sphærical Narciff. Nafturt. Perficum, Gilly-flo. Virgin. Phalangium, Pilofella, Violets, Veronica, Arbutus, Span. Jasmine, Oranges; &c.

L

Sun { fets--0.4 - 26 }

78

## NOVEMBER

G Hath Days Jong-08h52-m

#### To be done

In the Orchard, and Olitory-Garden.

CArry Compost out of your Melon-ground, or turn and mingle it with the earth, and lay it in Ridges ready for the Spring: Also trench and fit ground for Artichocks, &c.

Continue your Setting and Transplanting of Trees; lose no time, hard Frosts come on apace: Yet you may lay bare old Roots.

Plant young Trees Standards or Mural.

Furnish your Nursery with Stocks to graff on the following year.

Sow and fet early Beans and Peafe till Shrove-tide; and now lay up in your Cellars for Seed, to be transplanted at Spring, Carrots, Parsneps, Turneps, Cabbages, Cauly-flowers, &c.

Cut off the tops of Afparagus, and cover it with long-dung, or make Beds to plant in Spring, &c.

Now, in a dry day, gather your last Orchard-fruits.

Take up your Potatos for Winter spending, there will enough remain for stock, though never so exactly gather'd.

**b**y

## Fruits in Prime, or yet lasting.

### Apples.

THe Belle-bonne, the William, Summer Pearmain, Lording-apple, Pear-apple, Cardinal, Winter Chefs-nut, Short-ftart, &c. and fome others of the former two last Moneths, &c.

#### Pears.

Meffire Jean, Lord-pear, long Bergamot, Warden, (to bake) Burnt Cat, Sugarpear, Lady-pear, Ice-pear, Dove-pear, Deadmans-pear, Winter Bergamot, Bellpear, &c.

Bullis, Medlars, Services.

79

Hath Days long-08h-52"

## NOVEMBER

#### To be done

## In the Parterre, and Flower-Garden.

Sow Auricula feeds thus; prepare very rich earth, more then half dung, upon that fieft fome very light fandy mould; and then fow : fet your Cafes or Pans in the Sun till March.

Cover your peeping Ranunculus's, O.c.

Now is your best season (the weather open) to plant your fairest Tulips in places of shelter, and under Espaliers; but let not your earth be too rich, vide Octob. Transplant ordinary Jasmine, &c.

About the middle of this Moneth (or fooner, if meather require) quite enclose your tender Plants, and perennial Greens, Shrubs, &c. in your Confervatory, fectuding all entrance of cold, and especially sharp minds; and if the Plants become exceeding dry, and that it do not actually freeze, refress them sparingly with qualified water (i.) mingled with a little sheeps, or Com-dung: If the feason prove exceeding piercing (which you may know by the freezing of a dish of mater set for that purpose in your Green-house) kindle some Charcoals, and then put them in a hole sunk a little into the floor about the middle of it: This is the fafest Stove: At all other times, when the air is warm'd by the beams of a fine day, and that the Sun darts full upon the house show them the light; but enclose them again before the Sun be gone off: Note that you must never give your Aloes, or Sedums one drop of mater during the whole Winter.

Prepare also Mattresses, Boxes, Cafes, Pots, &c. forshelter to your tender Plants and Seedlings newly fown, if the meather prove very bitter.

Plant Roses, Althea Frutex, Lilac, Syringas, Cytifus, Peonies, &c.

Plant alfo Fibrous roots, specified in the precedent Moneth.

Sow also stony-seeds mention'd in Octob.

Plant all Forest-trees for Walks, Avenues, and Groves.

Sweep and cleanse your Garden-walks, and all other places, of Autumnal leaves.

## Flowers in Prime, or yet lasting.

A Nemonies, Meadow Saffron, Antirrhinum, Stock-gilly-flo. Bellis, Pansies, fome Carnations, double Violets, Vetonica, Spanish Jasmine, Musk-Rose, &c. Sun { rifes-08<sup>h</sup>-10<sup>m</sup> }

## DECEMBER

Hath Days long-07b-40n

## To be done

## In the Orchard, and Olitory-Garden.

PRune, and Nail Wall-fruit, and Standard-trees. You may now plant Vines, &c.

Alfo Stocks for Graffing, &c.

Sow, as yet, Pomace of Cider-pressings to raise Nurseries; and set all forts of Kernels, Stones, G.c.

Sow for early Beans and Peafe; but take heed of the Frosts; therefore furest to defer it till after Christmas, unlefs the Winter promife very moderate.

All this Moneth you may continue to Trench Ground, and dung it, to be ready for Bordures, or the planting of Fruit-trees, &c.

Now feed your weak Stocks.

Turn and refresh your Autumnal Fruit, lest it taint, and open the Windows where it lyes, in a clear and Serene day.

## Fruits in Prime, and yet lasting.

## Apples.

Rouffeting, Leather-coat, Winter Reed, Cheß-nut Apple, Great-belly, the Gono-further, or Cats-head, with some of the precedent Moneth.

#### Pears.

The Squib-pear, Spindle-pear, Virgin, Gascogne-Bergomot, Scarlet-pear, Stopple-pear; white, red and French Wardens (to bake or rost) &c.


~ ^ \*

and the state of the second se

and the second s

Sun { rifes-08 - 10" }

## DECEMBER



To be done

### In the Parterre, and Flower-Garden.

A<sup>S</sup> in January, continue your hostility against Vermine. Preferve from too much Rain and Frost your choicest Anemonies, Ranunculus's, Carnations, &c.

Be careful now to keep the *Doors* and *Windows* of your *Confervatories* well *matted*, and guarded from the piercing *Air*: for your *Oranges*, *O*. are now put to the *teft*: Temper the *cold* with a few *Char-coal* govern'd as directed in *November*, *O*.

Set Bay-berries, &c. dropping ripe.

the tradity 1

Look to your Fountain-pipes, and cover them with fresh and warm Litter out of the Stable, a good thickness, lest the frosts crack them; remember it in time, and the Advice will fave you both trouble and charge.

a contraction of the second second

## Flowers in Prime, or yet lasting.

- Line and the state of the sta

A Nemonies fome, Persian, and Common winter Cyclamen, Antirrhinum, Black Hellebor, Laurus tinus, single Prim-roses, Stock-gilly-flo. Iris Clusii, snow flowers or drops, Jucca, &c.

- I I MARK AT

. . . . . . . .

a company of the second

FOr by fuch a Kalendar it is that a Royal Garden, or Plantation may be contrivid, according to my Lord Verulam's defign, profingulis Anni Men-: fibus, for every Moneth of the Tear.

But becaufe it is in this cold Seafon, that our Gard'ner is chiefly diligent about preferving his more tender, rare, exotic, and coftly Shrubs, Plants and Flowers; We have thought fit to add the Catalogue, as it is (much after this fort) collected to our hands by the Learned, and Industrious Doctor Sharrock (though with fome reformation and improvement) of all fuch, as according to their different Natures do require more or lefs indulgence: And thefe we have diftributed likewife into the three following Claffes.

#### I. CLASSE.

Being least patient of cold, and therefore to be first set into the Confervatory, or other ways defended.

Cacia Ægyptiaca, Aloe American. Amaranthus tricolor, Afpalathus Cret. Balfamum, Helichryfon, Chamelæatricoccos, Nafturtium Indicum, Indian Narciffus, Ornithogalon Arab. Ind. Phafeol. Capficum Ind. Pomum Æthiop. Aureum, Spinofum, Summer sweet Majoran, the two Marum Syriacum, Dattyls, Piftacio's, the great Indian Fig, Lilac flo. alb. Lavendula Multif. Cluf. Cifus Ragufæus flo. alb. Colutea Odorata Cretica, Narciffus Tuberofus, Styrax Arbor, &c.

## II. CLASSE.

## Enduring the fecond degree of *Cold*, and accordingly to be *fecur'd* in the *Confervatory*.

A Momum Plinii, Carob, Chamelæa Alpestris, Cistus Ledon Clus. Citron, Vernal Cyclamen, Summer purple Cyclamen, Digitalis Hispan.Geranium triste, Hedysarum Clypeatum, Aspalathus Creticus, Span. Jasmine, Virgin. Jasmine, Suza Iris, Jacobæa Marina, Alexandrian Laurel, Oleanders, Limonium elegans, Myrtyls, Oranges, Lentiscus, Levantine tusted Narciss, Gill. flo. and choicest Carnations, Phalangium Creticum, Asiatic double and single Ranunculus's, Narciss of Japan, Cytisus rubra, Canna Indica, Thymus capitatus, Verbena nodi flo. Cretica, &c.

## III. CLASSE.

Which not perifhing but in exceffive Colds, are therefore to be last fet in; or rather protected under Mattreffes, and fleighter Coverings, abroad in the Earth, Cafes, Boxes or Pots, &c.

A Brotonum mas. fæm. Winter Aconite, Adiantum Verum, Bellis Hilfan. Calceolus Mariæ, Capparis, Cineraria, Cneorum Matthioli, Cytisus Maranthæ, rub. Lunatus, Eryngium planum totum Cæruleum, Fritillaria mont. Genista Hilfan. flo. alb. Pom-Granads, Oriental Jacynth, Bulbous Iris, Laurels, Cherry Laurel, Lychnis double white; Matricaria double flo. Olives, Pancration, Papaver spinociss. Maracoc, Rose-mary, Silynrichium, Turpentine-tree, Teucri-

82

um mas Tithymal. Myrtifol. Vetonica doub. flo. fingle Violets, Lavender, Serpentaria trifol. &c. Ornithogalon Arab. white and doub. Narciffus of Conftantinople, late Pine-apples, Moly, Persian Jasmine, Opuntia, or the smaller Indian Fig, Jucca, Seseli Æthiop. Agnus Castus, Malva Arborescens, Cistus mas. Althæa Frutex, Sarsaparilla, Cupressus, Crithmum marinum, &c.

And to these might some others be added; but we conceive them fufficient, and more then (we fear) some envious and mercinary Gard'ners will thank us for; but they deferve not the name of that Communicative and noble Profession: However, this, as a Specimen of our Affection to the publick utility, and in Commission of divers bonourable, and Industrious persons, whose Inclination to this innocent Toil has made them spare no Treasure or Pains for the furniture of their Parterres with variety, the miscarriage whereof being sometimes universal to the Curious, has made us the more freely to impart both what we have experimentally learn'd by our own Observations; and from others of undoubted Candor and Ingenuity: But of this we promise a more ample Illustration as it concerns the intire Art, together with all its Ornaments of Ofe and Magnificence, as these Endeavours of ours shall find entertainment, and opportunity contribute to the Design.

#### FINIS.

